



Lenovo® ThinkPad T430s



Lenovo ThinkPad T430s



Lenovo ThinkPad T430s with
Lenovo Essential Notebook Stand 45J9292,
notebook, keyboard and mouse



Lenovo ThinkPad T430s with
USB 3.0 Secure 750GB Hard Drive
0A65616



Lenovo ThinkPad T430s



Lenovo ThinkPad T430s with
USB 3.0 Secure 750GB Hard Drive
0A65616

ThinkPad T430s 2352 (TopSeller)

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Disk SATA GB ⁸ rpm	Optical or Blank bezel	Backlit keyboard	PCIe Mini Card WLAN	PCIe Mini Card WWAN/ mSATA	Finger print reader	Bay battery cells	Bat-tery cells	Intel AMT	Intel vPro	Pre-load	Ann Date (mm/yy)
2352-2KU	i5-3320M	4GBx1	14.0" HD+	128G SSD	Blank bezel	None	Intel 6205 ²⁸	upg	Finger	3	6	iAMT	vPro	Pro 64	06/12
2352-2JU	i5-3320M	4GBx1	14.0" HD+	320G 7200	DVD±RW	None	TP 11b/g/n	upg	None	No	6	None	None	Pro 64	06/12

• **Small and medium business (SMB) model(s), part of the US TopSeller™ Program**

Positioning Processor	<i>Premiere performance and ultraportability; two spindles</i> Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology	Preloaded operating system²⁰ Genuine Windows® 7 Professional 64
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Ready to install applications¹⁴ (only some listed) • Rescue and Recovery™ • Password Manager
Optical Bay battery SATA disk	<i>Some:</i> DVD burner, 9.5mm Ultrabay slim, removable <i>Some:</i> ThinkPad Battery 43 (3-cell, bay) (0A36310), used in Option Bay One modular bay for interchangeable devices (right side), 9.5mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	Preloaded applications¹⁴ (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD+ (1600x900) color , anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 300:1 contrast ratio	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	Intel HD Graphics 4000 in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions ³ Weight ² Case material Battery - type Battery - life ¹⁰	<i>14.0W" (WxDxH):</i> 13.5" x 9.05" x 0.83–1.02"; 343mm x 230mm x 21.2–26.0mm <i>6-cell:</i> from 3.96 lb (1.79kg) <i>Display cover:</i> Hybrid Carbon-fiber reinforced plastic; <i>Bottom:</i> Magnesium alloy Lithium Ion 6-cell, supports optional Ultrabay Slim battery as 2nd battery, HW authentication <i>6-cell (43.2Whr):</i> up to 7.6 hr; <i>6-cell plus 3-cell Bay battery (31.3Whr, 0A36310):</i> up to 13.2 hr	
Chipset ExpressCard Smart Card Read Multicard Reader Ports	Mobile Intel QM77 Express Chipset One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) via ExpressCard adapter Two USB 3.0, one powered USB 2.0, ethernet (RJ-45), VGA DB-15, Mini DisplayPort (Mini DP / Thunderbolt™ combo port on i7 integrated model, switch via BIOS)	
PCIe Mini Card PCIe WLAN ⁴	Two PCI Express Mini Card slots <i>Some:</i> 11b/g/n, PCIe Half Mini Card, ThinkPad 11b/g/n, 1x1 <i>Some:</i> 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2	Supports ThinkVantage® technologies
PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Wireless WAN upgradable None None None Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 <i>Some:</i> Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Home Theater® v4 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Silver rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant <i>Some:</i> AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	For compatible accessories, please go to O-T430-S sheet; For Lenovo service ²² upgrade options, please go to QP-TA sheet
Limited warranty ¹²	1-year - depot repair service / service upgrades ²² available	

See footnotes for more detailed information

© Lenovo
(SN4-1) November 2012

ThinkPad T430s 2353 (TopSeller)

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Disk SATA GB ³ rpm	Optical or battery	Backlit keyboard	PCIe Mini Card WLAN	PCIe Mini Card WWAN/ mSATA	Finger print reader	Bat- tery cells	Power Adapter (watt)	Intel vPro	Preload (mm/yy)	Ann Date
2353-2NU	i7-3520M	4GBx1	14.0" HD+	180G SSD	DVD±RW	None	Intel 6205 ²⁸	WWAN upg	Finger	6	90W	vPro	Pro 64	06/12
2353-2MU	i5-3320M	4GBx1	14.0" HD+	500G 7200	DVD±RW	None	Intel 6205	WWAN upg	Finger	6	65W	vPro	Pro 64	06/12
2353-2LU	i5-3320M	4GBx1	14.0" HD+	128G SSD	DVD±RW	None	Intel 6205	WWAN upg	Finger	6	65W	vPro	Pro 64	06/12
2353-6GU	i7-3520M	4GBx1	14.0" HD+	500G 7200	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	6	65W	vPro	Pro 64	07/12
2353-6FU	i7-3520M	4GBx1	14.0" HD+	180G SSD	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	6	65W	vPro	Pro 64	07/12
2353-6DU	i5-3320M	4GBx1	14.0" HD+	180G SSD	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	6	65W	vPro	Pro 64	07/12
2353-6AU	i5-3320M	4GBx1	14.0" HD+	128G SSD	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	6	65W	vPro	Pro 64	07/12
2353-69U	i5-3320M	4GBx1	14.0" HD+	500G 7200	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	6	65W	vPro	Pro 64	07/12

- **Small and medium business (SMB) model(s), part of the US TopSeller™ Program**
- **A depot repair service 3-year limited warranty**

Positioning Processor	<i>Premiere performance and ultraportability; two spindles</i> Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	Preloaded operating system²⁰ Genuine Windows® 7 Professional 64 Ready to install applications¹⁴ (only some listed) • Rescue and Recovery™ • Password Manager
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Preloaded applications¹⁴ (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
Optical Bay battery	DVD burner, 9.5mm Ultrabay slim, removable None	
Ultrabay SATA disk	One modular bay for interchangeable devices (right side), 9.5mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD+ (1600x900) color , anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 300:1 contrast ratio	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	Intel HD Graphics 4000 in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions ³ Weight ² Case material Battery - type Battery - life ¹⁰	<i>14.0W" (WxDxH):</i> 13.5" x 9.05" x 0.83–1.02"; 343mm x 230mm x 21.2–26.0mm <i>6-cell:</i> from 3.96 lb (1.79kg) <i>Display cover:</i> Hybrid Carbon-fiber reinforced plastic; <i>Bottom:</i> Magnesium alloy Lithium Ion 6-cell, supports optional Ultrabay Slim battery as 2nd battery, HW authentication <i>6-cell (43.2Whr):</i> up to 7.6 hr; <i>6-cell plus 3-cell Bay battery (31.3Whr, 0A36310):</i> up to 13.2 hr	
Chipset ExpressCard Smart Card Read Multicard Reader Ports	Mobile Intel QM77 Express Chipset One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) via ExpressCard adapter Two USB 3.0, one powered USB 2.0, ethernet (RJ-45), VGA DB-15, Mini DisplayPort (Mini DP / Thunderbolt™ combo port on i7 integrated model, switch via BIOS)	
PCIe Mini Card PCIe WLAN ⁴ PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable None None None Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Home Theater® v4 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	Supports ThinkVantage® technologies 65-watt or 90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Silver rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	For compatible accessories, please go to O-T430-S sheet; For Lenovo service ²² upgrade options, please go to QP-TA sheet
Limited warranty ¹²	3-years/1-yr battery - depot repair service / service upgrades²² available	

See footnotes for more detailed information

© Lenovo
(SN4-2) November 2012

ThinkPad T430s 2353 (TopSeller) - Windows 8

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Disk SATA GB ² rpm	Optical or battery	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN/ mSATA	Finger print reader	Bat-tery cells	Intel vPro	Preload	Ann Date (mm/yy)
2353-9VU	i7-3520M	4GBx1	14.0" HD+	500G 7200	DVD±RW	None	Intel 6205 ²⁸	WWAN upg	Finger	6	vPro	Win7 Pro64	10/12
2353-9MU	i5-3320M	4GBx1	14.0" HD+	128G SSD	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	6	vPro	Win7 Pro64	10/12
2353-9LU	i5-3320M	4GBx1	14.0" HD+	500G 7200	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	6	vPro	Win7 Pro64	10/12
2353-6HU	i7-3520M	4GBx1	14.0" HD+	500G 7200	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	6	vPro	Win8 Pro64	10/12
2353-6EU	i7-3520M	4GBx1	14.0" HD+	180G SSD	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	6	vPro	Win8 Pro64	10/12
2353-6CU	i5-3320M	4GBx1	14.0" HD+	180G SSD	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	6	vPro	Win8 Pro64	10/12
2353-6BU	i5-3320M	4GBx1	14.0" HD+	128G SSD	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	6	vPro	Win8 Pro64	10/12
2353-68U	i5-3320M	4GBx1	14.0" HD+	500G 7200	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	6	vPro	Win8 Pro64	10/12
2353-B5U	i5-3320M	4GBx1	14.0" HD+	128G SSD	DVD±RW	Backlit	Intel 6205	WWAN upg	None	6	vPro	Win7 Pro64	07/13
2353-B4U	i5-3320M	4GBx1	14.0" HD+	500G 7200	DVD±RW	Backlit	Intel 6205	WWAN upg	None	6	vPro	Win7 Pro64	07/13
2353-AZU	i5-3320M	4GBx1	14.0" HD+	256G SSD OPAL	DVD±RW	Backlit	Intel 6205	WWAN upg	None	6	vPro	Win7 Pro64	07/13
2353-AYU	i5-3320M	4GBx1	14.0" HD+	256G SSD OPAL	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	6	vPro	Win7 Pro64	07/13
2353-AXU	i5-3320M	4GBx1	14.0" HD+	320G 7200 OPAL	DVD±RW	Backlit	Intel 6205	WWAN upg	None	6	vPro	Win7 Pro64	07/13

- **Small and medium business (SMB) model(s), part of the US TopSeller™ Program**
- **A depot repair service 3-year limited warranty**

Positioning	<i>Premiere performance and ultraportability; two spindles</i>	Preloaded operating system²⁰ - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 Pro 64-bit Preloaded applications⁵ (only some listed) - Windows 7 models • Lenovo® Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • ThinkVantage Power Manager • Lenovo SimpleTap • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW) - Windows 8 models • Lenovo Support • Lenovo Companion • Lenovo QuickLaunch • PC Device Stage • Cyberlink Power2Go (DVD±RW) • Cyberlink PowerProducer (DVD±RW) - All models • Lenovo Solution Center • Password Manager • ThinkVantage System Update • Fingerprint Software (fingerprint models) • Lenovo Cloud Storage by SugarSync • Microsoft® Office preloaded; purchase a product key to activate • Skype™
Processor	Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	
Optical	DVD burner, 9.5mm Ultrabay slim, removable	
Bay battery	None	
Ultrabay	One modular bay for interchangeable devices (right side), 9.5mm high, bottom access	
SATA disk	<i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD+ (1600x900) color , anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 300:1 contrast ratio	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	Intel HD Graphics 4000 in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	
Keyboard	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight	
TrackPoint®	TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass	
Touchpad	UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch	
ThinkLight™	Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions ³	14.0W" (WxDxH): 13.5" x 9.05" x 0.83–1.02"; 343mm x 230mm x 21.2–26.0mm	
Weight ²	6-cell: from 3.96 lb (1.79kg)	
Case material	<i>Display cover:</i> Hybrid Carbon-fiber reinforced plastic; <i>Bottom:</i> Magnesium alloy	
Battery - type	Lithium Ion 6-cell, supports optional Ultrabay Slim battery as 2nd battery, HW authentication	
Battery - life ¹⁰	6-cell (43.2Whr): up to 7.6 hr; 6-cell plus 3-cell Bay battery (31.3Whr, 0A36310): up to 13.2 hr	
Chipset	Mobile Intel QM77 Express Chipset	
ExpressCard	One slot (ExpressCard/34)	
Smart Card Read	None	
Multicard Reader	4-in-1 reader (MMC, SD, SDHC, SDXC) via ExpressCard adapter	
Ports	Two USB 3.0, one powered USB 2.0, ethernet (RJ-45), VGA DB-15, Mini DisplayPort (Mini DP / Thunderbolt™ combo port on i7 integrated model, switch via BIOS)	
PCIe Mini Card	Two PCI Express Mini Card slots	
PCIe WLAN ⁴	11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2	
PCIe WWAN	Wireless WAN upgradable	
Carrier	None	
Modem	None	
IEEE 1394	None	
Bluetooth™	Bluetooth 4.0 wireless	
Ethernet	Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1	
Intel AMT	Intel Active Management Technology (iAMT)	
Audio support	HD Audio, Realtek® ALC3202 codec, Dolby® Home Theater® v4 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	
Security	Power-on password, hard disk password, supervisor password, security keyhole	
Security chip	Trusted Platform Module, TCG 1.2-compliant	
Fingerprint reader	<i>Some:</i> AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	
Limited warranty ¹²	3-years/1-yr battery - depot repair service / service upgrades ²² available	
	Supports ThinkVantage® technologies	
	65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Silver rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²	
	For compatible accessories, please go to O-T430-S sheet; For Lenovo service ²² upgrade options, please go to QP-TA sheet	

See footnotes for more detailed information

© Lenovo (SN4-8) July 2013

ThinkPad T430s 2353 (Optimus) - TopSeller

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB ⁵ rpm	Optical or battery	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN/mSATA	Finger print reader	Bat- tery Intel vPro	Pre-load	Ann Date (mm/yy)		
2353-5UU	i5-3210M	4GBx1	14.0" HD	720p	500G 7200	DVD±RW	None	Intel 6205 ²⁸	WWAN upg	None	No	6	None	Pro 64	07/12
2353-66U	i5-3210M	4GBx1	14.0" HD	720p	500G 7200	DVD±RW	Backlit	Intel 6205	WWAN upg	Finger	BT	6	None	Pro 64	07/12

Positioning Processor	<i>Premiere performance and ultraportability; two spindles</i> Intel® Core™ i5-3210M processor (2 cores, 2.50GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology										Preloaded operating system²⁰ Genuine Windows® 7 Professional 64			
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller										Ready to install applications¹⁴ (only some listed) • Rescue and Recovery™ • Password Manager			
Optical Bay battery	DVD burner, 9.5mm Ultrabay slim, removable										Preloaded applications¹⁴ (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)			
Ultrabay SATA disk	One modular bay for interchangeable devices (right side), 9.5mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive													
mSATA™ SSD	None													
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD+ (1600x900) color , anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 300:1 contrast ratio													
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus													
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, Intel HD Graphics 4000 in processor, and NVIDIA NVS™ 5200M , PCI Express® x16, 1GB memory, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort or Thunderbolt (i7 integrated models); supports three independent displays; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@85Hz (VGA)													
Keyboard TrackPoint®	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight													
Touchpad UltraNav™	ThinkPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass													
ThinkLight™	UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions													
Dimensions ³	14.0W" (WxDxH): 13.5" x 9.05" x 0.83–1.02"; 343mm x 230mm x 21.2–26.0mm													
Weight ²	6-cell: from 3.96 lb (1.79kg)													
Case material	<i>Display cover:</i> Hybrid Carbon-fiber reinforced plastic; <i>Bottom:</i> Magnesium alloy													
Battery - type	Lithium Ion 6-cell, supports optional Ultrabay Slim battery as 2nd battery, HW authentication													
Battery - life ¹⁰	6-cell (43.2Whr): up to 7.6 hr; 6-cell plus 3-cell Bay battery (31.3Whr, 0A36310): up to 13.2 hr													
Chipset	Mobile Intel QM77 Express Chipset													
ExpressCard	One slot (ExpressCard/34)													
Smart Card Read	None													
Multicard Reader	4-in-1 reader (MMC, SD, SDHC, SDXC) via ExpressCard adapter													
Ports	Two USB 3.0, one powered USB 2.0, ethernet (RJ-45), VGA DB-15, Mini DisplayPort													
PCIe Mini Card	Two PCI Express Mini Card slots										Supports ThinkVantage® technologies			
PCIe WLAN ⁴	11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2													
PCIe WWAN	Wireless WAN upgradable										90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Silver rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²			
Carrier	None													
Modem	None													
IEEE 1394	None													
Bluetooth™	<i>Some:</i> Bluetooth 4.0 wireless													
Ethernet	Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1													
Intel AMT	None													
Audio support	HD Audio, Realtek® ALC3202 codec, Dolby® Home Theater® v4 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack													
Security	Power-on password, hard disk password, supervisor password, security keyhole													
Security chip	Trusted Platform Module, TCG 1.2-compliant													
Fingerprint reader	<i>Some:</i> AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip										For compatible accessories, please go to O-T430-S sheet; For Lenovo service ²² upgrade options, please go to QP-TA sheet			
Limited warranty ¹²	3-years/1-yr battery - depot repair service / service upgrades ²² available													

See footnotes for more detailed information

© Lenovo
(SN4-7) April 2013

ThinkPad T430s 2353 (Optimus) - TopSeller (Windows 8)

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB ¹ rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN/ mSATA	Finger print reader	Battery cells	Intel AMT	Intel vPro	Preload	Ann Date (mm/yy)
2353-9WU	i7-3520M	4GBx1	14.0" HD+	720p	180G SSD	Backlit	Intel 6205 ²⁸	WWAN upg	Finger	6	iAMT	vPro	Win7 Pro64	10/12
2353-9KU	i5-3210M	4GBx1	14.0" HD+	720p	500G 7200	Backlit	Intel 6205	WWAN upg	Finger	6	None	No	Win7 Pro64	10/12
2353-67U	i5-3210M	4GBx1	14.0" HD	720p	500G 7200	Backlit	Intel 6205	WWAN upg	Finger	6	None	No	Win8 Pro64	10/12
2353-ALU	i5-3230M	4GBx1	14.0" HD	720p	500G 7200	Backlit	Intel 6205	WWAN upg	Finger	6	None	No	Win8 Pro64	02/13
2353-ABU	i5-3230M	4GBx1	14.0" HD+	720p	500G 7200	Backlit	Intel 6205	WWAN upg	Finger	6	None	No	Win7 Pro64	02/13
2353-B7U	i5-3230M	4GBx1	14.0" HD+	720p	500G 7200	Backlit	Intel 6205	WWAN upg	None	6	None	No	Win7 Pro64	07/13
2353-B6U	i7-3520M	4GBx1	14.0" HD+	720p	180G SSD	Backlit	Intel 6205	WWAN upg	None	6	iAMT	vPro	Win7 Pro64	07/13
2353-B3U	i7-3520M	4GBx1	14.0" HD+	720p	256G SSD OPAL	Backlit	Intel 6205	WWAN upg	Finger	6	iAMT	vPro	Win7 Pro64	07/13
2353-B2U	i7-3520M	4GBx1	14.0" HD+	720p	256G SSD OPAL	Backlit	Intel 6205	WWAN upg	None	6	iAMT	vPro	Win7 Pro64	07/13

- **Small and medium business (SMB) model(s), part of the US TopSeller™ Program**
- **A depot repair service 3-year limited warranty**

Positioning Processor	<i>Premiere performance and ultraportability; two spindles</i> Intel® Core™ i5-3210M processor (2 cores, 2.50GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.10GHz), HT technology Intel Core i5-3230M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.20GHz), HT technology Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	Preloaded operating system²⁰ - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 Pro 64-bit
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Preloaded applications⁵ (only some listed) - Windows 7 models • Lenovo® Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • ThinkVantage Power Manager • Lenovo SimpleTap • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW) - Windows 8 models • Lenovo Support • Lenovo Companion • Lenovo QuickLaunch • PC Device Stage • Cyberlink Power2Go (DVD±RW) • Cyberlink PowerProducer (DVD±RW) - All models • Lenovo Solution Center • Password Manager • ThinkVantage System Update • Fingerprint Software (fingerprint models) • Lenovo Cloud Storage by SugarSync • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security (30 days of virus definitions) • Skype™
Optical Bay battery Ultrabay SATA disk	DVD burner, 9.5mm Ultrabay slim, removable None One modular bay for interchangeable devices (right side), 9.5mm high, bottom access Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ All: removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	Some: 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio Some: 14.0" (355mm) HD+ (1600x900) color , anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 300:1 contrast ratio	
Camera	HD720p resolution, wide view angle, auto-switch between discrete and integrated graphics, face tracking, fixed focus	
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, Intel HD Graphics 4000 in processor, and NVIDIA NVS™ 5200M , PCI Express® x16, 1GB memory, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort or Thunderbolt (i7 integrated models); supports three independent displays; Maximum external resolution: 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@85Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions ³ Weight ² Case material Battery - type Battery - life ¹⁰	14.0W" (WxDxH): 13.5" x 9.05" x 0.83–1.02"; 343mm x 230mm x 21.2–26.0mm 6-cell: from 3.96 lb (1.79kg) Display cover: Hybrid Carbon-fiber reinforced plastic; Bottom: Magnesium alloy Lithium Ion 6-cell, supports optional Ultrabay Slim battery as 2nd battery, HW authentication 6-cell (43.2Whr): up to 7.6 hr; 6-cell plus 3-cell Bay battery (31.3Whr, 0A36310): up to 13.2 hr	
Chipset ExpressCard Smart Card Reader Multicard Reader Ports	Mobile Intel QM77 Express Chipset One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) via ExpressCard adapter Two USB 3.0, one powered USB 2.0, ethernet (RJ-45), VGA DB-15, Mini DisplayPort	
PCIe Mini Card PCIe WLAN ⁴ PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable None None None Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 Some: Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Home Theater® v4 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	Supports ThinkVantage® technologies
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant Some: AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Silver rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Limited warranty ¹²	3-years/1-yr battery - depot repair service / service upgrades²² available	For compatible accessories, please go to O-T430-S sheet; For Lenovo service ²² upgrade options, please go to QP-TA sheet

See footnotes for more detailed information

© Lenovo (SN4-9) July 2013

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB ² rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN/mSATA	Carrier	Finger print reader	Bat-tery cells	Bay battery cells	Global (G) Intel vPro	GMP (P)	Pre-load	Ann Date (mm/yy)
2355-HMU	i7-3520M	4GBx1	14.0" HD+	720p	320G 7200	None	Intel 6205 ²⁸	WWAN upg	None	Finger	6	No	vPro	G	Pro 64	06/12
2355-HLU	i7-3520M	4GBx1	14.0" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	None	Finger	6	No	vPro	G	Pro 64	06/12
2355-HKU	i7-3520M	4GBx2	14.0" HD+	720p	180G SSD	None	Intel 6205	WWAN upg	None	Finger	6	No	vPro	G	Pro 64	06/12
2355-HFU	i5-3320M	4GBx1	14.0" HD+	720p	128G SSD	None	Intel 6205	WWAN upg	None	Finger	6	No	vPro	G	Pro 64	06/12
2355-HEU	i5-3320M	4GBx1	14.0" HD+	720p	128G SSD	None	Intel 6205	Gobi 3000	select	Finger	6	No	vPro	G	Pro 64	06/12
2355-HDU	i5-3320M	4GBx1	14.0" HD+	None	320G 7200	None	Intel 6205	WWAN upg	None	Finger	6	3	vPro	G	Pro 64	06/12
2355-HCU	i5-3320M	4GBx1	14.0" HD+	720p	128G SSD	None	Intel 6205	WWAN upg	None	Finger	6	3	vPro	G	Pro 64	06/12
2355-GUU	i5-3320M	4GBx1	14.0" HD+	720p	320G 7200	None	Intel 6205	WWAN upg	None	None	6	No	vPro	G	Pro 64	06/12
2355-GTU	i5-3320M	4GBx1	14.0" HD+	720p	128G SSD	None	Intel 6205	WWAN upg	None	None	6	No	vPro	G	Pro 64	06/12
2355-GMU	i7-3520M	4GBx1	14.0" HD+	720p	320G 7200	None	Intel 6205	WWAN upg	None	None	6	No	vPro	G	Pro 64	06/12
2355-G3U	i7-3520M	4GBx1	14.0" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	None	Finger	6	No	vPro	G	Pro 64	06/12
2355-G2U	i5-3320M	4GBx1	14.0" HD+	720p	320G 7200	None	Intel 6205	WWAN upg	None	Finger	6	No	vPro	G	Pro 64	06/12
2355-K8U	i5-3320M	4GBx1	14.0" HD+	720p	500G 7200	None	Intel 6205	Gobi 4000	AT&T	Finger	6	No	vPro	G	Pro 64	09/12

• A depot repair service 3-year limited warranty

Positioning Processor	<i>Premiere performance and ultraportability; two spindles</i> Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	Preloaded operating system²⁰ Genuine Windows® 7 Professional 64 Ready to install applications¹⁴ (only some listed) • Rescue and Recovery™ • Password Manager
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Preloaded applications¹⁴ (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
Optical Bay battery	DVD burner, 9.5mm Ultrabay slim, removable <i>Some:</i> ThinkPad Battery 43 (3-cell, bay) (0A36310), used in Option Bay	
Ultrabay	One modular bay for interchangeable devices (right side), 9.5mm high, bottom access	
SATA disk	<i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™	
mSATA™ SSD	All: removable, upgradable, supports the second disk, Shock Mounted Hard Drive None	
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD+ (1600x900) color , anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 300:1 contrast ratio	
Camera	<i>Some:</i> HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	Intel HD Graphics 4000 in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	
Keyboard	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight	
TrackPoint®	TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass	
Touchpad	UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch	
ThinkLight™	Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions ³	14.0W" (WxDxH): 13.5" x 9.05" x 0.83–1.02"; 343mm x 230mm x 21.2–26.0mm	
Weight ²	6-cell: from 3.96 lb (1.79kg)	
Case material	<i>Display cover:</i> Hybrid Carbon-fiber reinforced plastic; <i>Bottom:</i> Magnesium alloy	
Battery - type	Lithium Ion 6-cell, supports optional Ultrabay Slim battery as 2nd battery, HW authentication	
Battery - life ¹⁰	6-cell (43.2Whr): up to 7.6 hr; 6-cell plus 3-cell Bay battery (31.3Whr, 0A36310): up to 13.2 hr	
Chipset	Mobile Intel QM77 Express Chipset	
ExpressCard	One slot (ExpressCard/34)	
Smart Card Read	None	
Multicard Reader	4-in-1 reader (MMC, SD, SDHC, SDXC) via ExpressCard adapter	
Ports	Two USB 3.0, one powered USB 2.0, ethernet (RJ-45), VGA DB-15, Mini DisplayPort (Mini DP / Thunderbolt™ combo port on i7 integrated model, switch via BIOS)	
PCIe Mini Card	Two PCI Express Mini Card slots	
PCIe WLAN ⁴	11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2	
PCIe WWAN	<i>Some:</i> Wireless WAN upgradable <i>Some:</i> Wireless WAN, Qualcomm® Gobi™ 3000 chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS <i>Some:</i> Wireless WAN, Qualcomm Gobi™ 4000 chipset, PCIe Mini Card, LTE, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS	
Carrier	<i>Some:</i> User selectable, AT&T®, Verizon®, or Sprint®, contract required with service provider <i>Some:</i> AT&T® LTE (4G), contract required with service provider	
Modem	None	
IEEE 1394	None	
Bluetooth™	Bluetooth 4.0 wireless	
Ethernet	Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1	
Intel AMT	Intel Active Management Technology (iAMT)	
Audio support	HD Audio, Realtek® ALC3202 codec, Dolby® Home Theater® v4 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	
Security	Power-on password, hard disk password, supervisor password, security keyhole	
Security chip	Trusted Platform Module, TCG 1.2-compliant	
Fingerprint reader	<i>Some:</i> AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	
Limited warranty ¹²	3-years/1-yr battery - depot repair service / service upgrades ²² available	Supports ThinkVantage® technologies 65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Silver rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹² For compatible accessories, please go to O-T430-S sheet; For Lenovo service ²² upgrade options, please go to QP-TA sheet

ThinkPad T430s 2355 (Windows 8)

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB ² rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN/ mSATA	Finger print reader	Battery cells	Bay battery cells	Global (G) Intel vPro (P)	Ann Date (mm/yy)
2355-K7U	i7-3520M	4GBx1	14.0" HD+	720p	180G SSD	None	Intel 6205 ²⁸	WWAN upg	Finger	6	No	vPro G	Win8 Pro64 10/12
2355-JQU	i7-3520M	4GBx1	14.0" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	6	No	vPro	Win8 Pro64 10/12
2355-JCU	i5-3320M	4GBx1	14.0" HD+	720p	320G 7200	None	Intel 6205	WWAN upg	Finger	6	No	vPro	Win8 Pro64 10/12
2355-KNU	i5-3320M	4GBx1	14.0" HD+	720p	180G SSD	None	Intel 6205	WWAN upg	Finger	6	No	vPro	Win7 Pro64 12/12
2355-KMU	i5-3320M	4GBx1	14.0" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	6	No	vPro	Win7 Pro64 12/12

• A depot repair service 3-year limited warranty

Positioning Processor	<i>Premiere performance and ultraportability; two spindles</i> Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	Preloaded operating system²⁰ - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 Pro 64-bit
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Preloaded applications⁵ (only some listed)
Optical Bay battery	DVD burner, 9.5mm Ultrabay slim, removable	- Windows 7 models
Ultrabay SATA disk	None One modular bay for interchangeable devices (right side), 9.5mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	<ul style="list-style-type: none"> Lenovo® Message Center Plus ThinkVantage Product Recovery Access Connections™ ThinkVantage Power Manager Lenovo SimpleTap Corel® WinDVD® (DVD±RW) Corel Burn.Now™ Lenovo Edition (DVD±RW) Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
mSATA™ SSD	None	- Windows 8 models
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD+ (1600x900) color , anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 300:1 contrast ratio	<ul style="list-style-type: none"> Lenovo Support Lenovo Companion Lenovo QuickLaunch PC Device Stage Cyberlink Power2Go (DVD±RW) Cyberlink PowerProducer (DVD±RW)
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	- All models
Graphics	Intel HD Graphics 4000 in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	<ul style="list-style-type: none"> Lenovo Solution Center Password Manager ThinkVantage System Update Fingerprint Software (fingerprint models) Lenovo Cloud Storage by SugarSync Microsoft® Office preloaded; purchase a product key to activate Skype™
Keyboard TrackPoint®	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight	
Touchpad	TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass	
ThinkLight™	UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions ³	14.0W" (WxDxH): 13.5" x 9.05" x 0.83–1.02"; 343mm x 230mm x 21.2–26.0mm	
Weight ²	6-cell: from 3.96 lb (1.79kg)	
Case material	<i>Display cover:</i> Hybrid Carbon-fiber reinforced plastic; <i>Bottom:</i> Magnesium alloy	
Battery - type	Lithium Ion 6-cell, supports optional Ultrabay Slim battery as 2nd battery, HW authentication	
Battery - life ¹⁰	6-cell (43.2Whr): up to 7.6 hr; 6-cell plus 3-cell Bay battery (31.3Whr, 0A36310): up to 13.2 hr	
Chipset	Mobile Intel QM77 Express Chipset	
ExpressCard	One slot (ExpressCard/34)	
Smart Card Read	None	
Multicard Reader	4-in-1 reader (MMC, SD, SDHC, SDXC) via ExpressCard adapter	
Ports	Two USB 3.0, one powered USB 2.0, ethernet (RJ-45), VGA DB-15, Mini DisplayPort (Mini DP / Thunderbolt™ combo port on i7 integrated model, switch via BIOS)	
PCIe Mini Card	Two PCI Express Mini Card slots	Supports ThinkVantage® technologies
PCIe WLAN ⁴	11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2	
PCIe WWAN	Wireless WAN upgradable	
Carrier	None	
Modem	None	
IEEE 1394	None	
Bluetooth™	Bluetooth 4.0 wireless	
Ethernet	Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1	
Intel AMT	Intel Active Management Technology (iAMT)	
Audio support	HD Audio, Realtek® ALC3202 codec, Dolby® Home Theater® v4 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	
Security	Power-on password, hard disk password, supervisor password, security keyhole	
Security chip	Trusted Platform Module, TCG 1.2-compliant	
Fingerprint reader	AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	
Limited warranty ¹²	3-years/1-yr battery - depot repair service / service upgrades ²² available	For compatible accessories, please go to O-T430-S sheet; For Lenovo service ²² upgrade options, please go to QP-TA sheet

See footnotes for more detailed information

© Lenovo (SN4-10) December 2012

ThinkPad T430s 2355 (Optimus)

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB ⁸ rpm	Optical or battery	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN/mSATA	Finger print reader	Bat-tery Blue-tooth cells	Global (G) Intel vPro (P)	Ann Date (mm/yy)
2355-HJU	i5-3320M	4GBx2	14.0" HD+	720p	180G SSD	DVD±RW	None	Intel 6205 ²⁸	WWAN upg	Finger	BT 6	vPro G	Pro 64 06/12
2355-HHU	i5-3320M	4GBx1	14.0" HD+	720p	320G 7200	DVD±RW	None	Intel 6205	WWAN upg	Finger	BT 6	vPro G	Pro 64 06/12
2355-HGU	i5-3320M	4GBx1	14.0" HD+	720p	500G 7200	DVD±RW	None	Intel 6205	WWAN upg	Finger	BT 6	vPro G	Pro 64 06/12

• A depot repair service 3-year limited warranty

Positioning Processor	<i>Premiere performance and ultraportability; two spindles</i> Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000 , DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology	Preloaded operating system²⁰ Genuine Windows® 7 Professional 64
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Ready to install applications¹⁴ (only some listed) • Rescue and Recovery™ • Password Manager
Optical Bay battery	DVD burner, 9.5mm Ultrabay slim, removable	Preloaded applications¹⁴ (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
Ultrabay SATA disk	One modular bay for interchangeable devices (right side), 9.5mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD+ (1600x900) color , anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 300:1 contrast ratio	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, Intel HD Graphics 4000 in processor, and NVIDIA NVS™ 5200M , PCI Express® x16, 1GB memory, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort or Thunderbolt (i7 integrated models); supports three independent displays; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@85Hz (VGA)	
Keyboard TrackPoint®	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight	
Touchpad ThinkLight™	TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions ³ Weight ²	<i>14.0W" (WxDxH):</i> 13.5" x 9.05" x 0.83–1.02"; 343mm x 230mm x 21.2–26.0mm <i>6-cell:</i> from 3.96 lb (1.79kg)	
Case material	<i>Display cover:</i> Hybrid Carbon-fiber reinforced plastic; <i>Bottom:</i> Magnesium alloy	
Battery - type	Lithium Ion 6-cell, supports optional Ultrabay Slim battery as 2nd battery, HW authentication	
Battery - life ¹⁰	<i>6-cell (43.2Whr):</i> up to 7.6 hr; <i>6-cell plus 3-cell Bay battery (31.3Whr, 0A36310):</i> up to 13.2 hr	
Chipset	Mobile Intel QM77 Express Chipset	
ExpressCard	One slot (ExpressCard/34)	
Smart Card Read	None	
Multicard Reader	4-in-1 reader (MMC, SD, SDHC, SDXC) via ExpressCard adapter	
Ports	Two USB 3.0, one powered USB 2.0, ethernet (RJ-45), VGA DB-15, Mini DisplayPort	
PCIe Mini Card	Two PCI Express Mini Card slots	Supports ThinkVantage® technologies
PCIe WLAN ⁴	11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2	90-watt AC adapter
PCIe WWAN	Wireless WAN upgradable	ThinkPad Roll Cage (one-piece magnesium frame)
Carrier	None	EPEAT™ Silver rating
Modem	None	ENERGY STAR® 5.0-compliant
IEEE 1394	None	GREENGUARD® certified
Bluetooth™	Bluetooth 4.0 wireless	RoHS-compliant
Ethernet	Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1	International Warranty Service ¹⁷
Intel AMT	Intel Active Management Technology (iAMT)	24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Audio support	HD Audio, Realtek® ALC3202 codec, Dolby® Home Theater® v4 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	
Security	Power-on password, hard disk password, supervisor password, security keyhole	
Security chip	Trusted Platform Module, TCG 1.2-compliant	For compatible accessories, please go to O-T430-S sheet;
Fingerprint reader	AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	For Lenovo service ²² upgrade options, please go to QP-TA sheet
Limited warranty ¹²	3-years/1-yr battery - depot repair service / service upgrades ²² available	

See footnotes for more detailed information

© Lenovo
(SN4-4) November 2012

ThinkPad T430s 2355 (Optimus) - Windows 8

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB ² rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN/ mSATA	Finger print reader	Bat-tery cells	Global (G) Intel vPro	GMP (P)	Preload	Ann Date (mm/yy)
2355-K6U	i5-3320M	4GBx1	14.0" HD+	720p	180G SSD	None	Intel 6205 ²⁸	WWAN upg	Finger	6	vPro	G	Win8 Pro64	10/12
2355-JEU	i5-3320M	4GBx1	14.0" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	6	vPro	G	Win8 Pro64	10/12
2355-KPU	i7-3520M	4GBx1	14.0" HD+	720p	240G FDE SSD	Backlit	Intel 6205	WWAN upg	Finger	6	vPro	G	Win7 Pro64	12/12

• A depot repair service 3-year limited warranty

Positioning Processor	<i>Premiere performance and ultraportability; two spindles</i> Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000 , DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000 , DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	Preloaded operating system²⁰ - <i>Some:</i> Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - <i>Some:</i> Windows 8 Pro 64-bit
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Preloaded applications⁵ (only some listed)
Optical Bay battery Ultrabay SATA disk	DVD burner, 9.5mm Ultrabay slim, removable None One modular bay for interchangeable devices (right side), 9.5mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	- Windows 7 models • Lenovo® Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • ThinkVantage Power Manager • Lenovo SimpleTap • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
mSATA™ SSD	None	- Windows 8 models • Lenovo Support • Lenovo Companion • Lenovo QuickLaunch • PC Device Stage • Cyberlink Power2Go (DVD±RW) • Cyberlink PowerProducer (DVD±RW)
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD+ (1600x900) color , anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 300:1 contrast ratio	- All models • Lenovo Solution Center • Password Manager • ThinkVantage System Update • FingerPrint Software (fingerprint models) • Lenovo Cloud Storage by SugarSync • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security (30 days of virus definitions) • Skype™
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, Intel HD Graphics 4000 in processor, and NVIDIA NVS™ 5200M , PCI Express® x16, 1GB memory, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort or Thunderbolt (i7 integrated models); supports three independent displays; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@85Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions ³ Weight ² Case material Battery - type Battery - life ¹⁰	14.0W" (WxDxH): 13.5" x 9.05" x 0.83–1.02"; 343mm x 230mm x 21.2–26.0mm 6-cell: from 3.96 lb (1.79kg) <i>Display cover:</i> Hybrid Carbon-fiber reinforced plastic; <i>Bottom:</i> Magnesium alloy Lithium Ion 6-cell, supports optional Ultrabay Slim battery as 2nd battery, HW authentication 6-cell (43.2Whr): up to 7.6 hr; 6-cell plus 3-cell Bay battery (31.3Whr, 0A36310): up to 13.2 hr	
Chipset ExpressCard Smart Card Read Multicard Reader Ports	Mobile Intel QM77 Express Chipset One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) via ExpressCard adapter Two USB 3.0, one powered USB 2.0, ethernet (RJ-45), VGA DB-15, Mini DisplayPort	
PCIe Mini Card PCIe WLAN ⁴ PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable None None None Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Home Theater® v4 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack Power-on password, hard disk password, supervisor password, security keyhole	Supports ThinkVantage® technologies
Security Security chip Fingerprint reader	Trusted Platform Module, TCG 1.2-compliant AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Silver rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Limited warranty ¹²	3-years/1-yr battery - depot repair service / service upgrades ²² available	For compatible accessories, please go to O-T430-S sheet; For Lenovo service ²² upgrade options, please go to QP-TA sheet

See footnotes for more detailed information

© Lenovo (SN4-11) December 2012

ThinkPad T430s 2356 (Onsite)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB ⁵ rpm	Optical or battery	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN/ mSATA	Carrier	Finger print reader	Bat-tery cells	Global (G) Intel vPro (P)	Ann Date (mm/yy)
2356-HCU	i7-3520M	4GBx1	14.0" HD	720p	500G 7200	DVD±RW	None	Intel 6205 ²⁸	WWAN upg	None	Finger	6	vPro G P	Pro 64 06/12
2356-HBU	i7-3520M	4GBx1	14.0" HD+	720p	320G 7200	DVD±RW	None	Intel 6205	WWAN upg	None	Finger	6	vPro G P	Pro 64 06/12
2356-HAU	i7-3520M	4GBx2	14.0" HD+	720p	180G SSD	DVD±RW	None	Intel 6205	WWAN upg	None	Finger	6	vPro G P	Pro 64 06/12
2356-GUU	i7-3520M	4GBx1	14.0" HD+	720p	320G 7200	DVD±RW	None	Intel 6205	WWAN upg	None	None	6	vPro G P	Pro 64 06/12
2356-GTU	i5-3320M	4GBx1	14.0" HD+	None	320G 7200	DVD±RW	None	Intel 6205	WWAN upg	None	Finger	6	vPro G P	Pro 64 06/12
2356-GRU	i5-3320M	4GBx1	14.0" HD+	720p	128G SSD	DVD±RW	None	Intel 6205	WWAN upg	None	Finger	6	vPro G P	Pro 64 06/12
2356-GPU	i5-3320M	4GBx1	14.0" HD+	720p	320G 7200	DVD±RW	None	Intel 6205	WWAN upg	None	None	6	vPro G P	Pro 64 06/12
2356-GJU	i5-3320M	4GBx1	14.0" HD+	720p	128G SSD	DVD±RW	None	Intel 6205	WWAN upg	None	None	6	vPro G P	Pro 64 06/12
2356-G3U	i7-3520M	4GBx1	14.0" HD+	720p	500G 7200	DVD±RW	None	Intel 6205	WWAN upg	None	Finger	6	vPro G P	Pro 64 06/12
2356-G2U	i5-3320M	4GBx1	14.0" HD+	720p	320G 7200	DVD±RW	None	Intel 6205	WWAN upg	None	Finger	6	vPro G P	Pro 64 06/12

• Part of the Global Models Plus program with limited onsite service²⁴ 3-year limited warranty

Positioning Processor	<i>Premiere performance and ultraportability; two spindles</i> Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	Preloaded operating system²⁰ Genuine Windows® 7 Professional 64
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Ready to install applications¹⁴ (only some listed) • Rescue and Recovery™ • Password Manager
Optical Bay battery Ultrabay SATA disk	DVD burner, 9.5mm Ultrabay slim, removable None One modular bay for interchangeable devices (right side), 9.5mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	Preloaded applications¹⁴ (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD+ (1600x900) color , anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 300:1 contrast ratio	
Camera	<i>Some:</i> HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	Intel HD Graphics 4000 in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions ³ Weight ² Case material Battery - type Battery - life ¹⁰	<i>14.0W" (WxDxH):</i> 13.5" x 9.05" x 0.83–1.02"; 343mm x 230mm x 21.2–26.0mm <i>6-cell:</i> from 3.96 lb (1.79kg) <i>Display cover:</i> Hybrid Carbon-fiber reinforced plastic; <i>Bottom:</i> Magnesium alloy Lithium Ion 6-cell, supports optional Ultrabay Slim battery as 2nd battery, HW authentication <i>6-cell (43.2Whr):</i> up to 7.6 hr; <i>6-cell plus 3-cell Bay battery (31.3Whr, 0A36310):</i> up to 13.2 hr	
Chipset ExpressCard Smart Card Read Multicard Reader Ports	Mobile Intel QM77 Express Chipset One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) via ExpressCard adapter Two USB 3.0, one powered USB 2.0, ethernet (RJ-45), VGA DB-15, Mini DisplayPort (Mini DP / Thunderbolt™ combo port on i7 integrated model, switch via BIOS)	
PCIe Mini Card PCIe WLAN ⁴ PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable None None None Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Home Theater® v4 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack Power-on password, hard disk password, supervisor password, security keyhole	Supports ThinkVantage® technologies
Security Security chip Fingerprint reader	Trusted Platform Module, TCG 1.2-compliant <i>Some:</i> AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	65-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Silver rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Limited warranty ¹²	3-years /1-year battery, limited onsite service²⁴ , 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time / service upgrades ²² available	For compatible accessories, please go to O-T430-S sheet; For Lenovo service ²² upgrade options, please go to QP-TA sheet

See footnotes for more detailed information

ThinkPad T430s 2356 (Onsite) - Windows 8

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB ³ rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN/ mSATA	Finger print reader	Battery cells	Global (G) Intel vPro (P)	Global (G) GMP (P)	Preload	Ann Date (mm/yy)
2356-LDU	i7-3520M	4GBx1	14.0" HD+	720p	180G SSD	None	Intel 6205 ²⁸	WWAN upg	Finger	6	vPro	G P	Win8 Pro64	10/12
2356-LAU	i5-3320M	4GBx1	14.0" HD+	720p	320G 7200	None	Intel 6205	WWAN upg	Finger	6	vPro	G P	Win8 Pro64	10/12
2356-MHU	i5-3320M	4GBx1	14.0" HD+	720p	180G SSD	None	Intel 6205	WWAN upg	Finger	6	vPro		Win7 Pro64	12/12
2356-MGU	i5-3320M	4GBx1	14.0" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	6	vPro		Win7 Pro64	12/12

• Some models are part of the Global Models Plus program with limited onsite service²⁴ 3-year limited warranty

Positioning Processor	<i>Premiere performance and ultraportability; two spindles</i> Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	Preloaded operating system²⁰ - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 Pro 64-bit
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Preloaded applications⁵ (only some listed)
Optical Bay battery	DVD burner, 9.5mm Ultrabay slim, removable None	- Windows 7 models
Ultrabay SATA disk	One modular bay for interchangeable devices (right side), 9.5mm high, bottom access Some: Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high Some: Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ All: removable, upgradable, supports the second disk, Shock Mounted Hard Drive	<ul style="list-style-type: none"> Lenovo® Message Center Plus ThinkVantage Product Recovery Access Connections™ ThinkVantage Power Manager Lenovo SimpleTap Adobe® Reader® Corel® WinDVD® (DVD±RW) Corel Burn.Now™ Lenovo Edition (DVD±RW) Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
mSATA™ SSD	None	- Windows 8 models
Widescreen display	Some: 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio Some: 14.0" (355mm) HD+ (1600x900) color , anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 300:1 contrast ratio	<ul style="list-style-type: none"> Lenovo Solution Center Lenovo Companion Lenovo QuickLaunch PC Device Stage Cyberlink Power2Go (DVD±RW) Cyberlink PowerProducer (DVD±RW)
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	- All models
Graphics	Intel HD Graphics 4000 in processor, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort; supports dual independent display; <i>Maximum external resolution: 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@75Hz (VGA)</i>	<ul style="list-style-type: none"> Lenovo Solution Center Password Manager ThinkVantage System Update Fingerprint Software (fingerprint models) Lenovo Cloud Storage by SugarSync Microsoft® Office preloaded; purchase a product key to activate Skype™
Keyboard TrackPoint®	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight	
Touchpad UltraNav™	TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass	
ThinkLight™	UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions ³	<i>14.0W" (WxDxH): 13.5" x 9.05" x 0.83–1.02"; 343mm x 230mm x 21.2–26.0mm</i>	
Weight ²	<i>6-cell: from 3.96 lb (1.79kg)</i>	
Case material	<i>Display cover: Hybrid Carbon-fiber reinforced plastic; Bottom: Magnesium alloy</i>	
Battery - type	Lithium Ion 6-cell, supports optional Ultrabay Slim battery as 2nd battery, HW authentication	
Battery - life ¹⁰	<i>6-cell (43.2Whr): up to 7.6 hr; 6-cell plus 3-cell Bay battery (31.3Whr, 0A36310): up to 13.2 hr</i>	
Chipset	Mobile Intel QM77 Express Chipset	
ExpressCard	One slot (ExpressCard/34)	
Smart Card Read	None	
Multicard Reader	4-in-1 reader (MMC, SD, SDHC, SDXC) via ExpressCard adapter	
Ports	Two USB 3.0, one powered USB 2.0, ethernet (RJ-45), VGA DB-15, Mini DisplayPort (Mini DP / Thunderbolt™ combo port on i7 integrated model, switch via BIOS)	
PCIe Mini Card	Two PCI Express Mini Card slots	Supports ThinkVantage® technologies
PCIe WLAN ⁴	11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2	
PCIe WWAN	Wireless WAN upgradable	
Carrier	None	
Modem	None	
IEEE 1394	None	
Bluetooth™	Bluetooth 4.0 wireless	
Ethernet	Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1	
Intel AMT	Intel Active Management Technology (iAMT)	
Audio support	HD Audio, Realtek® ALC3202 codec, Dolby® Home Theater® v4 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	
Security	Power-on password, hard disk password, supervisor password, security keyhole	
Security chip	Trusted Platform Module, TCG 1.2-compliant	
Fingerprint reader	AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	For compatible accessories, please go to O-T430-S sheet;
Limited warranty ¹²	3-years /1-year battery, limited onsite service²⁴ , 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time / service upgrades ²² available	For Lenovo service ²² upgrade options, please go to QP-TA sheet

See footnotes for more detailed information

ThinkPad T430s 2356 (Optimus) - Onsite

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB ³ rpm	Optical or battery	Backlit keyboard	PCIe Mini Card WLAN	PCIe Mini Card WWAN/mSATA	Finger print reader	Blue-tooth	Bat-tery Intel vPro	Global (G) GMP (P)	Pre-load (mm/yy)	Ann Date (mm/yy)
2356-H9U	i5-3320M	4GBx2	14.0" HD+	720p	180G SSD	DVD±RW	None	Intel 6205 ²⁸	WWAN upg	Finger	BT	6 vPro	G P	Pro 64	06/12
2356-H8U	i5-3320M	4GBx1	14.0" HD+	720p	320G 7200	DVD±RW	None	Intel 6205	WWAN upg	Finger	BT	6 vPro	G P	Pro 64	06/12
2356-H7U	i5-3320M	4GBx1	14.0" HD+	720p	500G 7200	DVD±RW	None	Intel 6205	WWAN upg	Finger	BT	6 vPro	G P	Pro 64	06/12

• Part of the Global Models Plus program with limited onsite service²⁴ 3-year limited warranty

Positioning Processor	<i>Premiere performance and ultraportability; two spindles</i> Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000, DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology	Preloaded operating system²⁰ Genuine Windows® 7 Professional 64
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Ready to install applications¹⁴ (only some listed) • Rescue and Recovery™ • Password Manager
Optical Bay battery	DVD burner, 9.5mm Ultrabay slim, removable	Preloaded applications¹⁴ (only some listed) • Lenovo® Solution Center • Lenovo Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • Fingerprint Software (fingerprint models) • ThinkVantage System Update • ThinkVantage Power Manager • Lenovo Cloud Storage by SugarSync • Lenovo SimpleTap • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security 2012 (30 days of virus definitions) • Adobe® Reader® • Skype™ for Windows • Evernote® • Intel Small Business Advantage • RapidBoot HDD Accelerator • Symantec™ VIP • Windows Live™ Essentials • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
Ultrabay SATA disk	One modular bay for interchangeable devices (right side), 9.5mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD+ (1600x900) color , anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 300:1 contrast ratio	
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, Intel HD Graphics 4000 in processor, and NVIDIA NVS™ 5200M , PCI Express® x16, 1GB memory, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort or Thunderbolt (i7 integrated models); supports three independent displays; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@85Hz (VGA)	
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions ³ Weight ² Case material Battery - type Battery - life ¹⁰	<i>14.0W" (WxDxH):</i> 13.5" x 9.05" x 0.83–1.02"; 343mm x 230mm x 21.2–26.0mm <i>6-cell:</i> from 3.96 lb (1.79kg) <i>Display cover:</i> Hybrid Carbon-fiber reinforced plastic; <i>Bottom:</i> Magnesium alloy Lithium Ion 6-cell, supports optional Ultrabay Slim battery as 2nd battery, HW authentication <i>6-cell (43.2Whr):</i> up to 7.6 hr; <i>6-cell plus 3-cell Bay battery (31.3Whr, 0A36310):</i> up to 13.2 hr	
Chipset ExpressCard Smart Card Read Multicard Reader Ports	Mobile Intel QM77 Express Chipset One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) via ExpressCard adapter Two USB 3.0, one powered USB 2.0, ethernet (RJ-45), VGA DB-15, Mini DisplayPort	
PCIe Mini Card PCIe WLAN ⁴ PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable None None None Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Home Theater® v4 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	Supports ThinkVantage® technologies 90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Silver rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	For compatible accessories, please go to O-T430-S sheet;
Limited warranty ¹²	3-years/1-year battery, limited onsite service²⁴ , 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time / service upgrades ²² available	For Lenovo service ²² upgrade options, please go to QP-TA sheet

See footnotes for more detailed information

© Lenovo
(SN4-6) November 2012

ThinkPad T430s 2356 (Optimus) - Onsite (Windows 8)

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Wide-screen display	Camera	Disk SATA GB ⁹ rpm	Backlit key-board	PCIe Mini Card WLAN	PCIe Mini Card WWAN/ mSATA	Finger print reader	Bat-tery cells	Intel vPro	Global (G) GMP (P)	Preload	Ann Date (mm/yy)
2356-LCU	i5-3320M	4GBx1	14.0" HD+	720p	180G SSD	None	Intel 6205 ²⁸	WWAN upg	Finger	6	vPro	G P	Win8 Pro64	10/12
2356-LBU	i5-3320M	4GBx1	14.0" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	6	vPro	G P	Win8 Pro64	10/12
2356-L9U	i7-3520M	4GBx1	14.0" HD+	720p	500G 7200	None	Intel 6205	WWAN upg	Finger	6	vPro		Win8 Pro64	10/12
2356-MJU	i7-3520M	4GBx1	14.0" HD+	720p	240G FDE SSD	Backlit	Intel 6205	WWAN upg	Finger	6	vPro		Win7 Pro64	12/12

• Some models are part of the Global Models Plus program with limited onsite service²⁴ 3-year limited warranty

Positioning Processor	<i>Premiere performance and ultraportability; two spindles</i> Intel® Core™ i5-3320M processor (2 cores, 2.60GHz, 3MB cache), Intel HD Graphics 4000 , DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.30GHz), HT technology Intel Core i7-3520M processor (2 cores, 2.90GHz, 4MB cache), Intel HD Graphics 4000 , DDR3 memory controller (up to 1600MHz), Intel Turbo Boost 2.0 (3.60GHz), HT technology	Preloaded operating system²⁰ - Some: Windows® 7 Professional 64 preinstalled through downgrade rights in Windows 8 Pro 64-bit - Some: Windows 8 Pro 64-bit
Memory	16GB max ⁷ / PC3-12800 1600MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets * System automatically clocks down for processors with 1333MHz DDR3 memory controller	Preloaded applications⁵ (only some listed)
Optical Bay battery Ultrabay SATA disk	DVD burner, 9.5mm Ultrabay slim, removable None One modular bay for interchangeable devices (right side), 9.5mm high, bottom access <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" wide, 7mm high <i>Some:</i> Hard Disk Drive / SATA 3.0Gb/s, 2.5" wide, 7mm high, Active Protection System™ <i>All:</i> removable, upgradable, supports the second disk, Shock Mounted Hard Drive	- Windows 7 models • Lenovo® Message Center Plus • ThinkVantage Product Recovery • Access Connections™ • ThinkVantage Power Manager • Lenovo SimpleTap • Adobe® Reader® • Corel® WinDVD® (DVD±RW) • Corel Burn.Now™ Lenovo Edition (DVD±RW) • Corel DVD MovieFactory® Lenovo Edition (DVD±RW)
mSATA™ SSD	None	
Widescreen display	<i>Some:</i> 14.0" (355mm) HD (1366x768) color , anti-glare, LED backlight, 200 nits, 16:9 aspect ratio, 300:1 contrast ratio <i>Some:</i> 14.0" (355mm) HD+ (1600x900) color , anti-glare, LED backlight, 250 nits, 16:9 aspect ratio, 300:1 contrast ratio	- Windows 8 models • Lenovo Support • Lenovo Companion • Lenovo QuickLaunch • PC Device Stage • Cyberlink Power2Go (DVD±RW) • Cyberlink PowerProducer (DVD±RW)
Camera	HD720p resolution, wide view angle, low light sensitive, face tracking, fixed focus	
Graphics	NVIDIA™ Optimus™ technology, auto-switch between discrete and integrated graphics, Intel HD Graphics 4000 in processor, and NVIDIA NVS™ 5200M , PCI Express® x16, 1GB memory, supports external analog monitor via VGA DB-15 and digital monitor via Mini DisplayPort or Thunderbolt (i7 integrated models); supports three independent displays; <i>Maximum external resolution:</i> 2560x1600@60Hz (DisplayPort via optional Mini DP cable); 1920x1200@60Hz (single-link DVI-I via optional Mini DP cable); 2048x1536@85Hz (VGA)	- All models • Lenovo Solution Center • Password Manager • ThinkVantage System Update • Fingerprint Software (fingerprint models) • Lenovo Cloud Storage by SugarSync • Microsoft® Office preloaded; purchase a product key to activate • Norton™ Internet Security (30 days of virus definitions) • Skype™
Keyboard TrackPoint® Touchpad ThinkLight™	6-row, 84-key, ThinkVantage button, spill-resistant, multimedia Fn keys, optional LED backlight TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar ¹³ , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling, multi-touch Illuminates the keyboard to improve visibility in low-light conditions	
Dimensions ³ Weight ² Case material Battery - type Battery - life ¹⁰	<i>14.0W" (WxDxH):</i> 13.5" x 9.05" x 0.83–1.02"; 343mm x 230mm x 21.2–26.0mm <i>6-cell:</i> from 3.96 lb (1.79kg) <i>Display cover:</i> Hybrid Carbon-fiber reinforced plastic; <i>Bottom:</i> Magnesium alloy Lithium Ion 6-cell, supports optional Ultrabay Slim battery as 2nd battery, HW authentication <i>6-cell (43.2Whr):</i> up to 7.6 hr; <i>6-cell plus 3-cell Bay battery (31.3Whr, 0A36310):</i> up to 13.2 hr	
Chipset ExpressCard Smart Card Read Multicard Reader Ports	Mobile Intel QM77 Express Chipset One slot (ExpressCard/34) None 4-in-1 reader (MMC, SD, SDHC, SDXC) via ExpressCard adapter Two USB 3.0, one powered USB 2.0, ethernet (RJ-45), VGA DB-15, Mini DisplayPort	
PCIe Mini Card PCIe WLAN ⁴ PCIe WWAN Carrier Modem IEEE 1394 Bluetooth™ Ethernet Intel AMT Audio support	Two PCI Express Mini Card slots 11a/b/g/n, PCIe Half Mini Card, Intel Centrino® Advanced-N 6205, 2x2 Wireless WAN upgradable None None None Bluetooth 4.0 wireless Intel 82579LM Gigabit Network Connection (Lewisville), PHY, PCIe x1 Intel Active Management Technology (iAMT) HD Audio, Realtek® ALC3202 codec, Dolby® Home Theater® v4 / stereo speakers, 1W x 2 / volume up, down, mute buttons / dual array mic, mic mute button, combo audio/mic jack	Supports ThinkVantage® technologies 90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Silver rating ENERGY STAR® 5.0-compliant GREENGUARD® certified RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Security Security chip Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Trusted Platform Module, TCG 1.2-compliant AuthenTec fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip	For compatible accessories, please go to O-T430-S sheet; For Lenovo service ²² upgrade options, please go to QP-TA sheet
Limited warranty ¹²	3-years /1-year battery, limited onsite service²⁴ , 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time / service upgrades ²² available	

See footnotes for more detailed information

© Lenovo
(SN4-13) December 2012

Memory

2GB PC3-12800 DDR3 SODIMM	0A65722	ann 06/05/12
4GB PC3-12800 DDR3 SODIMM	0A65723	ann 06/05/12
8GB PC3-12800 DDR3 SODIMM	0A65724	ann 06/05/12

Ultrabay Slim 9.5mm

Serial ATA Hard Drive 9.5mm Bay Adapter III	43N3412	ann 06/23/09
DVD ROM Ultrabay Slim Drive III	0A65628	ann 06/05/12
DVD Burner Ultrabay Slim Drive III	0A65626	ann 06/05/12

Storage and removable storage

ThinkPad 16GB mSATA Solid State Cache Drive	0B47309	ann 12/11/12
500GB 5400rpm SATA 3.0Gb/s 7mm 4K HDD ⁴¹	0A65631	ann 06/05/12
500GB 7200rpm SATA 3.0Gb/s 7mm 4K HDD ⁴¹	0A65632	ann 06/05/12
320GB 7200rpm SATA 3.0Gb/s 7mm 4K HDD ⁴¹	0A65635	ann 06/05/12
320GB 7200rpm SATA 3.0Gb/s 7mm Self Encrypting (SED) OPAL Capable HDD ⁴¹	0A65636	ann 08/21/12
128GB SATA 6.0Gb/s 7mm Solid State Drive ⁴¹	0A65629	ann 06/05/12
180GB SATA 6.0Gb/s 7mm Solid State Drive ⁴¹	0A65630	ann 06/05/12
256GB 2.5" SATA 6.0Gb/s OPAL-capable SSD ⁴¹	0A65620	ann 05/15/12

⁴¹ Can be used as the main HDD or with
Serial ATA Hard Drive 9.5mm Bay Adapter III 43N3412 in the Ultrabay.

USB 2.0 Portable 500GB Hard Disk	45K1690	ann 05/26/09
USB 3.0 Secure 500GB Hard Drive	0A65619	ann 11/29/11
USB 3.0 Secure 750GB Hard Drive	0A65616	ann 11/29/11
USB 3.0 Secure 1TB Hard Drive	0A65621	ann 08/28/12
Lenovo Slim USB Portable DVD Burner	0A33988	ann 06/14/11

Wireless WAN (Mini PCI Express)

Only WWAN upgradable models:

ThinkPad Gobi™ 3000 Mobile Broadband	0A36185	ann 04/12/11
ThinkPad Gobi 4000 Mobile Broadband - AT&T®	0A36320	ann 06/05/12
ThinkPad Gobi 4000 Mobile Broadband - Verizon®	0A36318	ann 06/26/12

ThinkPad Expansion

Lenovo® Essential Notebook Stand	45J9292	ann 05/12/09
ThinkPad Port Replicator Series 3 with USB 3.0	433615W	ann 06/05/12
ThinkPad Mini Dock Series 3 - 90W	433710U	ann 06/23/09
ThinkPad Mini Dock Series 3 w/ USB 3.0 - 90W	433715U	ann 06/05/12
TP Mini Dock Plus Series 3 w/ USB 3.0 - 90W	433815U	ann 06/05/12
TP Mini Dock Plus Series 3 w/ USB 3.0 - 170W	433835U	ann 06/05/12

Keyboard

TrackPoint Cap Collection	73P2698	ann 12/16/03
Ultralim Plus Wireless Keyboard and Mouse ⁵²	0A34032	ann 04/05/11
USB Numeric Keypad	33L3225	ann 05/01/00
Preferred Pro USB Keyboard	73P5220	ann 06/21/05
Enhanced Performance USB Keyboard	73P2620	ann 03/23/04
ThinkPad USB Keyboard with TrackPoint	55Y9003	ann 08/18/09
Lenovo® USB Fingerprint Keyboard	73P4730	ann 02/22/05
Lenovo USB Smartcard Keyboard	51J0155	ann 03/24/09

⁵² Wireless via 2.4GHz technology using a micro-size USB receiver.

Mouse

Lenovo Optical Mouse (USB)	06P4069	ann 05/21/03
Lenovo Laser Mouse (USB)	41U3074	ann 01/23/07
ThinkPad USB Laser Mouse	57Y4635	ann 12/15/09
Lenovo ScrollPoint® Mouse (USB, Optical)	31P7405	ann 08/27/02
ThinkPad Travel Mouse (USB, Optical)	31P7410	ann 06/04/02
ThinkPad Bluetooth Laser Mouse	0A36407	ann 06/26/12
Lenovo Wireless Laser Mouse ⁵²	0A36188	ann 12/20/11

Multimedia

ThinkPad In-Ear Headphones with microphone	57Y4488	ann 01/07/10
--	---------	--------------

Modem

USB 2.0 Lenovo Modem	43R1814	ann 02/26/08
----------------------	---------	--------------

Security

3M 14.0W Privacy Filter from Lenovo	0A61769	ann 04/05/11
Kensington® MicroSaver® Cable Lock	73P2582	ann 12/29/03
Kensington Twin Head Cable Lock	45K1620	ann 09/30/08
Lenovo Security Cable Lock	57Y4303	ann 08/24/10
USB Gemplus GemPC Smart Card Reader	41N3040	ann 02/21/06

Batteries

ThinkPad Battery 81+ (6-cell)	0A36309	ann 06/05/12
ThinkPad Battery 43 (3-cell, bay) ⁴²	0A36310	ann 06/05/12
⁴² Used in Ultrabay Slim bay.		
ThinkPad External Battery Charger ⁴⁴	40Y7625	ann 09/20/05
⁴⁴ Requires the ThinkPad 90W AC Adapter 40Y7659 or the adapter provided with the system.		

More information at www.lenovo.com/alldaycomputing

ThinkPad 65W AC Adapter ⁴⁵	40Y7696	ann 01/05/06
⁴⁵ Only compatible with the integrated graphics models.		
ThinkPad 90W AC Adapter	40Y7659	ann 09/20/05
90W Ultralim AC/DC Combo Adapter	41R4493	ann 09/22/09

More info at www.lenovo.com/support/poweradapters

Charging tips for 90W Ultralim AC/DC Combo Adapter 41R4493

• iPod and iPhone Charge Tip (L10a)	41R4481	ann 12/18/07
• Generic Micro USB charge tip (L18)	41R4490	ann 01/06/09

More information at www.lenovopowertips.com

Carrying Cases

Up to 14" widescreen models:

ThinkPad Ultralight Backpack	0B47306	ann 12/11/12
ThinkPad Ultralight Topload	0B47307	ann 12/11/12

Up to 15.6" widescreen models:

Lenovo Messenger Max	41U5253	ann 05/01/07
Lenovo Performance Backpack	41U5254	ann 05/01/07
ThinkPad Business Topload Case	43R2476	ann 05/13/08
ThinkPad Business Backpack	43R2482	ann 05/13/08
ThinkPad Deluxe Expander Case	43R2478	ann 05/13/08
ThinkPad Executive Leather Case	43R2480	ann 05/13/08
Lenovo Sport Backpack - Red	0A33896	ann 02/28/12
Lenovo Sport Slimcase - Red	0A33897	ann 02/28/12
Lenovo Sport Messenger - Red	0A33898	ann 02/28/12

More information at www.lenovo.com/support/cases

Monitors

ThinkVision LT1952p Wide 19" (VGA, DP, DVI-D) ⁶⁹	2448MB6	ann 09/13/11
ThinkVision L2251x Wide 22" (VGA, DP) ⁶⁹	2578HB6	ann 10/20/09
⁶⁹ DisplayPort cable is not included.		
ThinkVision LT1421 Wide 14" Mobile Monitor with Protective Screen Cover (USB 2.0)	1452DS6	ann 08/16/11
ThinkVision LT1421 Wide 14" Mobile Monitor with Protective Case (USB 2.0)	1452DB6	ann 08/16/11

More information at www.lenovo.com/support/monitors
www.lenovo.com/support/thinkpad/optimus-monitors

Monitor Accessories⁴⁶

Lenovo USB 3.0 to DVI/VGA Monitor Adapter	0B47072	ann 08/14/12
Lenovo Mini-DisplayPort to VGA Monitor Cable	0A36536	ann 05/17/11
Mini-DisplayPort to Single-link DVI Monitor Cable	0B47090	ann 06/26/12
Mini-DisplayPort to DisplayPort Monitor Cable	0B47091	ann 07/24/12
Lenovo USB Soundbar	0A36190	ann 05/01/12
Kensington MicroSaver Cable Lock	73P2582	ann 12/29/03
Kensington Twin Head Cable Lock	45K1620	ann 09/30/08
Lenovo Security Cable Lock	57Y4303	ann 08/24/10
Lenovo Easy Reach Monitor Stand	55Y9258	ann 09/22/09

⁴⁶ Compatible on selected Lenovo and ThinkVision monitors.

More information at www.lenovo.com/support/monitoraccessories

For more information on accessories:

www.lenovo.com/accessories

Purchase Lenovo accessories

www.lenovo.com/support/accessories

Product specifications on Lenovo Support

www.lenovo.com/accessoriesguide

Option Compatibility Matrix (OCM) and accessory brochures

www.lenovoquickpick.com

An Options Compatibility Configurator for Lenovo systems