

# **OVERVIEW**



1. Optical drive	6. Power connector
2. Power button	7. Ethernet (RJ-45)
3. USB 3.1 Gen 2	8. HDMI 1.4 out
4. Card reader	9. 2x USB 2.0
5. Headphone / microphone combo jack (3.5mm)	10. USB 3.1 Gen 2



### **PERFORMANCE**

### **Processor**

### **Processor Family**

Intel® Celeron®, Intel Pentium®, or 8th / 9th Generation Intel Core™ i3 / i5 Processor

#### **Processor**

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Celeron G4900T	2	2	2.9GHz	-	2MB	DDR4-2400	Intel UHD Graphics 610
Celeron G4930T	2	2	3.0GHz	-	2MB	DDR4-2400	Intel UHD Graphics 610
Pentium Gold G5400T	2	4	3.1GHz	-	4MB	DDR4-2400	Intel UHD Graphics 610
Pentium Gold G5420T	2	4	3.2GHz	-	4MB	DDR4-2400	Intel UHD Graphics 610
Core i3-8100T	4	4	3.1GHz	-	6МВ	DDR4-2400	Intel UHD Graphics 630
Core i3-9100T	4	4	3.1GHz	3.7GHz	6МВ	DDR4-2400	Intel UHD Graphics 630
Core i5-8400T	6	6	1.7GHz	3.3GHz	9MB	DDR4-2666	Intel UHD Graphics 630
Core i5-9400T	6	6	1.8GHz	3.4GHz	9МВ	DDR4-2666	Intel UHD Graphics 630

## **Operating System**

### **Operating System**

- Windows® 10 Home 64
- Windows 10 Home in S mode
- FreeDOS

### **Graphics**

### Graphics[1]

Graphics	Туре	Memory	Connector	Max Resolution	Key Features
Intel UHD Graphics 610	Integrated	Shared	1x HDMI® 1.4	1920x1080@60Hz(HDMI)	DirectX® 12
Intel UHD Graphics 630	Integrated	Shared	1x HDMI 1.4	1920x1080@60Hz(HDMI)	DirectX 12
AMD Radeon™ 530	Discrete	2GB GDDR5	1x HDMI 1.4	1920x1080@60Hz(HDMI)	DirectX 12

### Notes:

### **Monitor Support**

### **Monitor Support**

Supports up to 2 independent displays via native display and 1 external monitor; supports external monitor via HDMI

## Chipset

### Chipset

Intel B360 chipset

### **Memory**

### Max Memory[1]

Up to 8GB DDR4-2400

#### **Memory Slots**

Two DDR4 SO-DIMM slots, dual-channel capable

<sup>1.</sup> The information of integrated graphics are not applicable for the models without integrated graphics (for the details, please refer to processor section)



### Memory Type<sup>[2]</sup>

DDR4-2666

#### **Memory Protection**

Non-ECC

#### Notes:

- 1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.
- 2. Installed memory is actually 2666MHz, but run at 2400MHz or 2600MHz depending on the memory support capability of processor

### **Storage**

### **Storage Support**

Up to two drives, 1x 2.5" HDD + 1x M.2 SSD

- 2.5" HDD up to 1TB
- M.2 SSD up to 1TB
- Optional Intel Optane™ Memory or Optane Memory Integrated with SSD, M.2

#### **Storage Type**

Disk Type	Interface	RPM	Security
2.5" SATA HDD	SATA 6Gb/s	5.4K	-
M.2 SSD	PCIe® NVMe®	-	-
Intel Optane Memory with Solid State Storage, M.2 2280	PCIe NVMe, PCIe 3.0 x4	-	-

### **RAID**

No support

### **Removable Storage**

### **Optical**

- DVD burner (DVD±RW), SATA 1.5Gb/s, slim (9.0mm)
- None

### Card Reader

3-in-1 card reader (SD, SDHC, SDXC)

#### Multi-Media

### **Audio Chip**

High Definition (HD) Audio

### Speakers

Stereo speakers, 3W x2

### Microphone

- Single microphone
- · No microphone

#### Camera

- · 720p, fixed focus
- · No camera

### **Power Supply**

### **Power Supply**

Power	Туре	Efficiency	Key Features
90W	Adapter	-	-
120W	Adapter	-	-

### **DESIGN**

# **Display**



### Display[1]

S	iize	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
23	3.8"	FHD (1920x1080)	None	IPS	250 nits	Anti- glare	16:9	1000:1	-	horizontal: +/- 89°, vertical: +/- 89°	Borderless design, anti- glare
2.	3.8"	FHD (1920x1080)	Multi- touch	IPS	250 nits	Anti- glare	16:9	1000:1	-	horizontal: +/- 89°, vertical: +/- 89°	Borderless design, anti- glare

#### **Touchscreen**

- Advanced In-cell Touch (AIT), supports 10-point touch
- Non-touch

#### Notes:

1. California Electronic Waste Recycling Fee

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

### **Input Device**

### Keyboard

- Lenovo Calliope Keyboard (USB connector), black
- · Lenovo Calliope Keyboard (USB connector), white
- Lenovo Calliope Wireless Keyboard, black
- · Lenovo Calliope Wireless Keyboard, silver
- No keyboard

#### Mouse

- Lenovo Calliope Mouse (USB connector), black
- Lenovo Calliope Mouse (USB connector), white
- Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black
- Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), silver
- Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), white

### **Mechanical**

#### Buttons

- Power button
- · Optical drive eject button (ODD models only)
- Camera cover slider

### **Form Factor**

AIO (23.8 inches)

# Dimensions (WxDxH)

Models	Dimensions
All models	541.04 x 185 x 447.36 mm (21.3 x 7.28 x 17.61 inches)

### Weight

Models	Weight		
Models with stand	5.87 kg (12.94 lbs)		

#### **Case Color**

- · Business black
- Foggy white

#### **Bays**

- 1x 2.5" disk bay
- · 1x slim ODD bay

### **Expansion Slots**

Two M.2 slots (one for WLAN, one for SSD)

### Stand



AIO stand

### CONNECTIVITY

### **Network**

#### **Onboard Ethernet**

Gigabit Ethernet, 1x RJ45

#### WLAN + Bluetooth®

802.11ac 1x1 Wi-Fi® + Bluetooth 4.0, M.2 card

#### Ports<sup>11</sup>

#### Rear Ports[2]

- 2x USB 2.0
- 1x USB 3.1 Gen 2
- 1x HDMI-out 1.4
- 1x Ethernet (RJ-45)
- 1x power connector

#### **Left Ports**

- 1x USB 3.1 Gen 2
- 1x card reader
- 1x headphone / microphone combo jack (3.5mm)

#### **Right Ports**

None

#### Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1):  $\frac{1}{2}$ 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt™ 3: 40 Gbit/s;

FireWire 400: 400 Mbit/s;

FireWire 800: 800 Mbit/s

2. For video ports on discrete graphics, please see graphics section

### **SECURITY & PRIVACY**

### **Security**

### **BIOS Security**

- Administrator password
- Power-on password

## **SERVICE**

### Warranty

# Base Warranty

- 1-year mail-in service
- 1-year depot service
- 1-year limited onsite service
- 2-year depot service
- OF

### **ENVIRONMENTAL**

### **Operating Environment**

### **Temperature**

### ideacentre A340-24ICB



Operating: 5°C (41°F) to 35°C (95°F)
 Storage: -20°C (-4°F) to 60°C (140°F)

### Humidity

Operating: 20% to 80%Storage: 10% to 90%

### Altitude

Operating: -15.2 m (-50 ft) to 3048 m (10,000 ft)
Storage: -15.2 m (-50 ft) to 12192 m (40,000 ft)

### **CERTIFICATIONS**

### **Green Certifications**

#### **Green Certifications**

- ErP Lot 3 and Lot 7
- · RoHS compliant
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

























