

OVERVIEW



1. HDMI-in / out switch	6. USB 3.1 Gen 2
2. HDMI-in	7. Power connector
3. Ethernet (RJ-45)	8. Card reader
4. HDMI 1.4 out	9. 2x USB 3.1 Gen 2
5. 2x USB 2.0	10. Headphone / microphone combo jack (3.5mm)

PERFORMANCE

Processor

Processor Family

Intel® Pentium® or 9th Generation Intel Core™ i3 / i5 / i7 Processor

Processor

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i3-9100T	4	4	3.1GHz	3.7GHz	6MB	DDR4-2400	Intel UHD Graphics 630
Core i5-9400T	6	6	1.8GHz	3.4GHz	9MB	DDR4-2666	Intel UHD Graphics 630
Core i7-9700T	8	8	2.0GHz	4.3GHz	12MB	DDR4-2666	Intel UHD Graphics 630

Operating System

Operating System

- Windows® 10 Home 64
- Windows 10 Pro 64
- FreeDOS

Graphics

Graphics^[1]

Graphics	Type	Memory	Connector	Max Resolution	Key Features
Intel UHD Graphics 630	Integrated	Shared	1x HDMI® 1.4	1920x1080@60Hz(HDMI)	DirectX® 12
AMD Radeon™ RX 540X	Discrete	2GB GDDR5	1x HDMI 1.4	1920x1080@60Hz(HDMI)	DirectX 12

Notes:

1. The information of integrated graphics are not applicable for the models without integrated graphics (for the details, please refer to processor section)

Monitor Support

Monitor Support

Supports up to 2 independent displays via native display and 1 external monitor; supports external monitor via HDMI; work as standalone monitor via HDMI (HDMI in)

Chipset

Chipset

Intel B360 chipset

Memory

Max Memory^[1]

Up to 16GB DDR4-2666

Memory Slots

Two DDR4 SO-DIMM slots

Memory Type^[2]

DDR4-2666

Memory Protection

Non-ECC

Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.
2. Installed memory is actually 2666MHz, but may run at 2400MHz or 2666MHz depending on the memory support capability of processor

Storage

Storage Support

ideacentre A540-24ICB

Up to two drives, 1x 2.5" HDD + 1x M.2 SSD

- 2.5" HDD up to 2TB
- M.2 SSD up to 1TB
- Optional Intel Optane™ Memory, M.2

Storage Type

Disk Type	Interface	RPM	Security
2.5" SATA HDD	SATA 6Gb/s	5.4K	-
M.2 2242 SSD	PCIe NVMe	-	-
M.2 2280 SSD	PCIe NVMe	-	-
Intel Optane Memory	PCIe NVMe	-	-

Removable Storage

Optical

- USB external DVD burner (DVD±RW), slim (9.0mm)
- None

Card Reader

3-in-1 card reader (SD, SDHC, SDXC)

Multi-Media

Audio Chip

High Definition (HD) Audio

Speakers

Stereo speakers, 3W x2 + 5W

Microphone

Dual array microphone

Camera

- 720p, fixed focus
- IR & 1080p, fixed focus

Power Supply

Power Supply

Power	Type	Efficiency	Key Features
90W	Adapter	-	-
120W	Adapter	-	-
150W	Adapter	-	-

DESIGN

Display

Display^[1]

Size	Resolution	Touch	Type	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
23.8"	FHD (1920x1080)	None	IPS	250 nits	Anti-glare	16:9	1000:1	-	horizontal: +/- 89°, vertical: +/- 89°	Borderless design, anti-glare
23.8"	FHD (1920x1080)	Multi-touch	IPS	250 nits	Anti-glare	16:9	1000:1	-	horizontal: +/- 89°, vertical: +/- 89°	Borderless design, anti-glare

Touchscreen

- Advanced In-cell Touch (AIT), supports 10-point touch
- Non-touch

Notes:

1. California Electronic Waste Recycling Fee

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to <https://www.calrecycle.ca.gov/Electronics/Consumer>

Input Device

Keyboard

- Lenovo Premium Wireless Keyboard, grey
- Lenovo Calliope Keyboard (USB connector), black
- Lenovo Calliope Wireless Keyboard, black
- Lenovo Calliope Wireless Keyboard, grey

Mouse

- Lenovo Calliope Mouse (USB connector), black
- Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black
- Lenovo Premium Wireless Mouse, grey

Mechanical

Buttons

- Power button
- HDMI in/out switcher

Form Factor

AIO (23.8 inches)

Dimensions (WxDxH)

450.9 x 185 x 435.19 mm (17.75 x 7.28 x 17.13 inches)

Weight

10.5 kg (23.14 lbs)

Case Color

Industry black

Bays

1x 2.5" disk bay

Expansion Slots

Two M.2 slots (one for WLAN, one for SSD)

Stand

Monitor stand, supports -5° to +25° tilt

Others

(Optional) Wireless charger

CONNECTIVITY

Network

Onboard Ethernet

Gigabit Ethernet, 1x RJ45

WLAN + Bluetooth®

802.11ac 1x1 Wi-Fi® + Bluetooth 4.0, M.2 card

Ports^[1]

Rear Ports^[2]

- 2x USB 2.0
- 1x USB 3.1 Gen 2
- 1x HDMI-out 1.4
- 1x HDMI-in
- 1x Ethernet (RJ-45)

Bottom Ports

1x power connector

Left Ports

- 2x USB 3.1 Gen 2
- 1x card reader
- 1x headphone / microphone combo jack (3.5mm)

Right Ports

None

Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.
USB 2.0: 480 Mbit/s;
USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;
USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;
USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;
Thunderbolt™ 3: 40 Gbit/s;
FireWire 400: 400 Mbit/s;
FireWire 800: 800 Mbit/s
2. For video ports on discrete graphics, please see graphics section

SECURITY & PRIVACY

Security

BIOS Security

- Administrator password
- Power-on password

SERVICE

Warranty

Base Warranty

- 1-year mail-in service
- 1-year depot service
- 1-year limited onsite service
- 2-year depot service

ENVIRONMENTAL

Operating Environment

Temperature

- Storage: -20°C (-4°F) to 60°C (140°F)
- Operating: 5°C (41°F) to 35°C (95°F)

Humidity

- Operating: 20% to 80%
- Storage: 10% to 90%

Altitude

- Operating: -15.2 m (-50 ft) to 3048 m (10,000 ft)
- Storage: -15.2 m (-50 ft) to 12192 m (40,000 ft)

CERTIFICATIONS

Green Certifications

Green Certifications

- ErP Lot 3, Lot 6 and Lot 7
- GREENGUARD®
- RoHS compliant

