PERFORMANCE

Processor

Processor Family

AMD Ryzen[™] 5 / 7 Processor

Processor

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
AMD Ryzen 5 3600	6	12	3.6GHz	4.2GHz	3MB L2 / 32MB L3	DDR4-3200	-
AMD Ryzen 7 3700X	8	16	3.6GHz	4.4GHz	4MB L2 / 32MB L3	DDR4-3200	-

Operating System

Operating System

- Windows[®] 10 Home 64
- FreeDOS

Graphics

Graphics^[1]

Graphics	Туре	Memory	Connector	Max Resolution	Key Features
NVIDIA® GeForce® GTX 1650	Discrete	4GB GDDR5	1x HDMI [®] 2.0b, 2x DP 1.4	4096x2160@60Hz(HDMI), 7680x4320@60Hz(DP)	DirectX® 12
NVIDIA GeForce GTX 1650 SUPER	Discrete	4GB GDDR6	1x HDMI 2.0b, 2x DP 1.4	7680x4320 @60Hz(DP)	DirectX 12

Notes:

1. Integrated graphics information and onboard video ports information are not applicable for all models without integrated graphics (for the details, please refer to processor section)

Monitor Support

Monitor Support

Supports up to 3 independent displays via discrete graphics ports (DP, HDMI, and DVI)

Chipset

Chipset

AMD PRO 560 chipset

Memory

Memory Type

DDR4-2666

Memory Slots

Two DDR4 UDIMM slots, dual-channel capable

Memory Protection

Non-ECC

Max Memory^[1]

Up to 16GB DDR4-2666

Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

Storage

Storage Support

Up to 2 drives, 1x 3.5" HDD + 1x M.2 SSD • 3.5" HDD up to 2TB • M.2 SSD up to 1TB

RAID

Not support

Storage Type

Disk Type	Interface	RPM	Security
3.5" SATA HDD	SATA 6Gb/s	7.2K	-
M.2 2280 SSD	PCIe NVMe	-	-

Removable Storage

Optical

None

Card Reader

• 7-in-1 card reader (SD, SDHC, SDXC, MMC, MS, MS-Pro, MMC plus)

• No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC662 codec

Speakers

No speakers

Microphone

No microphone

Camera

No camera

Power Supply

Power Supply

Power	Туре	Efficiency	Key Features
210W	Fixed	85%	100V - 240V
310W	Fixed	92%	100V - 240V

DESIGN

Input Device

Keyboard

- Lenovo Calliope Keyboard (USB connector), black
- No keyboard

Mouse

- Lenovo Calliope Mouse (USB connector), black
- No mouse

Mechanical

Form Factor

Tower (15L)

Dimensions (WxDxH)

145 x 302.7 x 366 mm (5.7 x 11.9 x 14.4 inches)

Weight

6.24 kg (13.76 lbs)

Iron grey

Bays

1x 3.5" disk bay

Expansion Slots

- One PCIe 3.0 x16, full height
- Two PCIe 3.0 x1, full height
- Two M.2 slots (one for WLAN, one for SSD)

Cooling System (Fan&Cooler)

(Optional) Rear system fan

CONNECTIVITY

Network

Onboard Ethernet

Gigabit Ethernet, 1x RJ45

WLAN + Bluetooth™

- 802.11ac 1x1 Wi-Fi + Bluetooth 5.0, M.2 card
- 802.11ac 2x2 Wi-Fi + Bluetooth 5.0, M.2 Card
- No WLAN and Bluetooth

Ports

Front Ports^[1]

- 2x USB 3.1 Gen 1
- 2x USB 3.1 Gen 2
- 1x microphone (3.5mm)
- 1x headphone (3.5mm)

Optional Front Ports

1x card reader

Rear Ports^[2]

- 2x USB 2.0
- 2x USB 3.1 Gen 1
- 1x Ethernet (RJ-45)
- 1x microphone (3.5mm)
- 1x line-in (3.5mm)
- 1x line-out (3.5mm)
- 1x power connector

Notes:

- The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;
 - USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formely USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;
 - USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formely USB 3.1 Gen 2): 10 Gbit/s;
 - USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;
 - Thunderbolt™ 3: 40 Gbit/s;
 - FireWire 400: 400 Mbit/s;
 - FireWire 800: 800 Mbit/s;
- 2. For video ports on discrete graphics, please see graphics section

SECURITY & PRIVACY

Security

BIOS Security

- Power-on password
- Administrator password
- Hard disk password

Lenovo

Warranty

Base Warranty

- 1-year depot service
- 2-year depot service

CERTIFICATIONS

Green Certifications

Green Certifications

- ErP Lot 3
- RoHS compliant

Lenovo











