


# **OVERVIEW**



1. Card reader	5. HDMI
2. USB 2.0	6. USB-C 3.2 Gen 1 (support data transfer only)
3. Power connector	7. Headphone / microphone combo jack (3.5mm)
4. USB 3.2 Gen 1	



### **PERFORMANCE**

### **Processor**

#### **Processor Family**

AMD 3000, AMD Athlon™, or AMD Ryzen™ 3 / 5 Processor

### Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics
AMD 3020e	2	2	1.2GHz	2.6GHz	1MB L2 / 4MB L3	AMD Radeon™ Graphics
AMD Athlon Silver 3050U	2	2	2.3GHz	3.2GHz	1MB L2 / 4MB L3	AMD Radeon Graphics
AMD Ryzen 3 3250U 2		4	2.6GHz	3.5GHz	1MB L2 / 4MB L3	AMD Radeon Graphics
AMD Ryzen 5 3500U	4	8	2.1GHz	3.7GHz	2MB L2 / 4MB L3	AMD Radeon Vega 8 Graphics

# **Operating System**

### Operating System\*\*

- Windows® 11 Home
- Windows 11 Home Single Language
- Windows 11 Home Single Language in S mode
- Windows 11 Home in S mode
- Windows 11 Pro
- · No operating system

### **Graphics**

### Graphics\*\*

Graphics	Туре	Memory	Key Features
AMD Radeon Graphics	Integrated	Shared	DirectX® 12
AMD Radeon Vega 8 Graphics	Integrated	Shared	DirectX 12

### **Monitor Support**

### **Monitor Support**

Supports up to 2 independent displays (native display and 1 external monitor via HDMI®)

• HDMI supports up to 4K@30Hz

# **Chipset**

#### Chipset

AMD SoC (System on Chip) platform

### **Memory**

#### Max Memory\*\*[1]

- Up to 4GB (4GB soldered + empty SO-DIMM slot) DDR4-2400 offering
- Up to 8GB (8GB SO-DIMM) DDR4-2400 offering

### Memory Slots\*\*

- One DDR4 SO-DIMM slot
- One memory soldered to systemboard, one DDR4 SO-DIMM slot, dual-channel capable

### **Memory Type**

DDR4-2400

# Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.



### **Storage**

#### Storage Support\*\*[1]

- · 64GB eMMC 5.1 on systemboard
- 128GB eMMC 5.1 on systemboard
- One drive, up to 1TB M.2 2242 SSD or 512GB M.2 2280 SSD

#### Storage Slot\*\*

- eMMC on systemboard, no slots (eMMC models)
- One M.2 2280 PCle<sup>®</sup> 3.0 x4 slot (M.2 SSD models)

#### Storage Type\*\*[2]

Disk Type	Interface	Offering
Flash Memory	eMMC 5.1	64GB / 128GB
M.2 2242 SSD	PCIe NVMe®, PCIe 3.0 x4	128GB / 256GB / 512GB / 1TB
M.2 2242 SSD	PCIe NVMe, PCIe 4.0 x4[3]	512GB
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	512GB

#### Notes:

- [1] The storage capacity supported is based on the test results with current Lenovo storage offerings.
- [2] System has one eMMC on systemboard or one M.2 2242/2280 SSD exclusively.
- [3] The SSD with PCle 4.0x4 is downgraded to closer to PCle 3.0x4 due to AMD platform limitation.

### Removable Storage

#### **Card Reader**

SD card reader

#### Multi-Media

#### **Audio Chip**

High Definition (HD) Audio

### **Speakers**

Stereo speakers, 1.5W x2, Dolby® Audio™

#### Microphone

Dual-microphone array with noise-cancelling

### Camera

HD 720p, with privacy shutter, fixed focus

### **Battery**

#### **Battery**

Integrated Li-Polymer 42Wh battery, supports Rapid Charge Boost (get 2 hours of runtime with a 15-minute charge)

#### Max Battery Life[1]

Local video (1080p) playback@150nits: 10 hr

#### Notes:

[1] All battery life claims are approximate maximum and based on results using the MobileMark® 2014, MobileMark 2018, MobileMark 25, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

### **Power Adapter**

#### **Power Adapter**

65W round tip (3-pin) AC adapter, 100-240V, 50-60Hz

#### DESIGN



# **Display**

### Display\*\*

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle (L/R/U/D)
14"	HD (1366x768)	None	TN	220nits	Anti- glare	16:9	400:1	45% NTSC	45°/45°/15°/35°
14"	FHD (1920x1080)	None	TN	220nits	Anti- glare	16:9	400:1	45% NTSC	45°/45°/15°/35°
14"	FHD (1920x1080)	None	TN	250nits	Anti- glare	16:9	400:1	45% NTSC	45°/45°/15°/35°
14"	FHD (1920x1080)	None	IPS <sup>[1]</sup>	250nits	Anti- glare	16:9	700:1	45% NTSC	85°/85°/85°

**Touchscreen** 

Non-touch

Notes:

[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

### **Input Device**

### Keyboard

6-row, multimedia Fn keys

#### **Keyboard Backlight**

Non-backlight

### **Touchpad**

Buttonless Mylar® surface multi-touch touchpad, supports Precision TouchPad (PTP), 62 x 104 mm (2.44 x 4.09 inches)

### Mechanical

### Dimensions (WxDxH)[1]

325.3 x 216.5 x 17.9 mm (12.8 x 8.52 x 0.70 inches)

Weight<sup>[2]</sup>

Around 1.4 kg (3.09 lbs)

**Case Color** 

Cloud grey

### **Surface Treatment**

IMR (in-mold decoration by roller)

#### **Case Material**

PC-ABS (top), PC-ABS (bottom)

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

### CONNECTIVITY

### **Network**

### Ethernet

No onboard Ethernet

#### WLAN + Bluetooth®\*\*

- 802.11ac 2x2 Wi-Fi® + Bluetooth 5.0, M.2 card
- Wi-Fi 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card<sup>[1]</sup>



#### Notes:

[1] Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitations. Wi-Fi 6 full features might be limited by country-level restrictions.

#### Ports<sup>[1]</sup>

#### **Standard Ports**

- 1x Card reader
- 1x HDMI 1.4b
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Power connector
- 1x USB 2.0
- 1x USB 3.2 Gen 1
- 1x USB-C® 3.2 Gen 1 (support data transfer only)

#### Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

# **SECURITY & PRIVACY**

### Security

### **Security Chip**

Firmware TPM 2.0 integrated in SoC

#### **Fingerprint Reader**

- Touch style fingerprint reader integrated in power button
- · No fingerprint reader

# **BIOS Security\*\*\***

- · Administrator password
- Power-on password
- Hard disk password (M.2 SSD models only)

#### **Other Security**

Camera privacy shutter

### **SERVICE**

### **Warranty**<sup>[1]</sup>

### Base Warranty\*\*

- 1-year mail-in service
- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) courier or carry-in service

#### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://pcsupport.lenovo.com/warranty">https://pcsupport.lenovo.com/warranty</a>.

### **ENVIRONMENTAL**



## **Operating Environment**

#### Temperature[1]

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage:  $5^{\circ}$ C to  $43^{\circ}$ C ( $41^{\circ}$ F to  $109^{\circ}$ F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

#### **Humidity**

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### **Altitude**

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

### **ACCESSORIES**

#### **Bundled Accessories**

**Bundled Accessories** 

None

### **CERTIFICATIONS**

#### Green Certifications<sup>11</sup>

#### **Green Certifications**

- (Optional) ENERGY STAR® 8.0
- ErP Lot 3
- · RoHS compliant

### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.







ΔΜ





AMD





а