

# **OVERVIEW**



1. Card reader	5. USB-C 3.2 Gen 1
2. USB 3.2 Gen 1	6. HDMI
3. USB 3.2 Gen 1 (Always On)	7. Headphone / microphone combo jack (3.5mm)
4. Power connector *	

# Notes:

• Ports with \* are only available on selected models



## **PERFORMANCE**

### **Processor**

#### **Processor Family**

10th Generation Intel® Core™ i3 / i5 / i7 Processor

### Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i3-1005G1	2	4	1.2GHz	3.4GHz	4MB	DDR4-3200	Intel UHD Graphics
Core i5-1035G1	4	8	1.0GHz	3.6GHz	6MB	DDR4-3200	Intel UHD Graphics
Core i7-1065G7	4	8	1.3GHz	3.9GHz	8MB	DDR4-3200	Intel Iris® Plus Graphics

## **Operating System**

### Operating System\*\*

- Windows® 10 Pro 64
- Windows 10 Home 64
- Windows 10 Home 64 Single Language
- · Windows 10 Home Single Language in S mode
- Windows 10 Home in S mode
- FreeDOS
- No operating system

### **Graphics**

### Graphics\*\*

Graphics	Type	Memory	Key Features
Intel UHD Graphics	Integrated	Shared	DirectX® 12.1
Intel Iris Plus Graphics	Integrated	Shared	DirectX 12
NVIDIA® GeForce MX330	Discrete	2GB GDDR5	DirectX 12
NVIDIA GeForce MX350	Discrete	2GB GDDR5	DirectX 12

## **Monitor Support**

### **Monitor Support**

Supports up to 3 independent displays (native display and 2 external monitors via HDMI® and USB-C®)

- HDMI supports up to 3840x2160@30Hz
- USB-C supports up to 3840x2160@60Hz

## **Chipset**

### Chipset

Intel SoC (System on Chip) platform

### **Memory**

## Max Memory[1]

- 4GB soldered memory, not upgradable
- 8GB soldered memory, not upgradable
- 16GB soldered memory, not upgradable

### Memory Slots\*\*

- Memory soldered to systemboard, no slots, single-channel (4GB models)
- · Memory soldered to systemboard, no slots, dual-channel (8GB or 16GB models)

### **Memory Type**

DDR4-3200

### Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.



## **Storage**

#### Storage Support[1]

One drive, up to 512GB M.2 2242 SSD or 1TB M.2 2280 SSD

#### Storage Type\*\*

Disk Type	Interface	Offering
M.2 2242 SSD	PCIe® NVMe®, PCIe 3.0 x2	128GB / 256GB / 512GB
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	512GB / 1TB

#### Notes:

1. The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.

# **Removable Storage**

### **Optical**

- USB external DVD burner (DVD±RW), 9.5mm high
- None

#### **Card Reader**

4-in-1 card reader (SD, SDHC, SDXC, MMC)

#### Multi-Media

#### **Audio Chip**

High Definition (HD) Audio

#### **Speakers**

Stereo speakers, 2W x2, optimized with Dolby® Audio™

#### Microphone

Dual-microphone array

#### Camera

HD 720p webcam, with privacy shutter, fixed focus

### **Battery**

### Battery\*\*

- Integrated Li-Polymer 44.5Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W round tip / USB-C or 95W USB-C AC adapter
- Integrated Li-Polymer 56.5Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W or 95W USB-C AC adapter

#### Max Battery Life[1]

- MobileMark® 2014: 11 hr (56.5Wh)
- MobileMark 2014: 9 hr (44.5Wh)

#### Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

### **Power Adapter**

### Power Adapter\*\*[1]

- 45W round tip (2-pin, wall-mount) AC adapter, 100-240V, 50-60Hz
- 65W round tip (2-pin, wall-mount) AC adapter, 100-240V, 50-60Hz
- 65W round tip (3-pin) AC adapter, 100-240V, 50-60Hz
- 65W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 95W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz

#### Notes:

1. AC adapter offerings depend on the country.



### **DESIGN**

# **Display**

### Display\*\*[1]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
14"	HD (1366x768)	None	TN	250 nits	Anti- glare	16:9	-	45% NTSC	-	-
14"	FHD (1920x1080)	None	TN	250 nits	Anti- glare	16:9	-	45% NTSC	-	-
14"	FHD (1920x1080)	None	IPS	300 nits	Anti- glare	16:9	-	45% NTSC	-	-
14"	FHD (1920x1080)	None	IPS	300 nits	Anti- glare	16:9	-	100% sRGB	-	-

#### **Touchscreen**

Non-touch

Notes:

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

### **Input Device**

### Keyboard

6-row, multimedia Fn keys

### **Keyboard Backlight**

- · LED backlight
- Non-backlight

### **Touchpad**

Buttonless Mylar® surface multi-touch touchpad, supports Precision TouchPad (PTP), 63 x 104 mm (2.48 x 4.09 inches)

### **Mechanical**<sup>[1]</sup>

### Dimensions (WxDxH)

Models	Dimensions
Aluminium (top), aluminium (bottom) models	321.57 x 211.59 x 16.9 mm (12.66 x 8.33 x 0.67 inches)
Aluminium (top), PC + ABS (bottom) models	321.57 x 211.59 x 17.9 mm (12.66 x 8.33 x 0.70 inches)

## Weight

Models	Weight		
Aluminium (top), PC-ABS (bottom) models	Around 1.39 kg (3.06 lbs)		
Aluminium (top), aluminium (bottom) models	Around 1.38 kg (3.04 lbs)		

#### Case Color\*\*

- Graphite grey
- Light teal
- Platinum grey

### Surface Treatment\*\*

- Aluminium stamping (anodized)
- Anodizing

### Case Material\*\*

- Aluminium (top), aluminium (bottom)
- Aluminium (top), PC-ABS (bottom)

Notes:

<sup>1.</sup> California Electronic Waste Recycling Fee



1. The system dimensions and weight vary depending on configurations.

### CONNECTIVITY

## **Network**

#### **Ethernet**

No onboard Ethernet

#### WLAN + Bluetooth®[1]

Wi-Fi® 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card

#### Notes:

1. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitation

#### **Ports**<sup>[1]</sup>

#### **Standard Ports**

- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 1x USB-C 3.2 Gen 1 (support data transfer, Power Delivery 3.0 and DisplayPort™ 1.4)
- 1x HDMI 1.4b
- 1x Card reader
- 1x Headphone / microphone combo jack (3.5mm)

#### **Optional Ports**

1x Power connector (models with plastic bottom)

#### Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s

## **SECURITY & PRIVACY**

### **Security**

### **Security Chip**

Firmware TPM 2.0 integrated in SoC

### Fingerprint reader

- Touch style fingerprint reader integrated in power button
- · No fingerprint reader

### **BIOS Security**

- · Administrator password
- User password
- · Master hard disk password
- · User hard disk password

#### **Other Security**

Camera privacy shutter

### **SERVICE**

### **Warranty**

#### Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service



## **ENVIRONMENTAL**

# **Operating Environment**

#### Temperature[1]

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

#### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### Δltituda

Maximum altitude (without pressurization): 3048 m (10,000 ft)

#### Notes:

1. When you charge the battery, its temperature must be no lower than  $10^{\circ}$ C ( $50^{\circ}$ F).

### **CERTIFICATIONS**

### **Green Certifications**

#### **Green Certifications**

- ENERGY STAR® 8.0
- ErP Lot 3
- · RoHS compliant
- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.





















