

# **OVERVIEW**



1. SD card reader	4. 2x USB-C 3.2 Gen 1
2. USB 3.2 Gen 1	5. HDMI
3. USB 3.2 Gen 1 (Always On)	6. Headphone / microphone combo jack (3.5mm)



### **PERFORMANCE**

### **Processor**

#### **Processor Family**

12th Generation Intel® Core™ i3 / i5 / i7 Processor

#### Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics
Core i3-1215U	6 (2 P-core + 4 E-core)	8	P-core 1.2GHz / E-core 0.9GHz	P-core 4.4GHz / E-core 3.3GHz	10MB	Intel UHD Graphics
Core i5-1235U	10 (2 P-core + 8 E-core)	12	P-core 1.3GHz / E-core 0.9GHz	P-core 4.4GHz / E-core 3.3GHz	12MB	Intel Iris® Xe Graphics
Core i5-1240P	12 (4 P-core + 8 E- core)	16	P-core 1.7GHz / E-core 1.2GHz	P-core 4.4GHz / E-core 3.3GHz	12MB	Intel Iris Xe Graphics
Core i7-1255U	10 (2 P-core + 8 E-core)	12	P-core 1.7GHz / E-core 1.2GHz	P-core 4.7GHz / E-core 3.5GHz	12MB	Intel Iris Xe Graphics
Core i7-1260P	12 (4 P-core + 8 E- core)	16	P-core 2.1GHz / E-core 1.5GHz	P-core 4.7GHz / E-core 3.4GHz	18MB	Intel Iris Xe Graphics

## **Operating System**

### Operating System\*\*

- Windows® 11 Home
- Windows 11 Home Single Language
- Windows 11 Home Single Language in S mode
- Windows 11 Home in S mode
- Windows 11 Pro
- · No operating system

### **Graphics**

### Graphics\*\*

Graphics	Туре	Memory	Key Features
Intel UHD Graphics	Integrated	Shared	DirectX® 12.1
Intel Iris Xe Graphics	Integrated	Shared	DirectX 12.1
NVIDIA® GeForce MX550	Discrete	2GB GDDR6	DirectX 12

### **Monitor Support**

#### **Monitor Support**

Supports up to 3 independent displays (native display and 2 external monitors via HDMI® and USB-C®)

- HDMI supports up to 3840x2160@30Hz
- USB-C supports up to 4096x2160@60Hz

### **Chipset**

### Chipset

Intel SoC (System on Chip) platform

## **Memory**

#### **Max Memory**

- 8GB soldered memory, not upgradable
- 12GB soldered memory, not upgradable
- 16GB soldered memory, not upgradable

### Memory Slots\*\*

- Memory soldered to systemboard, no slots, single-channel (Intel i3 models)
- Memory soldered to systemboard, no slots, dual-channel (Intel i5 / i7 models)

#### **Memory Type**



### DDR4-3200

### **Storage**

### Storage Support[1]

- Models with 45Wh battery: up to two drives, 1x 2.5" HDD + 1x M.2 SSD
  - 2.5" HDD up to 1TB
  - M.2 2242 SSD up to 512GB
  - M.2 2280 SSD up to 1TB
- Models with 57Wh battery: up to two drives, 1x 2.5" HDD + 1x M.2 SSD
  - 2.5" HDD up to 1TB
  - M.2 2242 SSD up to 512GB
  - M.2 2280 SSD up to 1TB
- Models with 76Wh battery: one drive, 1x M.2 SSD
  - M.2 2242 SSD up to 512GB
  - M.2 2280 SSD up to 1TB

#### **Storage Slot**

- Models with 45Wh battery: one 2.5" drive slot + one M.2 slot
  - One 2.5" SATA HDD slot
  - One M.2 2280 PCIe® 4.0 x4 slot
- Models with 57Wh battery: one 2.5" drive slot + one M.2 slot
  - One 2.5" SATA HDD slot
  - One M.2 2280 PCIe 4.0 x4 slot
- Models with 76Wh battery: one M.2 slot
  - One M.2 2280 PCIe 4.0 x4 slot

#### Storage Type\*\*

Disk Type	Interface	RPM	Offering
2.5" SATA HDD	SATA 6Gb/s	5.4K	2TB
M.2 2242 SSD	PCIe NVMe®, PCIe 3.0 x4		256GB / 512GB
M.2 2242 SSD	PCIe NVMe, PCIe 4.0 x4		256GB / 512GB
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4		512GB
M.2 2280 SSD	PCIe NVMe, PCIe 4.0 x4		512GB / 1TB

### Notes:

[1] The storage capacity supported is based on the test results with current Lenovo® storage offerings.

### **Removable Storage**

#### **Card Reader**

SD card reader

### Multi-Media

#### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC3287 codec

#### **Speakers**

Stereo speakers, 2W x2, optimized with Dolby $^{\circ}$  Audio $^{\mathsf{TM}}$ 

#### Microphone

Dual-microphone array

#### Camera\*

- FHD 1080p, with privacy shutter, fixed focus
- HD 720p, with privacy shutter, fixed focus

#### Sensor

### Sensors

Hall sensor

### **Battery**

#### Battery\*\*

### IdeaPad 5 15IAL7



- Integrated Li-Polymer 45Wh battery
- Integrated Li-Polymer 57Wh battery, supports Rapid Charge Boost (get 2 hours of runtime with a 15-minute charge)
- Integrated Li-Polymer 76Wh battery, supports Rapid Charge Boost (get 2 hours of runtime with a 15-minute charge)[2]

#### Max Battery Life[3]

 Models with 45Wh battery and integrated graphics: MobileMark® 2018@200nits: 6.5 hr

Local video (1080p) playback@150nits: 9.9 hr

 Models with 57Wh battery and discrete graphics: MobileMark 2018@20Onits: 7.5 hr

Local video (1080p) playback@150nits: 12.2 hr

Models with 57Wh battery and integrated graphics:

MobileMark 2018@200nits: 8.5 hr

Local video (1080p) playback@150nits: 12.8 hr

Models with 76Wh battery and discrete graphics:

MobileMark 2018@200nits: 10.1 hr

Local video (1080p) playback@150nits: 16 hr

Models with 76Wh battery and integrated graphics:

MobileMark 2018@200nits: 11.2 hr

Local video (1080p) playback@150nits: 16.4 hr

#### Notes:

[1], [2] Rapid Charge Boost is only effective in hibernates or fully shutting down the computer.

[3] All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, MobileMark 25, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

### **Power Adapter**

#### Power Adapter\*\*[1]

- 45W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 100W USB-C slim (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz

### Notes:

[1] AC adapter offerings depend on the country.

### **DESIGN**

### **Display**

### Display\*\*

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Refresh Rate	Viewing Angle (L/R/U/D)
15.6"	FHD (1920x1080)	None	TN	250nits	Anti- glare	16:9	500:1	45% NTSC	60Hz	45°/45°/15°/35°
15.6"	FHD (1920x1080)	None	IPS <sup>[1]</sup>	300nits	Anti- glare	16:9	800:1	45% NTSC	60Hz	85°/85°/85°/85°
15.6"	FHD (1920x1080)	None	IPS <sup>[2]</sup>	300nits	Anti- glare	16:9	1200:1	100% sRGB	60Hz	85°/85°/85°/85°
15.6"	FHD (1920x1080)	Multi- touch	IPS <sup>[3]</sup>	300nits	Anti- glare	16:9	800:1	45% NTSC	60Hz	85°/85°/85°/85°

### **Touchscreen**

- On-cell multi-touch, supports 10-point touch
- Non-touch

#### Notes:

[1], [2], [3] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.



### **Input Device**

#### Keyboard

6-row, multimedia Fn keys, numeric keypad

### **Keyboard Backlight**

- · LED backlight
- · Non-backlight

#### **Touchpad**

Buttonless Mylar® surface multi-touch touchpad, supports Precision TouchPad (PTP), 69 x 104 mm (2.72 x 4.09 inches)

#### Mechanical

### Dimensions (WxDxH)[1]

Models	Dimensions
Metal models	356.67 x 233.13 x 16.9 mm (14.04 x 9.18 x 0.67 inches)
Plastic models	356.67 x 233.13 x 17.9 mm (14.04 x 9.18 x 0.70 inches)

#### Weight<sup>[2]</sup>

Models	Weight
Plastic models	Starting at 1.77 kg (3.90 lbs)
Metal models	Starting at 1.85 kg (4.08 lbs)

### Case Color\*\*

- · Abyss blue
- Cloud grey
- Stone blue
- Storm grey

#### **Surface Treatment**

Aluminium stamping (anodized)

#### Case Material\*\*

- Aluminium (top), PC-ABS (bottom)
- Aluminium (top), aluminium (bottom)

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

### CONNECTIVITY

### **Network**

#### Ethernet

No onboard Ethernet

#### WLAN + Bluetooth®[1]

Wi-Fi® 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.2, M.2 card

### Notes:

[1] Wi-Fi 6 full features might be limited by country-level restrictions.

### **Ports**<sup>[1]</sup>

#### **Standard Ports**

- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 2x USB-C 3.2 Gen 1 (support data transfer, Power Delivery 3.0 and DisplayPort™ 1.2)
- 1x HDMI 1.4b



- 1x Headphone / microphone combo jack (3.5mm)
- 1x SD card reader

#### Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

### **Docking**

#### **Docking**

Various docking solutions are supported via USB-C.

For more compatible docking solutions, please visit Docking for IdeaPad® 5 15IAL7

### SECURITY & PRIVACY

### Security

#### **Security Chip**

Firmware TPM 2.0 integrated in SoC

#### **Fingerprint Reader**

- Touch style fingerprint reader integrated in power button
- · No fingerprint reader

#### **BIOS Security**

- Administrator password
- User password
- · Master hard disk password
- User hard disk password
- Self-healing BIOS

#### **Other Security**

Camera privacy shutter

### **SERVICE**

# Warranty

### Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) courier or carry-in service

### **ENVIRONMENTAL**

### **Operating Environment**

#### Temperature[1]

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3  $^{\circ}$ C (88  $^{\circ}$ F)

#### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)



#### **Altitude**

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

## **ACCESSORIES**

#### **Bundled Accessories**

Bundled Accessories[1]

None

Notes:

[1] For more compatible accessory solutions, please visit Accessories for IdeaPad 5 15IAL7.

### **CERTIFICATIONS**

#### 

#### **Green Certifications**

- (Optional) ENERGY STAR® 8.0
- ErP Lot 3
- RoHS compliant

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-

#### Other Certifications

#### Mil-Spec Test

MIL-STD-810H military test passed

#### **Other Certifications**

(Optional) TÜV Rheinland® Low Blue Light (Software Solution)

- · Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.















intel



intel.