


## OVERVIEW



1. NOVO button hole	5. HDMI 1.4b
2. Card reader	6. USB-C 3.2 Gen 1
3. 2x USB 3.2 Gen 1 (one Always On)	7. Headphone / microphone combo jack (3.5mm)
4. USB-C 3.2 Gen 1	

## PERFORMANCE

### Processor

#### Processor Family

AMD Ryzen™ 5 / 7 Processor

#### Processor

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
AMD Ryzen 5 5600U	6	12	2.3GHz	4.2GHz	3MB L2 / 16MB L3	DDR4-3200	AMD Radeon™ Graphics
AMD Ryzen 7 5800U	8	16	1.9GHz	4.4GHz	4MB L2 / 16MB L3	DDR4-3200	AMD Radeon Graphics

### Operating System

#### Operating System

- Windows® 10 Pro 64
- Windows 10 Home 64
- Windows 11 Pro 64
- Windows 11 Home 64
- No operating system

### Graphics

#### Graphics

Graphics	Type	Memory	Key Features
NVIDIA® GeForce® MX450	Discrete	2GB GDDR6	DirectX® 12
AMD Radeon Graphics	Integrated	Shared	DirectX 12

### Monitor Support

#### Monitor Support

Supports up to 4 independent displays via native display and 3 external monitors; supports external monitors via HDMI® (up to 4096x2160@24Hz) or USB-C (up to 7680x4320@30Hz)

### Chipset

#### Chipset

AMD SoC (System on Chip) platform

### Memory

#### Max Memory<sup>[1]</sup>

- 8GB soldered memory, not upgradable
- 16GB soldered memory, not upgradable

#### Memory Slots

Memory soldered to systemboard, no slots, dual-channel

#### Memory Type

DDR4-3200

#### Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

### Storage

#### Storage Support

One drive, up to 512GB M.2 2242 SSD or 1TB M.2 2280 SSD

#### Storage Type

Disk Type	Interface	RPM	Security

M.2 2242 SSD	PCIe NVMe, PCIe 3.0 x4	-	-
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	-	-

## Removable Storage

### Optical

None

### Card Reader

4-in-1 card reader (SD, SDHC, SDXC, MMC)

## Multi-Media

### Audio Chip

High Definition (HD) Audio, Realtek® ALC3287 codec

### Speakers

Stereo speakers, 2W x2, optimized with Dolby® Atmos®

### Microphone

Dual array microphone

### Camera

IR & 720p hybrid, with ToF sensor, fixed focus

## Battery

### Battery

Integrated Li-Polymer 56.5Wh battery, supports Rapid Charge Boost (get 2 hours of runtime with a 15-minute charge)

### Max Battery Life<sup>[1]</sup>

MobileMark® 2018: 10 hr

Local video (1080p) playback@150nits: 15 hr

### Notes:

- All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

## Power Adapter

### Power Adapter

- 65W USB-C slim (2-pin, wall-mount) AC adapter
- 65W USB-C (3-pin) AC adapter

## DESIGN

## Display

### Display<sup>[1]</sup>

Size	Resolution	Touch	Type	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
14.0"	2.2K (2240x1400)	None	IPS	300 nits	Anti-glare	16:10	1500:1	100% sRGB	170°	Refresh rate 60Hz
14.0"	2.2K (2240x1400)	Multi-touch	IPS	300 nits	Glossy	16:10	1500:1	100% sRGB	170°	Refresh rate 60Hz
14.0"	2.8K (2880x1800)	None	IPS	400nits	Anti-glare	16:10	1500:1	100% sRGB	170°	Refresh rate 90Hz

### Touchscreen

- OGM (One Glass Metal mesh), capacitive-type multi-touch, supports 10-point touch
- Non-touch

## Notes:

## 1. California Electronic Waste Recycling Fee

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to <https://www.calrecycle.ca.gov/Electronics/Consumer>

## Input Device

### Keyboard

6-row, multimedia Fn keys

### Keyboard Backlight

- LED backlight
- No support

### Touchpad

Buttonless Mylar® surface multi-touch touchpad, supports Precision TouchPad (PTP)

## Mechanical

### Dimensions (WxDxH)

Models	Dimensions
All models	312.2 x 221 x 15.99-17.99 mm (12.29 x 8.7 x 0.63-0.71 inches)

### Weight<sup>[1]</sup>

Models	Weight
Discrete graphics models	1.41 kg (3.1 lbs)
Integrated graphics models	1.38 kg (3.04 lbs)

### Case Color

- Cloud grey
- Storm grey

### Surface Treatment

Aluminium anodizing stamping

### Case Material

Aluminium (top), aluminium (bottom)

## Notes:

1. The system weight varies depending on configurations

## CONNECTIVITY

### Network

#### Onboard Ethernet

No Ethernet

#### WLAN + Bluetooth®

- 802.11ac 2x2 Wi-Fi® + Bluetooth 5.1, M.2 Card
- Wi-Fi 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card

### Ports<sup>[1]</sup>

#### Standard Ports

- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 2x USB-C 3.2 Gen 1 (support data transfer, Power Delivery 3.0 and DisplayPort™ 1.4)
- 1x HDMI 1.4b
- 1x Card reader
- 1x Headphone / microphone combo jack (3.5mm)

## Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;  
USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;  
USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;  
USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;  
Thunderbolt™ 3: 40 Gbit/s;  
FireWire 400: 400 Mbit/s;  
FireWire 800: 800 Mbit/s

## SECURITY & PRIVACY

### Security

#### Security Chip

Firmware TPM 2.0 integrated in chipset

#### Fingerprint Reader

No fingerprint reader

#### BIOS Security

- Administrator password
- Power-on password
- Hard disk password

#### Other Security

IR camera for Windows Hello

## SERVICE

### Warranty

#### Base Warranty

- 1-year depot service
- 1-year depot with 2-year system board service
- 2-year (1-yr battery) depot service
- 3-year (1-yr battery) depot service

## ENVIRONMENTAL

### Operating Environment

#### Temperature<sup>[1]</sup>

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

#### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

#### Notes:

1. When you charge the battery, its temperature must be no lower than 10°C (50°F)

## CERTIFICATIONS

### Green Certifications

#### Green Certifications

- ENERGY STAR® 8.0
- ErP Lot 3

- RoHS compliant

## Other Certifications

### Other Certifications

TÜV Rheinland® Low Blue Light (Hardware Solution)

### Disclaimer:

- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION “AS IS,” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.



AMD



AMD



AMD



AMD



AMD



AMD