# OVERVIEW



1. Power connector	5. SD card reader
2. HDMI	6. Headphone / microphone combo jack (3.5mm)
3. USB-C 3.2 Gen 2	7. USB 3.2 Gen 1
4. Thunderbolt 4	8. USB 3.2 Gen 1 (Always On)

# PERFORMANCE

### **Processor**

#### **Processor Family**

13th Generation Intel<sup>®</sup> H Series Core<sup>™</sup> i5 / i7 Processor

#### Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics
Core™ i5- 13500H	12 (4 P-core + 8 E-core)	16	P-core 2.6GHz / E-core 1.9GHz	P-core 4.7GHz / E-core 3.5GHz	18MB	Intel® Iris® Xe Graphics
Core™ i7- 13700H	14 (6 P-core + 8 E-core)	20	P-core 2.4GHz / E-core 1.8GHz	P-core 5.0GHz / E-core 3.7GHz	24MB	Intel® Iris® Xe Graphics

# **Operating System**

#### **Operating System**\*\*

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- No preload operating system

# Graphics

#### Graphics\*\*

Graphics	Туре	Memory	Boost Clock	TGP	Key Features
NVIDIA® GeForce RTX™ 3050 Laptop GPU	Discrete	6GB GDDR6	1732 MHz	80W	Dynamic Boost 2.0, DirectX® 12 Ultimate
NVIDIA® GeForce RTX™ 4050 Laptop GPU	Discrete	6GB GDDR6	2355 MHz	80W	Dynamic Boost 2.0, DirectX® 12 Ultimate

# **Monitor Support**

#### **Monitor Support**

Supports up to 4 independent displays (native display and 3 external monitors via HDMI®, USB-C® and Thunderbolt™) • HDMI® supports up to 4K@60Hz

• USB-C<sup>®</sup> supports up to 4K@60Hz

• Thunderbolt<sup>™</sup> supports up to 8K@60Hz

# Chipset

#### Chipset

Intel® SoC (System on Chip) platform

### Memory

#### **Max Memory**

- 16GB soldered memory, not upgradable
- 32GB soldered memory, not upgradable

#### **Memory Slots**

Memory soldered to systemboard, no slots, dual-channel

Memory Type

LPDDR5-5200

# Storage

#### Storage Support<sup>[1]</sup>

Up to two drives, 2x M.2 SSD

- M.2 2242 SSD up to 1TB
- M.2 2280 SSD up to 1TB

#### Storage Slot

Two M.2 slots

• One M.2 2242 PCIe® 4.0 x4 slot

• One M.2 2280 PCIe® 4.0 x4 slot

#### Storage Type\*\*

Disk Type	Interface	Offering
M.2 2280 SSD	PCIe® NVMe®, PCIe® 4.0 x4	1TB
M.2 2242 SSD	PCIe® NVMe®, PCIe® 4.0 x4	512GB / 1TB

Notes:

[1] The storage capacity supported is based on the test results with current Lenovo<sup>®</sup> storage offerings.

# **Removable Storage**

#### **Card Reader**

SD card reader

#### **Multi-Media**

#### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC3287 codec

#### Speakers

Stereo speakers, 2W x2, optimized with Dolby® Atmos®

#### Microphone

Dual-microphone array

#### Camera

FHD 1080p + IR, with privacy shutter, fixed focus, with ToF sensor

#### Sensor

#### Sensors

- Hall sensor
- ToF sensor

### **Battery**

#### Battery

Integrated Li-Polymer 75Wh battery, supports Rapid Charge Express (get 3 hours of runtime with a 15-minute charge)<sup>[1]</sup>

#### Max Battery Life<sup>[2]</sup>

MobileMark® 2018@200nits: 8.5 hr Local video (1080p) playback@150nits: 14 hr

#### Notes:

[1] Rapid Charge Express is only effective in hibernates or fully shutting down the computer.

[2] All battery life claims are approximate maximum and based on results using the MobileMark® 2014, MobileMark® 2018, MobileMark® 25, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

### **Power Adapter**

#### **Power Adapter**

170W slim tip (3-pin) AC adapter, 100-240V, 50-60Hz

# DESIGN

# Display

### Display

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect	Contrast	Color	Refresh	Viewing Angle	Key
------	------------	-------	------	------------	---------	--------	----------	-------	---------	---------------	-----

Lenovo

PSREF Product Specifications Reference

						Ratio	Ratio	Gamut	Rate	(L/R/U/D)	Features
16″	2.5K (2560x1600)	None	IPS	350nits	Anti- glare	16:10	1200:1	100% sRGB	120Hz (Max)	80°/80°/80°/80°	Eyesafe® Certified 2.0, G- Sync

#### Touchscreen

Non-touch

Notes:

[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

#### **Input Device**

#### Keyboard

6-row, multimedia Fn keys, numeric keypad

#### **Keyboard Backlight**

LED backlight

#### Touchpad

Buttonless glass surface multi-touch touchpad, supports Precision TouchPad (PTP), 80 x 135 mm (3.15 x 5.31 inches)

### **Mechanical**

#### Dimensions (WxDxH)<sup>[1]</sup>

356 x 251 x 17.5 mm (14.02 x 9.88 x 0.69 inches)

#### Weight<sup>[2]</sup>

Starting at 1.95 kg (4.30 lbs)

#### Case Color

Arctic grey

#### Surface Treatment

Aluminium stamping (anodized with sandblasting)

#### **Case Material**

Aluminium (top), aluminium (bottom)

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo<sup>®</sup> lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

# CONNECTIVITY

#### Network

#### Ethernet

No onboard Ethernet

#### WLAN + Bluetooth®\*\*

- Wi-Fi<sup>®</sup> 6, 802.11ax 2x2 Wi-Fi<sup>®</sup> + Bluetooth<sup>®</sup> 5.2, M.2 card<sup>[1]</sup>
- Wi-Fi $^{\circ}$  6E, 802.11ax 2x2 Wi-Fi $^{\circ}$  + Bluetooth $^{\circ}$  5.2, M.2 card $^{[2]}$

Notes:

[1] Wi-Fi<sup>®</sup> 6 full features might be limited by country-level restrictions.

[2] Wi-Fi® 6E full features might be limited by country-level restrictions.

6GHz Wi-Fi® 6E operation is dependent on the support of the operating system, routers/APs/Gateways that support Wi-Fi® 6E, and the regional regulatory certifications & spectrum allocation.

### Ports<sup>[1]</sup>

#### Standard Ports

Lenovo

- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 1x USB-C<sup>®</sup> 3.2 Gen 2 (support data transfer, Power Delivery 3.0 and DisplayPort<sup>™</sup> 1.4)
- 1x Thunderbolt™ 4 / USB4® 40Gbps (support data transfer, Power Delivery 3.0 and DisplayPort™ 1.4)
- 1x HDMI<sup>®</sup> 2.1, up to 4K/60Hz
- 1x Headphone / microphone combo jack (3.5mm)
- 1x SD card reader
- 1x Power connector

#### Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

- USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;
- USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;
- USB4® 40Gbps (USB 40Gbps): 40 Gbit/s;
- Thunderbolt<sup>™</sup> 3/4: 40 Gbit/s.

# Docking

#### Docking

Various docking solutions are supported via Thunderbolt<sup>™</sup> or USB-C<sup>®</sup>. For more compatible docking solutions, please visit <u>Docking for IdeaPad<sup>®</sup> Pro 5 16IRH8</u>

# **SECURITY & PRIVACY**

### Security

Security Chip

Firmware TPM 2.0 integrated in SoC

#### **Fingerprint Reader**

No fingerprint reader

#### **BIOS Security**

- Administrator password
- User password
- Master hard disk password
- User hard disk password
- Self-healing BIOS

#### **Other Security**

- IR camera for Windows® Hello (facial recognition)
- Camera privacy shutter

# SERVICE

# Warranty

### Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service

# **ENVIRONMENTAL**

# **Operating Environment**

### Temperature<sup>[1]</sup>

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)

Lenovo

• At altitudes above 2438 m (8,000 ft)

- Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

#### **Relative Humidity**

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

# ACCESSORIES

### **Bundled Accessories**

Bundled Accessories<sup>[1]</sup>

None

Notes:

[1] For more compatible accessory solutions, please visit Accessories for IdeaPad® Pro 5 16IRH8.

# CERTIFICATIONS

# **Green Certifications**<sup>III</sup>

#### Green Certifications<sup>[2]</sup>

- ENERGY STAR® 8.0
- EPEAT<sup>™</sup> Gold Registered<sup>[3]</sup>
- ErP Lot 6
- ErP Lot 26
- RoHS compliant

#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or selfdeclaration.

[2] EPEAT<sup>™</sup> registration and ENERGY STAR<sup>®</sup> certification are dependent on system OS. Please visit <u>epeat.net</u> and <u>energystar.gov</u> for more information.

[3] EPEAT<sup>™</sup> is registered where applicable, please see <u>epeat.net</u> for registration status by country.

# **Other Certifications**

#### Mil-Spec Test

MIL-STD-810H military test passed (21 test items)

#### **Other Certifications**

- Eyesafe® Certified 2.0
- TÜV Rheinland<sup>®</sup> Low Blue Light (Hardware Solution)
- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.

• The specifications on this page may not be available in all regions, and may be changed or updated without notice.









