


# **OVERVIEW**



| 1. Power connector | 5. USB 3.1 Gen 1                             |
|--------------------|--|
| 2. HDMI 1.4b       | 6. Headphone / microphone combo jack (3.5mm) |
| 3. USB 2.0         | 7. Card reader                               |
| 4. USB 3.1 Gen 1   |  |



## **PERFORMANCE**

## **Processor**

### **Processor Family**

AMD A4 / A6 / A9 series APU

### **Processor**

| Processor Name | Cores | Threads | Base Frequency | Max Frequency | Cache  | Memory Support | Processor Graphics      |
|----------------|-------|---------|----------------|---------------|--------|----------------|-------------------------|
| AMD A4-9125    | 2     | 2       | 2.3GHz         | 2.6GHz        | 1MB L2 | DDR4-2133      | AMD Radeon™ R3 Graphics |
| AMD A6-9225    | 2     | 2       | 2.6GHz         | 3.1GHz        | 1MB L2 | DDR4-2133      | AMD Radeon R4 Graphics  |
| AMD A9-9425    | 2     | 2       | 3.1GHz         | 3.7GHz        | 1MB L2 | DDR4-2133      | AMD Radeon R5 Graphics  |

## **Operating System**

## **Operating System**

- Windows® 10 Home 64
- Windows 10 Home in S mode
- Windows 10 Pro 64
- FreeDOS
- · No operating system

## **Graphics**

## **Graphics**

| Graphics               | Type       | Memory    | Key Features |
|------------------------|------------|-----------|--------------|
| AMD Radeon R3 Graphics | Integrated | Shared    | DirectX® 12  |
| AMD Radeon R4 Graphics | Integrated | Shared    | DirectX 12   |
| AMD Radeon R5 Graphics | Integrated | Shared    | DirectX 12   |
| AMD Radeon 530         | Discrete   | 2GB GDDR5 | DirectX 12   |

## **Monitor Support**

## **Monitor Support**

Supports up to 2 independent displays via native display and 1 external monitor; supports external monitor via  $HDMI^{\circ}$  (up to 4096x2160@60Hz)

## **Chipset**

### Chipset

AMD SoC (System on Chip) platform

## **Memory**

### **Memory Type**

DDR4-2133

### **Memory Slots**

One DDR4 SO-DIMM slot

## Max Memory[1]

Up to 8GB (8GB SO-DIMM) DDR4-2133 offering

### Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

## **Storage**

## **Storage Support**

Up to 2 drives, 1x 2.5" HDD + 1x M.2 2242/2280 SSD

- 2.5" HDD up to 2TB
- M.2 2242 SSD up to 512GB

## ideapad S145-14AST



- M.2 2280 SSD up to 512GB
- 2.5" SSD up to 256GB

### **Storage Type**

| Disk Type     | Interface              | RPM  | Security |
|---------------|------------------------|------|----------|
| 2.5" SATA HDD | SATA 6Gb/s             | 5.4K | -        |
| 2.5" SATA SSD | SATA 6Gb/s             | -    | -        |
| M.2 2242 SSD  | PCIe NVMe, PCIe 3.0 x2 | -    | -        |
| M.2 2280 SSD  | PCIe NVMe, PCIe 3.0 x4 | -    | -        |

## **Removable Storage**

## **Optical**

None

### **Card Reader**

4-in-1 card reader (SD, SDHC, SDXC, MMC)

### Multi-Media

## **Audio Chip**

High Definition (HD) Audio

### **Speakers**

Stereo speakers, 1.5W x2, Dolby® Audio™

### Microphone

Single microphone

### Camera

0.3-megapixel, fixed focus

## **Battery**

## **Battery**

- Integrated Li-Polymer 30Wh battery
- Integrated Li-Polymer 35Wh battery

## Max Battery Life[1]

- MobileMark® 2014: 4 hr (30Wh)
- MobileMark 2014: 4.5 hr (35Wh)

### Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, and/or JEITA 2.0 battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

## **Power Adapter**

## **Power Adapter**

- 45W round tip (Wall Mount) AC adapter
- 65W round tip (Wall Mount) AC adapter

## **DESIGN**

## **Display**

## Display[1]

| Size | Resolution           | Touch | Туре | Brightness | Surface        | Aspect<br>Ratio | Contrast<br>Ratio | Color<br>Gamut | Viewing<br>Angle | Key<br>Features |
|------|----------------------|-------|------|------------|----------------|-----------------|-------------------|----------------|------------------|-----------------|
| 14.0 | , FHD<br>(1920x1080) | None  | TN   | 220 nits   | Anti-<br>glare | 16:9            | -                 | -              | -                | -               |
| 14.0 | " HD (1366x768)      | None  | TN   | 220 nits   | Anti-          | 16:9            | -                 | -              | -                | -               |



|  |  |  | glare |  |  |  |  |  |
|--|--|--|-------|--|--|--|--|--|
|--|--|--|-------|--|--|--|--|--|

### **Touchscreen**

Non-touch

#### Notes:

1. California Electronic Waste Recycling Fee

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

## **Input Device**

### **Keyboard**

6-row, multimedia Fn keys

### **Keyboard Backlight**

Not support

## Touchpad

Buttonless Mylar® surface multi-touch touchpad

## Mechanical

### **Dimensions (WxDxH)**

327.1 x 241 x 19.9 mm (12.88 x 9.49 x 0.78 inches)

### Weight

1.6 kg (3.53 lbs)

#### **Case Color**

- Granite black
- · Platinum grey

### **Surface Treatment**

- IMR
- Texture

### **Case Material**

PC + ABS (top), PC + ABS (bottom)

## CONNECTIVITY

## **Network**

### WLAN + Bluetooth™

802.11ac 1x1 Wi-Fi + Bluetooth 4.2, M.2 card

### Ports<sup>[1]</sup>

### Standard Ports[2]

- 2x USB 3.1 Gen 1
- 1x USB 2.0
- 1x HDMI 1.4b
- 1x card reader
- 1x headphone / microphone combo jack (3.5mm)
- 1x power connector

## Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s:

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formely USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formely USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt™ 3: 40 Gbit/s;

FireWire 400: 400 Mbit/s;

FireWire 800: 800 Mbit/s

2. Depending on many factors, actual data transfer speed may be lower than theoretical speed



## **SECURITY & PRIVACY**

## **Security**

## **Security Chip**

Firmware TPM 2.0 integrated in chipset

### **Fingerprint Reader**

No fingerprint reader

### **BIOS Security**

- · Power-on password
- · Administrator password
- · Hard disk password

## **SERVICE**

## **Warranty**

### **Base Warranty**

- 1-year depot service
- · 2-year (1-yr battery) depot service

## **ENVIRONMENTAL**

## **Operating Environment**

### Temperature[1]

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

### **Altitude**

Maximum altitude (without pressurization): 3048 m (10,000 ft)

## Notes:

1. When you charge the battery, its temperature must be no lower than 10  $^{\circ}\text{C}$  (50  $^{\circ}\text{F})$ 

## **CERTIFICATIONS**

## **Green Certifications**

## **Green Certifications**

- ENERGY STAR® 8.0
- ErP Lot 3
- · RoHS compliant







AMD.∄



AMD

AMD



AMD



AMD∄



AMD