


# **OVERVIEW**





1. Power button	7. HDMI 1.4b
2. Headphone / microphone combo jack (3.5mm)	8. VGA
3. USB-C 3.2 Gen 1	9. 4x USB 2.0
4. USB 3.2 Gen 1	10. Ethernet (2.5GbE RJ-45)
5. USB 3.2 Gen 2	11. Optional ports on expansion cards
6. Audio line-out (3.5mm)	12. Power connector

### Notes:

- Items with \* are only available on selected models
- The onboard video ports VGA and HDMI are disabled on the models with discrete graphics



## **PERFORMANCE**

### **Processor**

### **Processor Family**

13th Generation Intel® Core™ i5 / i7 Processor

### Processor\*\*[1]

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i5- 13400	10 (6 P-core + 4 E-core)	16	P-core 2.5GHz / E-core 1.8GHz	P-core 4.6GHz / E-core 3.3GHz	20MB	DDR4- 3200	Intel® UHD Graphics 730
Core i5- 13400F	10 (6 P-core + 4 E-core)	16	P-core 2.5GHz / E-core 1.8GHz	P-core 4.6GHz / E-core 3.3GHz	20MB	DDR4- 3200	-
Core i7- 13700	16 (8 P-core + 8 E-core)	24	P-core 2.1GHz / E- core 1.5GHz	Max Turbo up to 5.2GHz / P-core 5.1GHz / E-core 4.1GHz	30MB	DDR4- 3200	Intel® UHD Graphics 770
Core i7- 13700F	16 (8 P-core + 8 E-core)	24	P-core 2.1GHz / E- core 1.5GHz	Max Turbo up to 5.2GHz / P-core 5.1GHz / E-core 4.1GHz	30MB	DDR4- 3200	-

#### Notes:

[1] Intel® Max Turbo frequency will vary depending on application workload and the hardware and software configurations, see http://www.intel.com/technology/turboboost/ for more information.

## **Operating System**

## Operating System\*\*

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- No preload operating system

# **Graphics**

### Graphics\*\*[1]

Graphics	Туре	Memory	Max Resolution	Connector	Key Features
Intel® UHD graphics 730	Integrated	Shared	2048x1536@50Hz(VGA), 1920x1080@60Hz(HDMI*)	1x VGA, 1x HDMI® 1.4b	DirectX® 12
NVIDIA® GeForce GTX 1650 SUPER	Discrete	4GB GDDR5	4096x2160@60Hz(HDMI®), 5120x3200@60Hz(DP)	1x HDMI® 2.0b, 2x DP 1.4	DirectX® 12
NVIDIA® GeForce GTX 1660 SUPER	Discrete	6GB GDDR6	4096x2160@60Hz(HDMI®), 5120x3200@60Hz (DP)	1x HDMI® 2.0, 2x DP 1.4	DirectX® 12
NVIDIA® GeForce RTX™ 3050	Discrete	8GB GDDR6	7680x4320@60Hz(HDMI®), 7680x4320@120Hz(DP) <sup>[2]</sup>	1x HDMI® 2.1 FRL, 3x DP 1.4	DirectX® 12
NVIDIA® GeForce RTX™ 3060	Discrete	12G GDDR6	7680x4320@60Hz(HDMI®), 7680x4320@120Hz(DP) <sup>[3]</sup>	3x DP 1.4a, 1x HDMI® 2.1 FRL	DirectX® 12
NVIDIA® GeForce RTX™ 3060 Ti	Discrete	8G GDDR6	7680x4320@60Hz(HDMI®), 7680x4320@120Hz(DP) <sup>[4]</sup>	3x DP 1.4a, 1x HDMI® 2.1 FRL	DirectX® 12
NVIDIA® GeForce RTX™ 4060	Discrete	8G GDDR6	7680x4320@60Hz(HDMI®), 7680x4320@60Hz(DP)	1x HDMI® 2.1a FRL, 3x DP 1.4a	DirectX® 12
NVIDIA® GeForce RTX™ 4060 Ti	Discrete	8G GDDR6	7680x4320@60Hz(HDMI®), 7680x4320@60Hz(DP)	1x HDMI® 2.1a FRL, 3x DP 1.4a	DirectX® 12

#### Notes:

[1] The information of integrated graphics are not applicable for the models with processor which has no integrated graphics inside (for the details, please refer to processor section).

[2], [3], [4] Requires two DisplayPort™ 1.4a links and DSC compression.



# **Monitor Support**

### **Monitor Support**

Supports up to 2 independent displays via onboard ports (VGA and HDMI®), more displays support via discrete graphics

## Chipset

### Chipset

Intel® B760 chipset

## **Memory**

Max Memory[1]

Up to 32GB DDR4-3200

### **Memory Slots**

Two DDR4 UDIMM slots, dual-channel capable

### **Memory Type**

DDR4-3200

### **Memory Protection**

Non-ECC

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

## **Storage**

### Storage Support[1]

Up to three drives, 2x 3.5" HDD + 1x M.2 SSD

- 3.5" HDD up to 2TB
- M.2 SSD up to 1TB

### Storage Type\*\*

Disk Type	Interface	RPM
3.5" SATA HDD	SATA 6Gb/s	7.2K
M.2 2280 SSD	PCIe® NVMe®, PCIe® 4.0 x4	-

### **RAID**

No support

Notes:

[1] The max capacity of each disk type is based on the test results with current Lenovo® storage offerings.

## Removable Storage

**Optical** None

**Card Reader** 

No card reader

### Multi-Media

### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC623-CG codec

### **Speakers**

No speakers

## **Power Supply**

## Power Supply\*

Power	Туре	Efficiency	Key Features
300W	Fixed	85%	100-240V, 50-60Hz



310W	Fixed	92%	100-240V, 50-60Hz
380W	Fixed	92%	100-240V, 50-60Hz
500W	Fixed	92%	100-240V, 50-60Hz

## **DESIGN**

## **Input Device**

### Keyboard

- Lenovo® Calliope Keyboard (USB connector), black
- No keyboard

#### Mouse

- Lenovo® Calliope Mouse (USB connector), black
- No mouse

### Mechanical

### **Form Factor**

Tower (17L)

### Dimensions (WxDxH)[1]

170 x 304 x 376 mm (6.69 x 11.97 x 14.8 inches)

#### Packaging Dimensions (WxDxH)

270 x 525 x 395 mm (10.62 x 20.66 x 15.55 inches)

### Weight<sup>[2]</sup>

8.4 kg (18.52 lbs)

### **Packaging Weight**

All models: Around 11.1 kg (24.47 lbs)

### **Case Color**

Raven black

# Bays

2x 3.5" disk bay

#### **Expansion Slots**

- One PCIe® 4.0 x16, full height
- One PCIe® 3.0 x1, full height
- Two M.2 slots (one for WLAN, one for SSD)

## Cooling System (Fan & Cooler)\*\*

- 1x front system fan, 1x rear system fan
- 1x rear system fan
- (Optional) 1x side system fan[3]

#### Notes:

- [1] The system dimensions may vary depending on configurations.
- [2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.
- [3] Only for 3060 Ti graphics.

## CONNECTIVITY

### **Network**

## Onboard Ethernet

Gigabit Ethernet, 1x RJ-45

#### WLAN + Bluetooth®\*\*

- Wi-Fi® 6, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.1, M.2 card
- Wi-Fi<sup>®</sup> 6E, 802.11ax 2x2 Wi-Fi<sup>®</sup> + Bluetooth<sup>®</sup> 5.1, M.2 card



No WLAN and Bluetooth®

### Ports<sup>[1]</sup>

#### **Front Ports**

- 1x USB-C® 3.2 Gen 1
- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 2
- 1x headphone / microphone combo jack (3.5mm)

#### Rear Ports[2]

- 4x USB 2.0
- 1x HDMI® 1.4b
- 1x VGA
- 1x Ethernet (2.5GbE RJ-45)
- 1x audio-out (3.5mm)

#### Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4® 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

[2] For video ports on discrete graphics, please see graphics section.

## **SECURITY & PRIVACY**

## **Security**

#### **Security Chip**

Firmware TPM 2.0 integrated in chipset

### **BIOS Security**

- · Administrator password
- Hard disk password
- Power-on password
- More BIOS security features, please visit <u>BIOS Simulator[1]</u>

#### Notes:

[1] The BIOS simulator is just for reference. Default settings and some options may vary depending on the hardware, operating system and BIOS version.

## **MANAGEABILITY**

### **System Management**

**System Management** 

None

### **SERVICE**

# **Warranty**<sup>[1]</sup>

#### Base Warranty\*\*

- 1-year mail-in service
- 1-year courier or carry-in service
- 1-year limited onsite service
- · 2-year courier or carry-in service
- · 3-year courier or carry-in service



#### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://support.lenovo.com/warrantylookup/warrantypolicy">https://support.lenovo.com/warrantylookup/warrantypolicy</a>.

## **OPERATING REQUIREMENTS**

## **Operating Environment**

### **Temperature**

Operating: 0°C (32°F) to 35°C (95°F)
 Storage: -40°C (-40°F) to 60°C (140°F)

#### **Relative Humidity**

Operating: 20% to 80%Storage: 10% to 90%

#### Δltitude

Operating: 0 m (0 ft) to 3048 m (10,000 ft)
Storage: 0 m (0 ft) to 12192 m (40,000 ft)

### **CERTIFICATIONS**

### 

### **Green Certifications**

- (Optional) ENERGY STAR® 8.0
- ErP Lot 3
- · RoHS compliant

#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <a href="https://compliance.lenovo.com">https://compliance.lenovo.com</a>.

- Feature with \*\* means that only one option listed under the feature can be configured on selected models.

  Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.





intel.

intel.



intel.





intel





intel. intel.

LOQ 17IRB8 - February 10 2025