

## PERFORMANCE

### Processor

**Processor Family**

8th Generation Intel® Core™ i7 Processor

**Processor**

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i7-8550U	4	8	1.8GHz	4.0GHz	8MB	DDR4-2400	Intel UHD Graphics 620

### Operating System

**Operating System**

ChromeOS

### Graphics

**Graphics**

Graphics	Type	Memory	Key Features
Intel HD Graphics 620	Integrated	Shared	DirectX® 12

### Chipset

**Chipset**

Intel SoC (System on Chip) platform

### Memory

**Max Memory<sup>[1]</sup>**

4GB soldered memory, not upgradable

**Memory Type**

DDR4-2400

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

### Storage

**Storage Support**

One drive, 128GB M.2 2280 SSD / SATA interface

**Storage Type**

Disk Type	Interface
M.2 2280 SSD	SATA 6Gb/s

### Power Supply

**Power Supply**

Power	Type	Key Features
240W	Adapter	100V - 240V

## DESIGN

### Mechanical

**Component Options\*\***

Product	Compute System	Controller	Audio Bar	Microphone Component	Camera Component
Large Room Kit	1x Compute System	1x Touch Controller	1x Smart Audio Bar + 1x Add-on Audio Bar	2x Mic Pod	1x Smart Camera XL



Medium Room Kit	1x Compute System	1x Touch Controller	1x Smart Audio Bar	1x Mic Pod	1x Smart Camera
Small Room Kit	1x Compute System	1x Remote Controller	1x Smart Audio Bar	None	1x Smart Camera

**Controller\*\***

Component Name	Display	Sensors	Multi-touch	Ports	Key Features
Touch Controller	<ul style="list-style-type: none"> <li>• 10.1" Display, wide viewing angle (Horizontal/Vertical: +/- 89°)</li> <li>• 350 nits brightness</li> <li>• 16:10 aspect ratio, 800:1 contrast ratio</li> <li>• smudge resistant</li> </ul>	<ul style="list-style-type: none"> <li>• Color sensor</li> <li>• Orientation sensor</li> </ul>	2-point touch	1x RJ45 Ethernet (PoE, connect to Compute System)	Wall mount kit
Remote Control	-	-	-	-	<ul style="list-style-type: none"> <li>• 2.4 RF remote</li> <li>• 10 function keys on front (Navi keys, Microphone on/off, Menu, End, Volume up/down keys)</li> <li>• QWERTY keyboard on rear (38 keys)</li> <li>• Embedded rechargeable lithium ion battery with USB-powered charging dock</li> </ul>

**Audio Bar\*\*\***

Component Name	Speaker	Microphone	Noise Control	Ports	Key Features
Add-on Audio Bar	20W RMS power, 80Hz-24kHz frequency response	<ul style="list-style-type: none"> <li>• 8 element, linear beamforming array</li> <li>• 100Hz-24kHz pickup, optimal pickup range of up to 4m</li> </ul>	-	<ul style="list-style-type: none"> <li>• 1x RJ-45 Daisy Chain Port (PoE like, connect to Smart Audio Bar)</li> </ul>	Wall mount kit
Smart Audio Bar	20W RMS power, 80Hz-24kHz frequency response	<ul style="list-style-type: none"> <li>• 8 element, linear beamforming array</li> <li>• 100Hz-24kHz pickup, optimal pickup range of up to 4m</li> </ul>	AEC, ANC, and TrueVoice™ multi-channel noise cancellation (via onboard Google Edge TPUs)	<ul style="list-style-type: none"> <li>• 1x USB-C® with USB 2.0 UAC (only for audio out)</li> <li>• 1x stereo analog RCA output (for assistive listening devices)</li> <li>• 1x RJ-45 Ethernet (PoE, connect to Compute System)</li> <li>• 2x RJ-45 Daisy Chain Ports (PoE like, connect to Add-on Audio Bar and Mic Pod)</li> </ul>	Wall mount kit
No Audio Bar	-	-	-	-	-

**Microphone Component\*\*\*[1]**

Component Name	Capturing Range	Ports	Key Features
Mic Pod	<ul style="list-style-type: none"> <li>• 100Hz-24kHz pickup</li> <li>• Optimal pickup range of up to 2m</li> </ul>	2x RJ-45 Daisy Chain ports (PoE like, one input connects to Smart Audio Bar or previous Mic Pod, one output port connects to next Mic Pod)	8 element, circular beamforming array
No	-	-	-

Microphone			
------------	--	--	--

**Camera Component\*\*\***

Component Name	Image	Optics	Microphone	Ports	Key Features
Smart Camera XL	<ul style="list-style-type: none"> <li>Up to 1080p@30fps video capture, f/2.9 aperture</li> <li>20.30 MP 1" CMOS sensor</li> <li>Automatically support digital PTZ (Pan / Tilt / Zoom) via Google AI</li> </ul>	<ul style="list-style-type: none"> <li>Wide angle glass optics</li> <li>95° horizontal field of view</li> </ul>	Omnidirectional microphone	1x RJ-45 Ethernet (PoE, connect to Compute System)	<ul style="list-style-type: none"> <li>Wall mount kit</li> <li>TV mount kit</li> <li>Magnetic dock</li> </ul>
Smart Camera	<ul style="list-style-type: none"> <li>Up to 1080p@30fps video capture, f/2.8 aperture</li> <li>12 MP 1/2.3" CMOS sensor</li> </ul>	<ul style="list-style-type: none"> <li>Ultra-wide angle glass optics</li> <li>120° horizontal field of view</li> </ul>	Omnidirectional microphone	1x RJ-45 Ethernet (PoE, connect to Compute System)	<ul style="list-style-type: none"> <li>Wall mount kit</li> <li>TV mount kit</li> <li>Magnetic dock</li> </ul>

**Dimensions (WxDxH)<sup>[2]</sup>**

Models	Dimensions
Smart Camera	107 x 84 x 42 mm (4.21 x 3.3 x 1.65 inches)
Smart Camera XL	122 x 84 x 52 mm (4.8 x 3.3 x 2.04 inches)
Touch Controller	245 x 164 x 91 mm (9.65 x 6.46 x 3.58 inches)
Compute System	284 x 135 x 29 mm (11.18 x 5.31 x 1.14 inches)
Remote Control	45 x 130 x 14 mm (1.77 x 5.12 x 0.55 inches)
Smart Audio Bar	705 x 95 x 133 mm (27.76 x 3.74 x 5.24 inches)
Add-on Audio Bar	705 x 95 x 133 mm (27.76 x 3.74 x 5.24 inches)
Mic Pod	95 x 95 x 30 mm (3.74 x 3.74 x 1.18 inches)

**Weight<sup>[3]</sup>**

Models	Weight
Add-on Audio Bar	2.8 kg (6.17 lbs)
Mic Pod	215 g (0.47 lbs)
Smart Audio Bar	3.3 kg (7.28 lbs)
Smart Camera	321 g (0.71)
Smart Camera XL	480 g (1.06 lbs)
Remote Control	65 g (0.14 lbs)
Compute System	985 g (2.17 lbs)
Touch Controller with plate	990 g (2.18 lbs)

**Case Color\*\***

- Chalk
- Charcoal

Notes:

[1] Daisy Chain supports up to 4 mic pods.

[2] The system dimensions may vary depending on configurations.

[3] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

**CONNECTIVITY**

**Network**

## Ethernet

Gigabit ethernet, Realtek® RTL8111G (1x RJ-45, uplink) and Intel Ethernet Controller I350-AM4 (4x RJ-45, downlink)

## WLAN + Bluetooth®

802.11ac 1x1 Wi-Fi® + Bluetooth 4.2, M.2 card

## Ports<sup>[1]</sup>

### Rear Ports<sup>[2]</sup>

- 1x USB-C 3.2 Gen 1
- 3x USB 3.2 Gen 1
- 1x HDMI®-in 1.4b
- 2x HDMI-out 1.4b with CEC
- 1x headphone / microphone combo jack (3.5mm)
- 1x power connector
- 5x RJ-45 Ethernet (one uplink port for internet connection, four downlink ports for IP-based peripherals)

Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

[2] Ports on Compute System only. Components' ports refer to components' specifications.

## SERVICE

### Warranty<sup>[1]</sup>

#### Base Warranty

3-year premier support service

Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <https://smartfind.lenovo.com/>. To learn more details of warranty policy, please access <https://pcsupport.lenovo.com/warranty>.

## SOFTWARE

### Preinstalled Software

#### Preinstalled Software

Google Meet

- This is a telepresence technology product.
- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES

disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.

- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

