

# ThinkCentre M920 Tiny Platform Specifications

Product Specifications Reference (PSREF)

Processor	Intel® Celeron®, Intel Pentium®, or 8th Generation Intel Core™ i3 / i5 / i7 Processor	Manageability	Intel Active Management Technology 12 (Intel AMT 12); Intel vPro technology on some models (require choosing a vPro-support Wi-Fi adapter to enable vPro function through wireless connection)																																																												
	<table border="1"> <thead> <tr> <th>Processor</th> <th>Cores / Threads</th> <th>Frequency Base/Max(GHz)</th> <th>Cache</th> <th>Memory Support (Up to)</th> <th>Integrated Graphics</th> </tr> </thead> <tbody> <tr> <td>Celeron G4900T</td> <td>2 / 2</td> <td>2.9G</td> <td>2 MB</td> <td>DDR4-2400</td> <td>UHD 610</td> </tr> <tr> <td>Pentium Gold G5400T</td> <td>2 / 4</td> <td>3.1G</td> <td>4 MB</td> <td>DDR4-2400</td> <td>UHD 610</td> </tr> <tr> <td>Pentium Gold G5500T</td> <td>2 / 4</td> <td>3.2G</td> <td>4 MB</td> <td>DDR4-2400</td> <td>UHD 630</td> </tr> <tr> <td>Core i3-8100T</td> <td>4 / 4</td> <td>3.1G</td> <td>6 MB</td> <td>DDR4-2400</td> <td>UHD 630</td> </tr> <tr> <td>Core i3-8300T</td> <td>4 / 4</td> <td>3.2G</td> <td>8 MB</td> <td>DDR4-2400</td> <td>UHD 630</td> </tr> <tr> <td>Core i5-8400T</td> <td>6 / 6</td> <td>1.7G / 3.3G</td> <td>9 MB</td> <td>DDR4-2666</td> <td>UHD 630</td> </tr> <tr> <td>Core i5-8500T</td> <td>6 / 6</td> <td>2.1G / 3.5G</td> <td>9 MB</td> <td>DDR4-2666</td> <td>UHD 630</td> </tr> <tr> <td>Core i5-8600T</td> <td>6 / 6</td> <td>2.3G / 3.7G</td> <td>9 MB</td> <td>DDR4-2666</td> <td>UHD 630</td> </tr> <tr> <td>Core i7-8700T</td> <td>6 / 12</td> <td>2.4G / 4.0G</td> <td>12 MB</td> <td>DDR4-2666</td> <td>UHD 630</td> </tr> </tbody> </table>	Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics	Celeron G4900T	2 / 2	2.9G	2 MB	DDR4-2400	UHD 610	Pentium Gold G5400T	2 / 4	3.1G	4 MB	DDR4-2400	UHD 610	Pentium Gold G5500T	2 / 4	3.2G	4 MB	DDR4-2400	UHD 630	Core i3-8100T	4 / 4	3.1G	6 MB	DDR4-2400	UHD 630	Core i3-8300T	4 / 4	3.2G	8 MB	DDR4-2400	UHD 630	Core i5-8400T	6 / 6	1.7G / 3.3G	9 MB	DDR4-2666	UHD 630	Core i5-8500T	6 / 6	2.1G / 3.5G	9 MB	DDR4-2666	UHD 630	Core i5-8600T	6 / 6	2.3G / 3.7G	9 MB	DDR4-2666	UHD 630	Core i7-8700T	6 / 12	2.4G / 4.0G	12 MB	DDR4-2666	UHD 630	Security chip	Discrete TPM 2.0, TCG Certified
Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics																																																										
Celeron G4900T	2 / 2	2.9G	2 MB	DDR4-2400	UHD 610																																																										
Pentium Gold G5400T	2 / 4	3.1G	4 MB	DDR4-2400	UHD 610																																																										
Pentium Gold G5500T	2 / 4	3.2G	4 MB	DDR4-2400	UHD 630																																																										
Core i3-8100T	4 / 4	3.1G	6 MB	DDR4-2400	UHD 630																																																										
Core i3-8300T	4 / 4	3.2G	8 MB	DDR4-2400	UHD 630																																																										
Core i5-8400T	6 / 6	1.7G / 3.3G	9 MB	DDR4-2666	UHD 630																																																										
Core i5-8500T	6 / 6	2.1G / 3.5G	9 MB	DDR4-2666	UHD 630																																																										
Core i5-8600T	6 / 6	2.3G / 3.7G	9 MB	DDR4-2666	UHD 630																																																										
Core i7-8700T	6 / 12	2.4G / 4.0G	12 MB	DDR4-2666	UHD 630																																																										
		Security features	<ul style="list-style-type: none"> <li>Security slot (in rear for optional Kensington® MicroSaver® cable)</li> <li>Chassis intrusion switch</li> <li>Power-on password</li> <li>Administrator password</li> <li>Hard disk password</li> </ul> <ul style="list-style-type: none"> <li>Boot sequence control</li> <li>Boot without keyboard and mouse</li> <li>Individual USB port disablement</li> <li>Smart USB protection, allows keyboard/mouse only, blocks all storage devices</li> </ul>																																																												
Memory	32GB max, DDR4-2666*, two 260-pin SO-DIMM sockets, non-ECC, dual-channel capable * System automatically clocks down for the processors with lower memory controller	Keyboard	<i>Some:</i> Lenovo Calliope Keyboard (USB connector), black <i>Some:</i> Lenovo Traditional Keyboard (USB connector), black <i>Some:</i> Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black <i>Some:</i> Lenovo Calliope Mouse (USB connector), black <i>Some:</i> Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black <i>Some:</i> Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black																																																												
Storage	<i>Some:</i> Hard Drive / SATA 6.0Gb/s, 2.5", 5400 rpm or 7200 rpm <i>Some:</i> Solid State Drive (SSD) / SATA 6.0Gb/s, 2.5" <i>Some:</i> M.2 SSD / PCIe NVMe, PCIe 3.0 x 4*, 32Gb/s * 128GB SSD M.2 (2242) PCIe NVMe only supports PCIe 3.0 x 2, 16Gb/s <i>Some:</i> Intel Optane™ Memory (not support Celeron / Pentium Processor), M.2 <i>Some:</i> DVD-ROM, slim (9.0mm), via USB external ODD box <i>Some:</i> DVD Burner (DVD±RW), slim (9.0mm), via USB external ODD box	Mouse																																																													
Optical	One onboard SATA 6.0Gb/s connector	Mechanical	Tiny (1L), black color; metal case <ul style="list-style-type: none"> <li>Toolless chassis open (need optional toolless chassis screw)</li> <li>Toolless HDD, SSD, memory removal</li> <li>Optional dust filter</li> </ul> one 2.5" bay for HDD/SSD, one PCIe 3.0 x8 slot (low-profile), two M.2 slots (one for WLAN, one for M.2 SSD), 2.5" HDD/SSD and PCIe card are mutually exclusive																																																												
Onboard SATA	One onboard SATA 6.0Gb/s connector		<table border="1"> <thead> <tr> <th></th> <th>Dimensions (WxDxH)</th> <th>Weight (Approx. )</th> </tr> </thead> <tbody> <tr> <td>Tiny only</td> <td>7.05" X 7.20" X 1.36" 179mm X 182.9mm X 34.5mm</td> <td>2.91 lb (1.32 kg), vary by config</td> </tr> <tr> <td>With VESA mount &amp; ODD box</td> <td>7.42" X 7.30" X 2.48" 188.4mm X 185.38mm X 63mm</td> <td>3.66 lb (1.66 kg), vary by config</td> </tr> </tbody> </table>		Dimensions (WxDxH)	Weight (Approx. )	Tiny only	7.05" X 7.20" X 1.36" 179mm X 182.9mm X 34.5mm	2.91 lb (1.32 kg), vary by config	With VESA mount & ODD box	7.42" X 7.30" X 2.48" 188.4mm X 185.38mm X 63mm	3.66 lb (1.66 kg), vary by config																																																			
	Dimensions (WxDxH)	Weight (Approx. )																																																													
Tiny only	7.05" X 7.20" X 1.36" 179mm X 182.9mm X 34.5mm	2.91 lb (1.32 kg), vary by config																																																													
With VESA mount & ODD box	7.42" X 7.30" X 2.48" 188.4mm X 185.38mm X 63mm	3.66 lb (1.66 kg), vary by config																																																													
Graphics	<b>Intel HD Graphics 610/630</b> in processor, uses main memory, DirectX® 12, one DisplayPort™, one HDMI, one optional video port (2nd HDMI, VGA, 2nd DP, or USB 3.1 Type-C Gen1 with DisplayPort function), up to 3 independent displays; <i>Max resolution:</i> 4096x2304 (DP)@60Hz; 4096x2304 (Type-C)@60Hz; 4096x2160 (onboard HDMI)@24Hz; 2048x1536 (VGA)@50Hz	VESA mount	Optional VESA mount bracket kit, supports VESA 75mm and 100mm																																																												
Monitor cable	Optional DP to VGA dongle, DP to DVI-D dongle, DP to dual DP dongle (for Collage Display with intel integrated graphics), or DP to HDMI 1.4 dongle	Floor Stand	Optional system floor stand for vertical orientation																																																												
Chipset	<b>Intel Q370 Chipset</b>	Power supply	<i>Some:</i> 65 watts AC/DC adapter, autosensing, 88% PSU <i>Some:</i> 90 watts AC/DC adapter, autosensing, 88% PSU <i>Some:</i> 135 watts AC/DC adapter, autosensing, 88% PSU																																																												
Front ports (Std.)*	one USB 3.1 Gen1 (Always On and fast charge), one USB 3.1 Type-C Gen 1, one microphone (3.5mm), one headphone / microphone combo jack (3.5mm)	Limited warranty	<i>Some:</i> <b>1-year</b> or <b>3-year, depot service</b> / service upgrades available <i>Some:</i> <b>1-year</b> or <b>3-year, limited onsite service</b> / service upgrades available																																																												
Rear ports (Std.)*	2x USB 3.1 Gen2, 2x USB 3.1 Gen1, 1x ethernet (RJ-45), 1x DisplayPort, 1x HDMI	Preload	<b>Preloaded operating system</b> <i>Some:</i> Windows® 10 Pro 64-bit <i>Some:</i> Windows 10 Home 64-bit <b>Preloaded applications (only some listed)</b> <ul style="list-style-type: none"> <li>Lenovo Vantage</li> <li>Microsoft Office preloaded; purchase a product key to activate</li> <li>Cyberlink PowerDVD (only for models with DVD / DVD±RW)</li> <li>Cyberlink Power2GO (only for models with DVD±RW)</li> <li>LinkedIn</li> <li>Intel Unite (Machine Type 10V8 models only)</li> </ul>																																																												
Rear ports (Opt.)*	Two optional ports (mutually exclusive with PCIe card): Port 1 for VGA / 2nd DP / 2nd HDMI / serial / USB 3.1 Type-C Gen 1 with DP function); Port 2 for serial; Optional ports via PCIe card: 2x USB 3.1 Gen1 via PCIe x1, 4x serial (9-pin) via PCIe x1, 1x Thunderbolt 3 (combo USB3.1 Type-C Gen 2 / DisplayPort) via PCIe x4 * Depending on many factors, actual data transfer speed may be lower than theoretical speed	Environment	ENERGY STAR® 7.0, EPEAT™ Gold rating (North America), ErP Lot 3, TCO, TUV ultra low noise verified (coming soon, on some models), RoHS-compliant																																																												
Audio support	Realtek ALC233VB2 / optional internal speaker (1.5 watt or 2 watt)	MIL-SPEC test	MIL-STD-810G military certification (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation)																																																												
WLAN	<i>Some:</i> 11ac wireless, M.2 Card, Realtek RTL8821CE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 <i>Some:</i> 11ac wireless, M.2 Card, Realtek RTL8822BE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 2x2 <i>Some:</i> 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.2 combo adapter, 1x1 <i>Some:</i> 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.2 combo adapter, 2x2 <i>Some:</i> 11ac wireless, M.2 Card, Intel Wireless-AC 9560 (dual band), Wi-Fi + Bluetooth 5.0 combo adapter, Intel vPro technology support, 2x2	Accessories	For compatible accessories, please go to <a href="http://smartfind.lenovo.com">http://smartfind.lenovo.com</a>																																																												
Bluetooth	<i>Some:</i> Bluetooth 4.2/5.0 wireless, integrated in Wi-Fi + BT combo adapter																																																														
Ethernet	Gigabit ethernet, Intel Ethernet Connection I219-LM(Jacksonville), Wake on LAN®																																																														
Ethernet (Opt.)	<i>Some:</i> Intel Ethernet Server Adapter I350-T4, gigabit ethernet, 4x RJ-45, PCIe x4																																																														

Note: The specifications above may not be available in all regions.

Lenovo, July 2018