

# **OVERVIEW**



1. USB-C 3.1 Gen 1	7. Power button
2. USB-C 3.1 Gen 1	8. microSD card reader
3. Ethernet extension connector	9. USB 3.1 Gen 1
4. USB 3.1 Gen 1 (Always On)	10. HDMI 1.4b
5. Headphone / microphone combo jack (3.5mm)	11. Kensington Security Slot
6. Pen slot	12. Smart card reader *

## Notes:

- Ports with \* are only available on selected models
- The combination of 2 and 3 is side docking connector



## **PERFORMANCE**

## **Processor**

#### **Processor Family**

10th Generation Intel® Core™ i3 / i5 / i7 Processor

## Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core i3-10110U	2	4	2.1GHz	4.1GHz	4MB	DDR4-2666	Intel UHD Graphics
Core i5-10210U	4	8	1.6GHz	4.2GHz	6MB	DDR4-2666	Intel UHD Graphics
Core i5-10310U	4	8	1.7GHz	4.4GHz	6MB	DDR4-2666	Intel UHD Graphics
Core i7-10510U	4	8	1.8GHz	4.9GHz	8MB	DDR4-2666	Intel UHD Graphics
Core i7-10610U	4	8	1.8GHz	4.9GHz	8MB	DDR4-2666	Intel UHD Graphics

## **Operating System**

## Operating System\*\*

- Windows® 10 Pro 64
- Windows 10 Pro in S mode
- Windows 10 Home 64
- Ubuntu Linux
- No operating system

## **Graphics**

## **Graphics**

Graphics	Туре	Memory	Key Features
Intel UHD Graphics	Integrated	Shared	DirectX® 12

## **Monitor Support**

## **Monitor Support**

Supports up to 3 independent displays (native display and 2 external monitors via HDMI® and USB-C®)

- HDMI supports up to 4096x2160@30Hz
- USB-C supports up to 4096x2304@60Hz

## Chipset

### Chipset

Intel SoC (System on Chip) platform

## **Memory**

## Max Memory[1]

- 4GB soldered memory, not upgradable
- 8GB soldered memory, not upgradable
- 16GB soldered memory, not upgradable

## Memory Slots\*\*

- Memory soldered to systemboard, no slots (4GB model)
- Memory soldered to systemboard, no slots, dual-channel (8GB or 16GB models)

## **Memory Type**

DDR4-2666

# Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

## **Storage**

Storage Support[1]



One drive, up to 512GB M.2 2242 SSD or 1TB M.2 2280 SSD, optional Intel Optane™ Memory integrated with SSD, M.2

#### Storage Type\*\*

Disk Type	Interface	RPM	Security
M.2 2242 SSD	PCIe® NVMe®, PCIe 3.0 x2	-	-
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	-	Opal2
Intel Optane Memory with Solid State Storage, M.2 2280	PCIe NVMe, PCIe 3.0 x4	-	-

#### Notes:

1. The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.

## Removable Storage

### **Optical**

None

#### **Card Reader**

MicroSD card reader

#### Multi-Media

#### **Audio Chip**

High Definition (HD) Audio, Synaptic® CX11880 codec

#### **Speakers**

Stereo speakers, 2W x2, Dolby® Audio™ Premium

#### Microphone

Dual array microphone

#### Camera\*\*[1]

- Front 720p, with ThinkShutter, fixed focus
- Front 720p, with ThinkShutter, fixed focus; rear 5.0-megapixel, autofocus
- Front IR & 720p hybrid, with ThinkShutter, fixed focus
- Front IR & 720p hybrid, with ThinkShutter, fixed focus; rear 5.0-megapixel, autofocus

### Notes:

1. Rear camera is only selectable for models with fingerprint reader.

### Sensor

## Sensors

Accelerometer (G) sensor

### **Battery**

#### **Battery**

Integrated Li-Polymer 46Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter

## Max Battery Life[1]

MobileMark® 2014: 12.23 hr

JEITA 2.0: 13.7 hr

### Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

# **Power Adapter**

#### Power Adapter\*\*[1]

- 45W USB-C (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 45W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz

# ThinkPad L13 Yoga



- 65W USB-C (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C slim (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C slim (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz

#### Notes:

1. AC adapter offerings depend on the country.

### **DESIGN**

# Display

## Display[1]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
13.3"	FHD (1920x1080)	Multi- touch	IPS	300 nits	Anti-reflection, Anti-smudge	16:9	800:1	72% NTSC	170°	-

#### **Touchscreen**

Capacitive-type multi-touch, supports 10-point touch, could reduce the brightness by up to 10%

#### Notes:

1. California Electronic Waste Recycling Fee

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

## Multi-mode

#### Multi-mode

Laptop, tent, stand, and tablet modes supported by 360° hinge

## **Input Device**

### Pen

- ThinkPad® Pen Pro 8, with built-in rechargeable battery, 4096 levels of pressure sensitivity, on-board garaged and rechargeable
- No pen (pen sold separately)

#### Keyboard

6-row, spill-resistant, multimedia Fn keys

## **Keyboard Backlight**

- · LED backlight
- Non-backlight

## UltraNav™

TrackPoint® pointing device and Mylar® surface multi-touch touchpad

#### **Mechanical**<sup>®</sup>

#### **Dimensions (WxDxH)**

311.5 x 219 x 17.6 mm (12.26 x 8.62 x 0.69 inches)

## Weight

1.43 kg (3.15 lbs)

## Case Color\*\*

- Black
- Silver

#### **Case Material**

Magnesium-aluminium (top), GFRP (bottom)

#### Notes:

1. The system dimensions and weight vary depending on configurations.

# **CONNECTIVITY**



### **Network**

#### Ethernet\*\*

- Gigabit Ethernet, Intel Ethernet Connection I219-LM (vPro models), RJ-45 via optional ThinkPad Ethernet Extension Adapter Gen 2 or Lenovo USB-C to Ethernet Adapter
- Gigabit Ethernet, Intel Ethernet Connection I219-V (non-vPro models), RJ-45 via optional ThinkPad Ethernet Extension Adapter Gen 2 or Lenovo USB-C to Ethernet Adapter

## WLAN + Bluetooth®\*\*[1][2]

- Intel Wireless-AC 9560, 802.11ac Dual Band 2x2 Wi-Fi® + Bluetooth 5.1, M.2 card
- Intel Wi-Fi 6 AX201, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card

#### **WWAN**

No support

#### SIM Card

No SIM card inbox

#### **NFC**

No support

### Notes:

- 1. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitation
- 2. Wi-Fi 6 full features might be limited by country-level restrictions.

#### Ports<sup>[1]</sup>

#### **Standard Ports**

- 1x USB 3.1 Gen 1
- 1x USB 3.1 Gen 1 (Always On)
- 2x USB-C 3.1 Gen 1 (support data transfer, Power Delivery and DisplayPort™ 1.2)
- 1x HDMI 1.4b
- 1x microSD card reader
- 1x Ethernet extension connector
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Side docking connector

### **Optional Ports**

1x Smart card reader

#### Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s

## **Docking**

#### **Docking**

Various docking solutions supported via USB-C.

For more compatible docking solutions, please visit **Docking for ThinkPad L13 Yoga**®

## **Monitor Cable**

## Monitor Cable\*\*\*

- Lenovo HDMI to VGA Monitor Adapter
- Lenovo USB-C to VGA Adapter
- · Lenovo USB-C to HDMI Adapter
- · Lenovo USB-C to DisplayPort Adapter
- No monitor cable

## **SECURITY & PRIVACY**



## **Security**

#### Security Chip\*\*

- Firmware TPM 2.0 integrated in chipset
- Discrete TPM 2.0, TCG certified
- Disabled (in some regions)

#### **Physical Locks**

Kensington® Security Slot™

#### **Smart Card Reader**

- · Smart card reader
- · No smart card reader

#### **Fingerprint Reader**

- · Touch style fingerprint reader on palm rest
- · No fingerprint reader

#### **BIOS Security**

- · Power-on password
- Supervisor password
- Hard disk password
- Self-healing BIOS

### **Other Security**

- ThinkShutter camera cover
- (Optional) IR camera for Windows Hello

# **MANAGEABILITY**

## System Management

# System Management[1]

- Intel vPro
- Non-vPro

#### Notes:

1. Intel vPro offers a superset of DASH's defined capabilities.

# **SERVICE**

## Warranty

#### Base Warranty\*\*[1]

- 1-year depot service
- 1-year courier with 2-year system board service (Korea only)
- 1-year limited onsite service
- 1-year + 2-year depot service
- 1-year + 2-year limited onsite service
- 3-year (1-yr battery) depot service
- 3-year (1-yr battery) limited onsite service
- No base warranty

#### Notes

1. More information of warranty policy, please access https://pcsupport.lenovo.com/warranty

## **ENVIRONMENTAL**

# **Operating Environment**

## Temperature[1]

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage and transportation in original shipping package: -20°C (-4°F) to 60°C (140°F)

# ThinkPad L13 Yoga



• Storage without package: 5°C (41°F) to 43°C (109°F)

#### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### Altituda

Maximum altitude (without pressurization): 3048 m (10,000 ft)

#### Notes

1. When you charge the battery, its temperature must be no lower than 10°C (50°F).

## **ACCESSORIES**

## **Bundled Accessories**

#### **Bundled Accessories\*\*\***

- Lenovo USB-C to USB-C Cable 2m
- Lenovo USB-C to Ethernet Adapter
- Lenovo USB-C to USB-A Adapter
- ThinkPad Ethernet Extension Adapter Gen 2
- None

## **CERTIFICATIONS**

#### **Green Certifications**

#### **Green Certifications**

- EPEAT™ Gold
- ENERGY STAR® 8.0
- TCO Certified
- · RoHS compliant

## **Other Certifications**

## Mil-Spec Test

MIL-STD-810G military test passed

- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.



















