


# **OVERVIEW**



1. Card slot	6. USB-C 3.2 Gen 2
2. Smart card reader *	7. Ethernet extension connector (mini RJ-45)
3. USB 3.2 Gen 1 (Always On)	8. USB 3.2 Gen 1
4. Kensington Security Slot	9. HDMI 2.0
5. USB-C 3.2 Gen 2	10. Headphone / microphone combo jack (3.5mm)

## Notes:

- Ports with \* are only available on selected models
- Card slot is for microSD card (WLAN model) or nano-SIM + microSD card (WWAN model)
- The combination of 6 and 7 is side docking connector



# **PERFORMANCE**

## **Processor**

## **Processor Family**

AMD Ryzen™ 3 / 5 / 7 Processor

## Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
AMD Ryzen 3 PRO 4450U	4	8	2.5GHz	3.7GHz	2MB L2 / 4MB L3	DDR4-3200	AMD Radeon™ Graphics
AMD Ryzen 5 PRO 4650U	6	12	2.1GHz	4.0GHz	3MB L2 / 8MB L3	DDR4-3200	AMD Radeon Graphics
AMD Ryzen 7 PRO 4750U	8	16	1.7GHz	4.1GHz	4MB L2 / 8MB L3	DDR4-3200	AMD Radeon Graphics

# **Operating System**

## Operating System\*\*

- Windows® 11 Pro 64
- · Windows 11 Home 64
- Windows 11 Home 64 Single Language
- Windows 11 DG Windows 10 Pro 64
- Windows 10 Pro 64
- Windows 10 Home 64
- Windows 10 Home 64 Single Language
- Linux
- Ubuntu Linux
- No operating system

# **Graphics**

# **Graphics**

Graphics	Туре	Memory	Key Features
AMD Radeon Graphics	Integrated	Shared	DirectX® 12

# **Monitor Support**

## **Monitor Support**

Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and USB-C®)

- HDMI supports up to 4K@60Hz
- USB-C supports up to 5K@60Hz

# Chipset

# Chipset

AMD SoC (System on Chip) platform

## Memory

# Max Memory[1]

- 8GB soldered memory, not upgradable
- 16GB soldered memory, not upgradable
- 32GB soldered memory, not upgradable

## **Memory Slots**

Memory soldered to systemboard, no slots, dual-channel

# **Memory Type**

DDR4-3200

### Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the



technology develops.

## **Storage**

## Storage Support[1]

One drive, up to 512GB M.2 2242 SSD or 1TB M.2 2280 SSD

### Storage Type\*\*

Disk Type	Interface	RPM	Security
M.2 2242 SSD	PCIe® NVMe®, PCIe 3.0 x2	-	-
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	-	Opal2

#### Notes:

# **Removable Storage**

### **Optical**

None

#### Card Reader\*\*

- MicroSD card slot (WLAN models)
- Nano-SIM + microSD card slot (WWAN models)

## Multi-Media

### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC3287 codec

### **Speakers**

Stereo speakers, 1W x2, Dolby® Audio™

## Microphone

- · Dual array microphone, far-field
- · No microphone

# Camera\*

- · HD 720p, with ThinkShutter, fixed focus
- IR & HD 720p hybrid, with ThinkShutter, fixed focus
- · No camera

## **Battery**

# **Battery**

Integrated Li-Polymer 48Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter

### Max Battery Life[1]

MobileMark® 2014: 12.8 hr MobileMark 2018: 10.35 hr JEITA 2.0: 13.9 hr

### Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

# **Power Adapter**

# Power Adapter\*\*[1][2]

- 45W USB-C (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 45W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C slim (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz

<sup>1.</sup> The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.

# ThinkPad X13 Gen 1 (AMD)



- 65W USB-C slim (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- No power adapter

### Notes:

- 1. AC adapter offerings depend on the country.
- 2. No power adapter is for special bid only.

# **DESIGN**

# **Display**

## Display\*\*[1]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
13.3"	HD (1366x768)	None	TN	250 nits	Anti- glare	16:9	300:1	45% NTSC	90°	-
13.3"	FHD (1920x1080)	None	IPS	300 nits	Anti- glare	16:9	800:1	72% NTSC	170°	-
13.3"	FHD (1920x1080)	None	IPS	500 nits	Anti- glare	16:9	1000:1	72% NTSC	170°	ThinkPad® Privacy Guard
13.3"	FHD (1920x1080)	Multi- touch	IPS	300 nits	Anti- glare	16:9	700:1	72% NTSC	170°	-

#### **Touchscreen**

- On-cell touch, supports 10-point touch
- Non-touch

### Notes:

1. California Electronic Waste Recycling Fee
In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product.
For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

# **Input Device**

## Keyboard

6-row, spill-resistant, multimedia Fn keys with Unified Communications controls

## **Keyboard Backlight**

- LED backlight
- Non-backlight

# UltraNav™

TrackPoint® pointing device and Mylar® surface multi-touch touchpad

## **Mechanical**<sup>[1]</sup>

# Dimensions (WxDxH)

311.9 x 217.2 x 16.9 mm (12.28 x 8.55 x 0.67 inches)

## Weight

Models	Weight
FHD touch models	Starting at 1.28 kg (2.84 lbs)
HD / FHD non-touch / FHD Privacy Guard models	Starting at 1.29 kg (2.85 lbs)

### **Case Color**

Black

## **Case Material**

PPS / GF (top), magnesium-aluminium (keyboard cover & bottom)

## Notes:

1. The system dimensions and weight vary depending on configurations.



# CONNECTIVITY

## **Network**

### **Ethernet**

Gigabit Ethernet, Realtek RTL8111EPV, mini RJ-45 to RJ-45 via optional ThinkPad Ethernet Extension Adapter Gen 2, supports Wake-on-LAN

# WLAN + Bluetooth®\*\*[1][2]

- Intel® Wi-Fi® 6 AX200, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card
- Wi-Fi 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card
- Mediatek Wi-Fi 6 MT7921, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card
- Realtek Wi-Fi 6 RTL8852AE, 802.11ax Dual Band 2x2 Wi-Fi + Bluetooth 5.1, M.2 card

## **WWAN**\*\*[3]

- Wireless WAN upgradable to 4G (with antenna ready)
- Fibocom L850-GL, 4G LTE CAT9, M.2 card
- No support

### SIM Card

- Gemalto eSIM card (physical)
- · No SIM card inbox

#### NFC

No support

# Notes:

- 1. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitation
- 2. Wi-Fi 6 full features might be limited by country-level restrictions.
- 3. For non-WWAN model, it means the model is NOT WWAN upgradable.

## Ports<sup>[1]</sup>

## **Standard Ports**

- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 2x USB-C 3.2 Gen 2 (support data transfer, Power Delivery and DisplayPort™ 1.4)
- 1x HDMI 2.0
- 1x Ethernet extension connector (mini RJ-45)
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Side docking connector

# Optional Ports\*\*\*

- · 1x Smart card reader
- 1x Nano-SIM & microSD card slot (WWAN support models)
- 1x microSD card slot (WLAN models)

### Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s

# **Docking**

### **Docking**

Various docking solutions supported via side docking connector or USB-C. For more compatible docking solutions, please visit <u>Docking for ThinkPad X13 Gen 1 (AMD)</u>

## **Monitor Cable**

# Monitor Cable\*\*\*

- Lenovo HDMI to VGA Monitor Adapter
- Lenovo USB-C to VGA Adapter



- Lenovo USB-C to DisplayPort Adapter
- · No monitor cable

# **SECURITY & PRIVACY**

# **Security**

## **Security Chip**

Discrete TPM 2.0, TCG certified

## **Physical Locks**

Kensington® Security Slot™, 3 x 7 mm

### **Smart Card Reader**

- · Smart card reader
- · No smart card reader

### **Fingerprint Reader**

- Touch style fingerprint reader on palm rest, match-on-chip
- · No fingerprint reader

## **BIOS Security**

- · Power-on password
- · Supervisor password
- Hard disk password
- Self-healing BIOS

### **Other Security**

- (Optional) ThinkShutter camera cover
- (Optional) IR camera for Windows Hello
- (Optional) Privacy Guard with Privacy Alert

# **MANAGEABILITY**

# **System Management**

# **System Management**

DASH

# **SERVICE**

## Warranty

# Base Warranty\*\*[1]

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 1-year limited onsite service
- 3-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) limited onsite service
- No base warranty

### Notes:

1. More information of warranty policy, please access https://pcsupport.lenovo.com/warranty

## **ENVIRONMENTAL**

# **Operating Environment**

# Temperature[1]

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage and transportation in original shipping package:  $-20^{\circ}$ C ( $-4^{\circ}$ F ) to  $60^{\circ}$ C ( $140^{\circ}$ F)
- Storage without package: 5°C (41°F) to 43°C (109°F)

## Humidity

# ThinkPad X13 Gen 1 (AMD)



- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### **Altitude**

Maximum altitude (without pressurization): 3048 m (10,000 ft)

### Notes:

1. When you charge the battery, its temperature must be no lower than  $10^{\circ}$ C ( $50^{\circ}$ F).

# **ACCESSORIES**

## **Bundled Accessories**

### **Bundled Accessories**

- ThinkPad Ethernet Extension Adapter Gen 2
- None

## CERTIFICATIONS

## **Green Certifications**

## **Green Certifications**

- EPEAT™ Gold
- ENERGY STAR® 8.0
- TCO Certified
- RoHS compliant

## **Other Certifications**

## Mil-Spec Test

MIL-STD-810G military test passed

- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.







БДМА





ДФМА



AMD∄



**∆DMA**