

# **OVERVIEW**





1. Pen slot *	6. Thunderbolt 4
2. Headphone / microphone combo jack (3.5mm)	7. Thunderbolt 4
3. Nano-SIM card slot *	8. HDMI 2.0
4. USB 3.2 Gen 1	9. USB 3.2 Gen 1 (Always On)
5. Kensington Nano Security Slot	10. Smart card reader *

### Notes:

• Items with \* are only available on selected models



# **PERFORMANCE**

### **Processor**

### **Processor Family**

11th Generation Intel® Core™ i5 / i7 Processor

#### Processor\*\*

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics
Core i5-1135G7	4	8	2.4GHz	4.2GHz	8MB	Intel Iris® Xe Graphics
Core i5-1145G7	4	8	2.6GHz	4.4GHz	8MB	Intel Iris Xe Graphics
Core i7-1165G7	4	8	2.8GHz	4.7GHz	12MB	Intel Iris Xe Graphics
Core i7-1185G7	4	8	3.0GHz	4.8GHz	12MB	Intel Iris Xe Graphics

# **Operating System**

# Operating System\*\*

- Linux<sup>[1]</sup>
- Ubuntu Linux<sup>[2]</sup>
- Windows® 10 Home 64
- Windows 10 Home 64 Single Language
- Windows 10 Pro 64
- Windows 11 DG Windows 10 Pro 64
- Windows 11 Home
- Windows 11 Home Single Language
- Windows 11 Pro
- No operating system

#### Notes:

[1], [2] Some features may not be supported on the system with Linux preload, including but not limited to Intel RST RAID, MIPI computer vision camera, WWAN, Human Presence Detection, etc.

### **Graphics**

# **Graphics**

Graphics	Туре	Memory	Key Features		
Intel Iris Xe Graphics	Integrated	Shared	DirectX® 12.1		

# **Monitor Support**

# Monitor Support[1]

Supports up to 4 independent displays (native display and 3 external monitors via Thunderbolt™ and HDMI®)

- Thunderbolt supports up to 5K@60Hz
- HDMI supports up to 4K@60Hz

### Notes:

[1] Refresh rates >60hz also supported, however max resolution will be limited.

# **Chipset**

### Chipset

Intel SoC (System on Chip) platform

# **Memory**

# **Max Memory**

- 8GB soldered memory, not upgradable
- 16GB soldered memory, not upgradable
- 32GB soldered memory, not upgradable

### **Memory Slots**

Memory soldered to systemboard, no slots, dual-channel

### **Memory Type**



LPDDR4x-4266

### **Storage**

### Storage Support[1]

One drive, up to 2TB M.2 2280 SSD

### Storage Type\*\*

Disk Type	Interface	Security
M.2 2280 SSD	PCIe® NVMe®, PCIe x4	Opal 2.0
M.2 2280 SSD	PCIe NVMe, PCIe 4.0 x4 Performance	Opal 2.0

#### Notes:

[1] The storage capacity supported is based on the test results with current Lenovo® storage offerings. The system may support larger storage as the technology develops.

# **Removable Storage**

#### **Card Reader**

No card reader

#### Multi-Media

#### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC3286 codec

#### **Speakers**

Stereo speakers, 2W x2, Dolby® Audio™

#### Microphone

Dual-microphone array, far-field

#### Camera\*\*

- HD 720p, with privacy shutter, fixed focus
- HD 720p + IR hybrid, with privacy shutter, fixed focus

# Sensor

### Sensors

- · Accelerometer (G) sensor
- Gvroscope sensor
- Proximity (P) sensor (WWAN models)

### **Battery**

### **Battery**

Integrated Li-Polymer 52.8Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter

#### Max Battery Life[1]

MobileMark® 2018: 12.2 hr JEITA 2.0: 18.9 hr

#### Notes:

[1] All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, MobileMark 25, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

# **Power Adapter**

#### Power Adapter\*\*[1]

- 45W USB-C<sup>®</sup> (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 45W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C slim (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz

# ThinkPad X13 Yoga Gen 2 (Intel)



• 65W USB-C slim (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz

Notes:

[1] AC adapter offerings depend on the country.

### **DESIGN**

# **Display**

### Display\*\*[1][2]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Refresh Rate	Viewing Angle (L/R/U/D)	Key Features
13.3"	WUXGA (1920x1200)	Multi- touch	IPS	300 nits	Anti-glare	16:10	1000:1	100% sRGB	-	85°/85°/85°/85°	-
13.3"	WUXGA (1920x1200)	Multi- touch	IPS	300 nits	Anti- reflection, anti- smudge	16:10	1000:1	100% sRGB	-	85°/85°/85°/85°	-
13.3"	WUXGA (1920x1200)	Multi- touch	IPS	500 nits	Anti-glare	16:10	1000:1	100% sRGB	-	85°/85°/85°/85°	ThinkPad® Privacy Guard
13.3"	WQXGA (2560x1600)	Multi- touch	IPS	400 nits	Anti- reflection, anti- smudge	16:10	1200:1	100% sRGB	-	85°/85°/85°/85°	Low power, low blue light

### Touchscreen

OGS (One Glass Solution) multi-touch, supports 10-point touch

#### Notes:

[1] California Electronic Waste Recycling Fee

In California USA, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, please go to https://www.calrecycle.ca.gov/Electronics/Consumer.

[2] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

### Multi-mode

#### Multi-mode

Laptop, tent, stand, and tablet modes supported by 360° hinge

### **Input Device**

#### Pen

- Lenovo Integrated Pen, with built-in rechargeable battery, 4096 levels of pressure sensitivity, on-board garaged and rechargeable
- No pen (with a pen garage ready, purchase separately)

#### Kevboard

6-row, spill-resistant, multimedia Fn keys with Unified Communications controls

# **Keyboard Backlight**

LED backlight

#### UltraNav™

TrackPoint® pointing device and Mylar® surface multi-touch touchpad

### Mechanical

#### Dimensions (WxDxH)[1]

305 x 213.9 x 15.39 mm (12.0 x 8.42 x 0.61 inches)

### Weight<sup>[2]</sup>

Starting at 1.2 kg (2.65 lbs)

### **Case Color**

# ThinkPad X13 Yoga Gen 2 (Intel)



Black

#### **Case Material**

Carbon fiber hybrid (top), carbon fiber hybrid (bottom)

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

# CONNECTIVITY

#### **Network**

#### **Ethernet**

No onboard Ethernet[1]

WLAN + Bluetooth®[2]

Intel Wi-Fi® 6 AX201, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1[3]

#### WWAN\*\*

- Wireless WAN upgradable to 4G (with antenna ready)
- Quectel EM120R-GL, 4G LTE CAT12, M.2 card
- Quectel EM120R-GL, 4G LTE CAT12, M.2 card, with embedded eSIM functionality
- No support

#### SIM Card

- Gemalto eSIM card (physical)
- No physical SIM card inbox

#### NFC

- · Near Field Communication
- No support

#### Notes:

- [1] Ethernet support via optional Lenovo USB-C to Ethernet Adapter.
- [2] Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitations.
- [3] Wi-Fi 6 full features might be limited by country-level restrictions.

### Ports<sup>[1]</sup>

### **Standard Ports**

- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 2x Thunderbolt 4 / USB4® 40Gbps (support data transfer, Power Delivery 3.0 and DisplayPort™ 1.4a)
- 1x HDMI 2.0
- 1x Headphone / microphone combo jack (3.5mm)

#### Optional Ports\*\*\*

- 1x Smart card reader
- 1x Nano-SIM card slot (WWAN support models)

#### Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt 3/4: 40 Gbit/s.

### **Docking**



#### **Docking**

Various docking solutions supported via Thunderbolt / USB-C.

For more compatible docking solutions, please visit <u>Docking for ThinkPad X13 Yoga® Gen 2 (Intel)</u>

#### **Monitor Cable**

### Monitor Cable\*\*\*

- Lenovo HDMI to VGA Monitor Adapter
- Lenovo USB-C to VGA Adapter
- Lenovo USB-C to DisplayPort Adapter
- · No monitor cable

# **SECURITY & PRIVACY**

# **Security**

### **Security Chip**

Discrete TPM 2.0, TCG certified

#### **Physical Locks**

Kensington® Nano Security Slot™

#### **Smart Card Reader**

- · Smart card reader
- No smart card reader

#### **Fingerprint Reader**

Touch style fingerprint reader integrated in power button, match-on-chip

#### **BIOS Security**

- · Power-on password
- · Supervisor password
- NVMe password
- Self-healing BIOS

#### **Other Security**

- · Camera privacy shutter
- (Optional) IR camera for Windows Hello
- (Optional) Privacy Guard with Privacy Alert
- (Optional) Human Presence Detection

# **MANAGEABILITY**

# **System Management**

### **System Management**

- Intel vPro<sup>®[1]</sup>
- Non-vPro

#### Notes:

[1] Intel vPro offers a superset of DASH's defined capabilities.

# **SERVICE**

### **Warranty**<sup>[1]</sup>

### Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 1-year limited onsite service
- 3-year (1-yr battery) courier or carry-in service
- · 3-year (1-yr battery) limited onsite service
- No base warranty



#### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://pcsupport.lenovo.com/warranty">https://pcsupport.lenovo.com/warranty</a>.

# **ENVIRONMENTAL**

# **Operating Environment**

#### Temperature[1]

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage and transportation in original shipping package: -20°C (-4°F) to 60°C (140°F)
- Storage without package: 5°C (41°F) to 43°C (109°F)

#### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### **Altitude**

Maximum altitude (without pressurization): 3048 m (10,000 ft)

#### Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

### **ACCESSORIES**

### **Bundled Accessories**

#### **Bundled Accessories**

- · Lenovo USB-C to Ethernet Adapter
- None

# **CERTIFICATIONS**

### Green Certifications<sup>11</sup>

### **Green Certifications**

- (Optional) ENERGY STAR® 8.0
- (Optional) EPEAT™ Gold Registered<sup>[2]</sup>
- · TCO Certified
- · RoHS compliant

# Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

[2] EPEAT is registered where applicable, please see https://www.epeat.net for registration status by country.

#### Other Certifications

### Mil-Spec Test

MIL-STD-810H military test passed

#### **Other Certifications**

(Optional) Intel Evo™ Platform

- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.

# ThinkPad X13 Yoga Gen 2 (Intel)



responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.

• The specifications on this page may not be available in all regions, and may be changed or updated without notice





intel

intel



intel.





intel. intel.





intel.