

**OVERVIEW**



1. Power Connector	7. USB 3.2 Gen 1
2. HDMI 1.4	8. USB 3.2 Gen 1
3. DP 1.2	9. Audio-out (3.5mm)
4. USB-C 3.2 Gen 1	10. USB 3.2 Gen 1
5. DP out	11. USB 3.2 Gen 1 (BC 1.2)
6. Ethernet (RJ-45)	

## PERFORMANCE

### Panel

#### Panel

3-side NearEdgeless, In-Plane Switching

#### Backlight

WLED

#### Display Size

23.8 inches

#### Max View Area

WxH: 526.9 x 296.4 mm

#### Resolution

2560 x 1440

#### Aspect Ratio

16:9

#### Pixel Pitch

0.2058 x 0.2058 mm

#### Dot / Pixel Per Inch

123 dpi

#### Brightness

300 cd/m<sup>2</sup>

#### Contrast Ratio

- Contrast Ratio: 1000:1
- Dynamic Contrast Ratio: 3M:1

#### View Angle (H / V)

Horizontal: 178°, Vertical: 178°

#### Response Time

- Extreme Mode: 4 ms
- Normal Mode: 6 ms

#### Refresh Rate

60Hz

#### Color Gamut

- 83% DCI-P3
- 99% BT.709
- 99% sRGB

#### Color Support

16.7 Million

#### Screen Surface Treatment

Anti-glare

### Operating System

#### Operating System

- Windows® 7 Support
- Windows 10 Support
- Windows 11 Support

### Multi-Media

#### Camera

- No bundled webcam (Support ThinkVision® MC 50 Monitor Webcam, sold separately)
- ThinkVision MC 50 monitor webcam (Some models only)

#### Microphone

- Built-in dual microphone in MC 50 (Models with MC 50 only)
- No microphone

**Speakers**

- Integrated Speakers, 2x 1W
- Optional Soundbar support (PN: OA36190)

**Power Supply****Power Consumption**

- Typical / Max: 23W / 132W
- Sleep / Off mode: <0.5W
- Switch-off Mode: <0.3W
- Energy Star Power On: 18.1W
- Energy Star TEC: 57.4kWh
- Internal Power Supply

**Voltage Required**

AC 100 to 240 V (50-60Hz)

**Special Features****Special Features**

- Lenovo® ThinkColour (Lenovo Display Control Center) Support  
ThinkColour can only be used with Windows 10 and Windows 11
- Smart Power  
The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device

**DESIGN****Mechanical****ThinkCentre® M Series Support**

ThinkCentre M Series Tiny, ThinkCentre M Series Nano

For supporting Tiny devices, additional Tiny monitor clamp II (PN: 4XHOZ42451) and Tiny VESA mount II (PN: 4XFON03161) are needed (sold separately).

For supporting Nano devices, additional Nano monitor clamp II (PN: 4XHOZ42451) and Nano VESA mount (PN: 4XF0V81630) are needed (sold separately).

**Bezel Width**

- Side: 2mm
- Top / Bottom: 2mm / 21.4mm

**Cable Management**

Support

**Case Color**

Raven black

**Dimensions (WxDxH)<sup>[1]</sup>**

Models	Dimensions
Lowest Position	539.8 x 205 x 420 mm (21.25 x 8.07 x 16.54 inches)
Highest Position	539.8 x 205 x 570 mm (21.25 x 8.07 x 22.44 inches)
Head Only	539.8 x 46.6 x 325.7 mm (21.25 x 1.83 x 12.82 inches)

**Packaging Dimensions (WxDxH)**

149 x 620 x 423 mm (5.87 x 24.41 x 16.65 inches)

**Weight<sup>[2]</sup>**

Models	Weight
Monitor Head Only	4.1 kg (9.0 lbs)
Monitor With Stand	6.4 kg (14.1 lbs)

**Packaging Weight**

8.5 kg (18.74 lbs)

**Mounting**

Supports VESA mount 100mm

#### Stand

Supports -5° to +35° tilt, left & right 45 swivel, -90° to +90° pivot, up to 150mm lift

#### In the Box

- Monitor with Stand
- 1x DP Cable (1.8m) (US, Canada only)
- 1x Power cable (1.8m)
- 1x USB-C® to USB-A Cable (1.8m) (for US, Canada only)
- 1x USB-C to USB-C Cable (1.8m)
- Factory Calibration Report
- Quick Setup Guide

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

## CONNECTIVITY

### Network

#### Ethernet

Support 10M / 100M / 1000M

### Ports<sup>[1]</sup>

#### Rear Ports<sup>[2]</sup>

- 1x USB-C 3.2 Gen 1 (DP 1.2 Alt Mode and up to 75W PD), USB upstream
- 4x USB 3.2 Gen 1 (1x BC 1.2), USB downstream
- 1x HDMI® 1.4
- 1x DisplayPort™ 1.2
- 1x DisplayPort 1.2 (Out)
- 1x Ethernet (RJ-45)
- 1x Power Connector
- 1x audio-out (3.5mm)

Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

[2] Up to 75 W power delivery to compatible devices by USB-C. Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

## SECURITY & PRIVACY

### Security

#### Physical Locks

Kensington® Security Slot™

## SERVICE

### Warranty

**Base Warranty**

3-year limited warranty

**CERTIFICATIONS****Green Certifications<sup>[1]</sup>****Green Certifications**

- ENERGY STAR® Certified
- EPEAT™ Gold Registered<sup>[2]</sup>
- RoHS compliant
- TCO Certified 8.0
- TCO edge 2.0

## Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

[2] EPEAT is registered where applicable, please see <https://www.epeat.net> for registration status by country.

**Other Certifications****Other Certifications**

- Eyesafe® Certified
- TÜV Rheinland® Eye Comfort Certification
- TÜV Rheinland Low Blue Light (Hardware Solution)

- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

