

**OVERVIEW**



1. Power Connector	6. USB 3.2 Gen 1
2. DP 1.2	7. USB 3.2 Gen 1
3. HDMI 1.4	8. Audio line-out (3.5mm)
4. VGA	9. USB 3.2 Gen 1
5. USB-B 3.2 Gen 1	10. USB 3.2 Gen 1 (BC 1.2)

## PERFORMANCE

### Panel

#### Panel

3-side NearEdgeless, In-Plane Switching

#### Display Size

23.8 inches

#### Max View Area

WxH: 527.04 x 296.46 mm

#### Resolution

1920 x 1080

#### Aspect Ratio

16:9

#### Pixel Pitch

0.2745 x 0.2745 mm

#### Dot / Pixel Per Inch

93 dpi

#### Brightness

250 nits

#### Contrast Ratio

- Contrast Ratio: 1000:1
- Dynamic Contrast Ratio: 3M:1

#### View Angle (H / V)

Horizontal: 178°, Vertical: 178°

#### Response Time

- Extreme Mode: 4 ms
- Normal Mode: 6 ms

#### Refresh Rate

60 Hz

#### Color Gamut

72% NTSC

#### Color Support

16.7 Million

#### Anti-glare

Support

### Operating System

#### Operating System

- Windows® 7 Support
- Windows 10 Support

### Multi-Media

#### Speakers

Optional Soundbar support (PN: 0A36190)

### Power Supply

#### Power Consumption

- Typical / Max: 16W / 55W
- Sleep / Off mode: <0.5W
- Switch-off Mode: <0.3W
- Energy Star Power On: 13W
- Energy Star TEC: 46kWh
- Internal Power Supply

**Voltage Required**

AC 100 to 240 V (50-60Hz)

**DESIGN****Mechanical****ThinkCentre® M Series Support**

ThinkCentre M Series Tiny, ThinkCentre M Series Nano

For supporting Tiny / Nano devices, additional Tiny / Nano monitor clamp II (PN: 4XH0Z42451) and Tiny VESA mount II (PN: 4XFON03161) are needed (sold separately).

**Bezel Width**

- Side: 2mm
- Top / Bottom: 2mm / 22.2mm

**Cable Management**

Support

**Case Color**

Raven black

**Dimensions (WxDxH)<sup>[1]</sup>**

Models	Dimensions
Lowest Position	539.8 x 205 x 409.3 mm (21.25 x 8.09 x 16.11 inches)
Highest Position	539.8 x 205 x 559.3 mm (21.25 x 8.09 x 22.02 inches)
Head Only	539.8 x 44.1 x 326.5 mm (21.25 x 1.74 x 12.85 inches)

**Packaging Dimensions (WxDxH)**

618 x 422 x 160 mm (24.33 x 16.61 x 6.30 inches)

**Weight<sup>[2]</sup>**

Models	Weight
Monitor With Stand	5.9 kg (13.01 lbs)
Monitor Head Only	3.65 kg (8.05 lbs)

**Packaging Weight**

8.4 kg (18.52 lbs)

**Mounting**

Supports VESA mount 100mm

**Stand**

Supports -5° to +35° tilt, left &amp; right 45 swivel, -90° to +90° pivot, up to 150mm lift

**In the Box**

- Monitor with Stand
- 1x Power cable (1.8m)
- 1x DP Cable (1.8m)
- 1x USB-A to USB-B Cable (1.8m)
- Quick Setup Guide

**Notes:**

1. The system dimensions vary depending on configurations.
2. The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

**CONNECTIVITY****Ports****Rear Ports**

- 1x HDMI® 1.4

- 1x DisplayPort™ 1.2
- 1x VGA
- 1x USB-B 3.2 Gen 1, USB upstream
- 4x USB 3.2 Gen 1 (1x BC 1.2), USB downstream
- 1x audio-out (3.5mm)
- 1x Power Connector

## SECURITY & PRIVACY

### Security

#### Physical Locks

Kensington® Security Slot™

## SERVICE

### Warranty

#### Base Warranty

3-year courier or carry-in service

## CERTIFICATIONS

### Green Certifications

#### Green Certifications

- EPEAT™ Gold
- Energy Star Certified
- TCO Certified 8.0
- TCO edge 2.0
- RoHS compliant

### Other Certifications

#### Other Certifications

- Eyesafe® Certified
- TÜV Rheinland® Eye Comfort Certification

- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION “AS IS,” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

