

PERFORMANCE

Processor

Processor Family

AMD Ryzen[™] 5 / 7 8000 Series Processor

Processor

| Processor Name | Cores | Threads | Base Frequency | Max Frequency | Cache | Processor Graphics | NPU |
|------------------------|-------|---------|-------------------|------------------|---------------------|-----------------------|------------------|
| AMD Ryzen™ 7 8845HS | 8 | 16 | 3.8GHz | 5.1GHz | 8MB L2 / 16MB L3 | AMD Radeon™ 780M | AMD Ryzen™ AI |

AI (Artificial Intelligence)

AI PC Category

AI PC

NPU

Integrated AMD Ryzen™ AI, up to 16 TOPS

Operating System

Operating System**

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- No preload operating system

Graphics

Graphics**

| Graphics | Туре | Memory | Boost Clock | TGP | Key Features |
|---|------------|--------------|----------------|------------------|--|
| AMD Radeon™ 780M | Integrated | Shared | - | Share CPU TDP | DirectX® 12 |
| NVIDIA® GeForce RTX™ 3050 Laptop GPU | Discrete | 6GB GDDR6 | 1777 MHz | 63W | Dynamic Boost 2.0, DirectX® 12 Ultimate |

Monitor Support

Monitor Support

Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and USB-C®)

- HDMI[®] supports up to 4K@60Hz
- USB-C[®] supports up to 5K@60Hz

Chipset

Chipset

AMD SoC (System on Chip) platform

Memory

Max Memory

16GB soldered memory, not upgradable

Memory Slots

Memory soldered to systemboard, no slots, dual-channel

Memory Type

LPDDR5x-6400

Storage

Storage Support^[1]

One drive, up to 1TB M.2 2242 SSD or 1TB M.2 2280 SSD

Lenovo

Storage Slot

One M.2 2280 PCIe® 4.0 x4 slot

Storage Type**

| Disk Type | Interface | Offering | |
|--------------|--|-------------|--|
| M.2 2242 SSD | PCIe® NVMe®, PCIe® 4.0 x4 | 1TB | |
| M.2 2280 SSD | PCIe [®] NVMe [®] , PCIe [®] 4.0 x4 | 512GB / 1TB | |

Notes:

[1] The storage capacity supported is based on the test results with current Lenovo® storage offerings.

Removable Storage

Card Reader

No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC3306 codec

Speakers

4 stereo speakers, 2W x2 (woofers), 2W x2 (tweeters), optimized with Dolby Atmos®, Amplifier (AMP)

Microphone

Quad-microphone array

Camera

FHD 1080p + IR, with E-shutter, fixed focus

Sensor

Sensors

- Hall sensor
- ToF sensor

Battery

Battery^[1]

Integrated Li-Polymer 73Wh battery, supports Rapid Charge Express (get 3 hours of runtime with a 15-minute charge)

Max Battery Life^[2]

MobileMark® 25@250nits: 10.52 hr Local video (1080p) playback@150nits: 17.23 hr

Notes:

[1] Rapid Charge Express is only effective in hibernates or fully shutting down the computer.

[2] All battery life claims are approximate maximum and based on results using the MobileMark[®] 2014, MobileMark[®] 2018, MobileMark[®] 25, MobileMark[®] 30, JEITA 2.0, JEITA 3.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

Power Adapter

Power Adapter**[1]

- 100W USB-C[®] slim (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 140W USB-C® slim (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz

Notes:

[1] AC adapter offerings depend on the country.

DESIGN

Display

Display**[1]

| Size | Resolution | Touch | Туре | Brightness | Surface | Aspect Ratio | Contrast Ratio | Color Gamut | Refresh Rate | Viewing Angle (L/R/U/D) | Key Features |
|-------|---------------------------|--------------|------|------------|---------------------------------|-----------------|-------------------|-----------------------------|-----------------|-------------------------------|---|
| 14.5″ | 3K (3072x1920) | None | IPS | 400nits | Anti-glare | 16:10 | 1,500:1 | 100% P3, 100% sRGB | 120Hz (Max) | 85° / 85° / 85° / 85° | Above 91.4% screen-to- body ratio, Eyesafe® Certified 2.0, Dolby Vision®, TCON |
| 14.5" | 2.5K WQXGA (2560x1600) | None | IPS | 350nits | Anti-glare | 16:10 | 1,500:1 | 100% sRGB | 90Hz (Max) | 85° / 85° / 85° / 85° | Above 91.4% screen-to- body ratio, Eyesafe® Certified 2.0, Dolby Vision® |
| 14.5" | 2.5K WQXGA (2560x1600) | OGS touch | IPS | 350nits | Glossy, anti- fingerprint | 16:10 | 1,500:1 | 100% sRGB | 90Hz (Max) | 85° / 85° / 85° / 85° | Above 91.4% screen-to- body ratio, Eyesafe® Certified 2.0, Dolby Vision®, Glass |

Color Calibration

- TCON (Timing Controller) color calibration
- No color calibration

Touchscreen

- OGS (One Glass Solution) multi-touch, supports 10-point touch
- Non-touch

Notes:

[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

Input Device

Keyboard

6-row, multimedia Fn keys

Keyboard Backlight

LED backlight

Touchpad

Buttonless glass surface multi-touch touchpad, supports Precision TouchPad (PTP), 80 x 135 mm (3.15 x 5.31 inches)

Mechanical

Dimensions (WxDxH)[1]

325.5 x 226.49 x 16.6 mm (12.81 x 8.92 x 0.65 inches)

Weight^[2]

| Models | Weight |
|---------------------------------|--------------------------------|
| Models with integrated graphics | Starting at 1.49 kg (3.28 lbs) |
| Models with discrete graphics | Starting at 1.64 kg (3.62 lbs) |

Case Color**

- Luna grey
- Tidal teal

Surface Treatment

Aluminium stamping (anodized with sandblasting)

Case Material

Aluminium (top), aluminium (bottom)

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo[®] lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

CONNECTIVITY

Network

Ethernet

No onboard Ethernet

WLAN + Bluetooth®[1]

Wi-Fi® 6E, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.3, M.2 card

Notes:

[1] Wi-Fi[®] 6E full features might be limited by country-level restrictions.

6GHz Wi-Fi® 6E operation is dependent on the support of the operating system, routers/APs/Gateways that support Wi-Fi® 6E, and the regional regulatory certifications & spectrum allocation.

Bluetooth® 5.3 operation requires Windows® 11. For more information please visit <u>General Bluetooth® Support Information</u> <u>on Microsoft®</u>.

Ports^{III}

Standard Ports

- 1x USB-A (USB 5Gbps / USB 3.2 Gen 1), Always On
- 1x USB-C[®] (USB 10Gbps / USB 3.2 Gen 2), with USB PD 3.0 and DisplayPort[™] 1.4
- * 1x USB-C* (USB4* 40Gbps), with USB PD 3.0 and DisplayPort** 1.4
- 1x HDMI $^{\circ}$ 2.1, up to 4K/60Hz
- 1x Headphone / microphone combo jack (3.5mm)

Notes:

[1] The transfer speed of the ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

Docking

Docking

Various docking solutions are supported via USB-C[®]. For more compatible docking solutions, please visit <u>Docking for Yoga[®] Pro 7 14AHP9</u>

SECURITY & PRIVACY

Security

Security Chip

Firmware TPM 2.0 integrated in SoC

Fingerprint Reader

No fingerprint reader

BIOS Security

- Administrator password
- User password
- Master hard disk passwordUser hard disk password
- Yoga Pro 7 14AHP9 October 14 2024

Yoga Pro 7 14AHP9

• Self-healing BIOS

Other Security

- IR camera for Windows® Hello (facial recognition)
- E-shutter

SERVICE

Warranty

Base Warranty**

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) courier or carry-in service

ACCESSORIES

Bundled Accessories

Bundled Accessories^[1]

- Yoga® Pro Mouse
- None

Notes:

[1] For more compatible accessory solutions, please visit Accessories for Yoga® Pro 7 14AHP9.

OPERATING REQUIREMENTS

Operating Environment

Temperature^[1]

- At altitudes up to 2438 m (8,000 ft)
- Operating: 5°C to 35°C (41°F to 95°F)
 Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
 - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

Relative Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

CERTIFICATIONS

Green Certifications^{III}

Green Certifications^[2]

- ENERGY STAR® 8.0
- EPEAT[™] Gold Registered^[3]
- ErP Lot 6/26
- RoHS compliant

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <u>https://compliance.lenovo.com</u>.
 [2] EPEAT[™] registration and ENERGY STAR[®] certification are optional and only available on the models with preloaded

Lenovo

OS. Please visit <u>epeat.net</u> and <u>energystar.gov</u> for more information.

[3] EPEAT[™] is registered where applicable, please visit <u>epeat.net</u> for registration status by country.

Other Certifications

Mil-Spec Test

MIL-STD-810H military test passed (21 test items)

Other Certifications

- Eyesafe® Certified 2.0
- TÜV Rheinland[®] Low Blue Light (Hardware Solution)
- Feature with ** means that only one offering listed under the feature is configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.









AMD