
OVERVIEW



1. HDMI	6. Power button
2. USB-A (up to USB 10Gbps), Always On	7. SD card reader (UHS-II)
3. USB-C (up to USB4 40Gbps), with USB PD 65-100W & DP 2.1	8. USB-C (up to USB4 40Gbps), with USB PD 65-100W & DP 2.1
4. Headphone / microphone combo jack (3.5mm)	9. USB-A (up to USB 10Gbps)
5. E-shutter switch	

PERFORMANCE

Processor

Processor Family

NVIDIA RTX Spark™ processor family

Processor**

Processor Name	Cores	Processor Graphics	NPU
NVIDIA RTX Spark™ N1X with 5120-core GPU and 18-core CPU	18	NVIDIA® Blackwell RTX 5120-core GPU	NVIDIA® NPU
NVIDIA RTX Spark™ N1X with 6144-core GPU and 20-core CPU[1]	20	NVIDIA® Blackwell RTX 6144-core GPU	NVIDIA® NPU

Notes:

[1] Up to 1 Petaflop FP4 AI Performance

AI (Artificial Intelligence)

AI PC Category

Copilot+ PC[1]

Notes:

[1] Copilot+ PCs have at least 16GB RAM, 256GB storage, and a NPU that runs 40+ TOPs to run the latest AI tools build-in latest Windows® 11 to accelerate productivity and creativity.

Operating System

Operating System**

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language

Graphics

Graphics**

Graphics	Type	Memory	Key Features
NVIDIA® Blackwell RTX 5120-core GPU	Integrated	Unified Memory	DLSS 5, DirectX® 12 Ultimate
NVIDIA® Blackwell RTX 6144-core GPU	Integrated	Unified Memory	DLSS 5, DirectX® 12 Ultimate

Monitor Support

Monitor Support

Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and USB-C®)
• HDMI® supports up to 8K@60Hz
• USB-C® supports up to 8K@60Hz

Chipset

Chipset

NVIDIA® SoC (System on Chip) platform

Memory

Max Memory

- 32GB LPDDR5X unified memory, not upgradable
- 64GB LPDDR5X unified memory, not upgradable
- 128GB LPDDR5X unified memory, not upgradable

Memory Slots

Unified memory, 16-channel

Memory Type

LPDDR5X-9400, 256-bit, unified memory

Storage

Max Storage Support[1][2]

Up to two drives, 2x M.2 SSD
• M.2 2242 SSD up to 2TB each

Storage Slot[3]

Two M.2 slots
• One M.2 2242 PCIe® 5.0 x4 slot
• One M.2 2242 PCIe® 4.0 x4 slot

Storage Type**

Disk Type	Interface	Offering
M.2 2242 SSD	PCIe® NVMe®, PCIe® 4.0 x4	512GB / 1TB
M.2 2242 SSD	PCIe® NVMe®, PCIe® 5.0 x4	2TB

Notes:

[1] The storage capacity supported is based on the test results with current Lenovo® storage offerings.
[2] The system supports dual SSDs via two M.2 slots, but Lenovo® offers selected models with only one SSD installed, leaving the second slot available for user upgrades.
[3] The actual data transfer rate of the following PCIe® interface also depends on the capabilities of the connected PCIe® device. The listed values represent theoretical maximums.
PCIe® 3.0 (x2 / x4): 2 GB/s (16 Gbps) / 4 GB/s (32 Gbps);
PCIe® 4.0 (x2 / x4): 4 GB/s (32 Gbps) / 8 GB/s (64 Gbps);
PCIe® 5.0 (x2 / x4): 8 GB/s (64 Gbps) / 16 GB/s (128 Gbps).

Removable Storage

Card Reader

SD card reader, supports UHS-II SD card

Multi-Media

Audio Chip

SoundWire®, Cirrus Logic® CS42L43 codec

Speakers

4 stereo speakers, 2W x2 (woofers), 2W x2 (tweeters), optimised with Dolby Atmos®, Smart Amplifier (AMP)

Microphone

Triple-microphone array, 3D with noise-cancelling

Camera

9.2MP + IR, with E-shutter, fixed focus

Sensor

Sensors

Hall sensor

Battery

Battery[1]

92.5Wh Rechargeable Li-ion Battery, supports Rapid Charge Express (get 3 hours of runtime with a 15-minute charge) with 140W AC adapter

Max Battery Life[2]

Local video (1080p) playback@150nits: 15 hr

Notes:

[1] Rapid Charge Express is only effective when the computer is in hibernation mode or fully shut down.
[2] All battery life claims are approximate maximum and based on results using the MobileMark® 2014, MobileMark® 2018, MobileMark® 25, MobileMark® 30, JEITA 2.0, JEITA 3.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power

management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

Power Adapter

Power Adapter[1]

140W USB-C® slim (3-pin) AC adapter, 100-240V, 50-60Hz

Notes:

[1] AC adapter offerings depend on the country.

DESIGN

Display

Display**

Size	Resolution	Touch	Type	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Refresh Rate	Viewing Angle (L/R/U/D)	Key Features
15.3"	2.5K WQXGA (2560x1600)	OGS touch	OLED	1,100nits (HDR peak) / 500nits (SDR typical)	Glossy, anti-fingerprint	16:10	1,000,000:1	100% P3, 100% sRGB, 99% Adobe® RGB	165Hz (Max)	89° / 89° / 89° / 89°	PureSight Pro, Eyesafe® Certified 2.0, Dolby Vision®, NVIDIA® G-SYNC®, TÜV Rheinland® Flicker Free, DisplayHDR™ True Black 1000, Glass, ΔE<0.5 (Avg.) X-Rite, Pantone Validated, Pantone SkinTone Validated
15.3"	2.5K WQXGA (2560x1600)	Non-touch	OLED	1,100nits (HDR peak) / 500nits (SDR typical)	Glossy	16:10	1,000,000:1	100% P3, 100% sRGB, 99% Adobe® RGB	165Hz (Max)	89° / 89° / 89° / 89°	PureSight Pro, Eyesafe® Certified 2.0, Dolby Vision®, NVIDIA® G-SYNC®, TÜV Rheinland® Flicker Free, DisplayHDR™ True Black 1000, ΔE<0.5 (Avg.) X-Rite, Pantone Validated, Pantone SkinTone Validated

Touchscreen

- OGS (One Glass Solution) multi-touch, supports 10-point touch
- Non-touch

Screen-to-Body Ratio

89.3% AAR (active area ratio)

Color Calibration

X-Rite® factory color calibration

Input Device

Pen[**]

- Lenovo® Yoga® Pen Gen 2 (luna grey)
- Lenovo® Yoga® Pen Gen 2 with Case (luna grey)
- Lenovo® Yoga® Pen Gen 3 (thunder grey)
- Lenovo® Yoga® Pen Gen 3 with Case (thunder grey)

Keyboard

6-row, multimedia Fn keys, key travel 1.5mm, Copilot key

Keyboard Backlight

LED backlight

Touchpad

Buttonless glass surface multi-touch Force Pad, supports pen input, Precision TouchPad (PTP), 95 x 150 mm (3.74 x 5.91 inches)

Mechanical

Dimensions (WxDxH)[1]

347 x 242 x 16.7 mm (13.66 x 9.53 x 0.66 inches)

Weight[2]

Models	Weight
Models with touch panel	Starting at 1.75 kg (3.86 lbs)
Models with non-touch panel	Starting at 1.65 kg (3.64 lbs)

Case Color

Thunder grey

Case Material

Aluminium (top), aluminium (bottom)

Surface Treatment

Aluminium stamping (anodized with sandblasting)

Notes:

[1] The system dimensions may vary depending on configurations.
[2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

CONNECTIVITY

Network

WLAN + Bluetooth®[1]

Wi-Fi® 7, 802.11be 2x2 Wi-Fi® + Bluetooth® 5.4

WWAN

No support

Ethernet

No onboard Ethernet

Notes:

[1] Wi-Fi® operation (including Wi-Fi® 6, Wi-Fi® 6E, Wi-Fi® 7, etc.) is subject to the regulatory requirements of each country. Bluetooth® may operate at a lower version than hardware design depending on the factors such as operating system, driver, etc.

Ports[1]

Standard Ports

- 1x USB-A (up to USB 10Gbps), Always On
- 1x USB-A (up to USB 10Gbps)
- 2x USB-C® (up to USB4® 40Gbps), with USB PD 65-100W and DisplayPort™ 2.1[2]
- 1x HDMI® 2.1, up to 8K/60Hz[3]
- 1x Headphone / microphone combo jack (3.5mm)
- 1x SD card reader (UHS-II)

Notes:

[1] The transfer speed of the ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

[2] Support Lenovo® protocol on 140W (20V/7A) charging, but requires a unique Lenovo® adapter for operation.

[3] HDMI® 2.1 FRL, 8K/60Hz

Docking

Docking

Various docking solutions supported via USB-C®.
For more compatible docking solutions, please visit Docking for Yoga® Pro 9 15N1X11

SECURITY & PRIVACY

Security

Security Chip

Discrete TPM 2.0, TCG certified

Fingerprint Reader

No fingerprint reader

BIOS Security

- Administrator password
- Master hard disk password
- User hard disk password
- User password
- Self-healing BIOS
- More BIOS security features, please visit BIOS Simulator

Other Security

- E-shutter
- IR camera for Windows® Hello (facial recognition)

SERVICE

Warranty

Base Warranty**

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) courier or carry-in service

ACCESSORIES

Bundled Accessories

Bundled Accessories***[1]

- Lenovo® Go Wireless Numeric Keypad
- Lenovo® TWS YOGA PC Edition (cosmic blue)
- Lenovo® Yoga® Tote Sleeve 16" (grey)
- Yoga® Mouse (grey)
- None

Notes:

[1] For more compatible accessory solutions, please visit Accessories for Yoga® Pro 9 15N1X11.

OPERATING REQUIREMENTS

Operating Environment

Temperature[1]

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

Relative Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

ENVIRONMENTAL

Sustainability

Material[1]

Plastic-free Package
100% FSC-certificated Paper used in Carton and Manual

Recycled Material
50% Recycled Aluminium alloy on D Cover
30% PCC Recycled Plastic used in 140W Adapter Case (for ROW)
90% PCC Recycled Plastic used in 140W Adapter Case (for PRC)
30% PCC Recycled Plastic used in Speaker Woofer Enclosures
65% PCC Recycled Plastic used in Keyboard Keycap
30% PCC Recycled Plastic used in Battery Pack
60% PCC Recycled Aluminium alloy used in Keyboard Bracket
100% Recycled Cobalt used in Battery Cell

Notes:

[1] PCC: Post Consumer Content, recycled materials from customers.

CERTIFICATIONS

Green Certifications[1]

Green Certifications[2]

- (Optional) Carbon Footprint Certified
- (Optional) Carbon Neutral Certified
- ENERGY STAR® 9.0
- EPEAT 2.0 Gold Registered[3]
- EPEAT Climate+
- ErP Lot 6/26
- RoHS compliant

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit https://compliance.lenovo.com.

[2] EPEAT registration and ENERGY STAR® certification are optional and only available on the models with preloaded OS. Please visit epeat.net and energystar.gov for more information.

[3] EPEAT is registered where applicable, please visit epeat.net for registration status by country.

Other Certifications

Mil-Spec Test

MIL-STD-810H military test passed (21 test items)

Other Certifications

- Eyesafe® Certified 2.0
- Pantone® SkinTone™ Validated
- Pantone® Validated
- TÜV Rheinland® Flicker Free
- TÜV Rheinland® Low Blue Light (Hardware Solution)

- Feature with ** means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Feature with *** means that one or more options listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS", WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.












Lenovo