## **OVERVIEW**



|   | 2. HDMI 1.4         | 6. Power button                              |
|---|---------------------|--|
|   | 3. 2x USB 3.2 Gen 1 | 7. Headphone / microphone combo jack (3.5mm) |
| ſ | 4. Ethernet (RJ-45) | 8. Optical drive eject button                |

## PERFORMANCE

### Processor

#### Processor Family

AMD Ryzen<sup>™</sup> 3 / 5 / 7 Processor

#### Processor\*\*

| Processor Name        | Cores | Threads | Base<br>Frequency | Max<br>Frequency | Cache               | Memory<br>Support | Processor Graphics      |
|-----------------------|-------|---------|-------------------|------------------|---------------------|-------------------|-------------------------|
| AMD Ryzen™ 3<br>5300U | 4     | 8       | 2.6GHz            | 3.8GHz           | 2MB L2 / 4MB<br>L3  | DDR4-3200         | AMD Radeon™<br>Graphics |
| AMD Ryzen™ 3<br>5425U | 4     | 8       | 2.7GHz            | 4.1GHz           | 2MB L2 / 8MB<br>L3  | DDR4-3200         | AMD Radeon™<br>Graphics |
| AMD Ryzen™ 3<br>7330U | 4     | 8       | 2.3GHz            | 4.3GHz           | 1 100R4-3200        |                   | AMD Radeon™<br>Graphics |
| AMD Ryzen™ 5<br>5500U | 6     | 12      | 2.1GHz            | 4.0GHz           | 3MB L2 / 8MB<br>L3  | DDR4-3200         | AMD Radeon™<br>Graphics |
| AMD Ryzen™ 5<br>5625U | 6     | 12      | 2.3GHz            | 4.3GHz           | 3MB L2 / 16MB<br>L3 | DDR4-3200         | AMD Radeon™<br>Graphics |
| AMD Ryzen™ 5<br>7430U | 6     | 12      | 2.3GHz            | 4.3GHz           | 3MB L2 / 16MB<br>L3 | DDR4-3200         | AMD Radeon™<br>Graphics |
| AMD Ryzen™ 5<br>7530U | 6     | 12      | 2.0GHz            | 4.5GHz           | 3MB L2 / 16MB<br>L3 | DDR4-3200         | AMD Radeon™<br>Graphics |
| AMD Ryzen™ 7<br>5700U | 8     | 16      | 1.8GHz            | 4.3GHz           | 4MB L2 / 8MB<br>L3  | DDR4-3200         | AMD Radeon™<br>Graphics |
| AMD Ryzen™ 7<br>5825U | 8     | 16      | 2.0GHz            | 4.5GHz           | 4MB L2 / 16MB<br>L3 | DDR4-3200         | AMD Radeon™<br>Graphics |
| AMD Ryzen™ 7<br>7730U | 8     | 16      | 2.0GHz            | 4.5GHz           | 4MB L2 / 16MB<br>L3 | DDR4-3200         | AMD Radeon™<br>Graphics |

## **Operating System**

#### **Operating System**\*\*

- Windows<sup>®</sup> 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- Windows<sup>®</sup> 11 Home Single Language in S mode
- Windows<sup>®</sup> 11 Home in S mode
- Windows<sup>®</sup> 10 Pro 64
- Windows<sup>®</sup> 10 Home 64
- Windows® 10 Home 64 Single Language
- No preload operating system

### Graphics

### Graphics

| Graphics             | Туре       | Memory | Max Resolution        | Connector    | Key Features |
|----------------------|------------|--------|-----------------------|--------------|--------------|
| AMD Radeon™ Graphics | Integrated | Shared | 1920x1080@60Hz(HDMI®) | 1x HDMI® 1.4 | DirectX® 12  |

## **Monitor Support**

## **Monitor Support**

Supports up to 2 independent displays via native display and 1 external monitor; supports external monitor via HDMI®

## Chipset

## Chipset

AMD SoC (System on Chip) platform

## Memory

Max Memory<sup>[1]</sup>

Up to 16GB DDR4-3200

#### **Memory Slots**

Two DDR4 SO-DIMM slots, dual-channel capable

#### Memory Type

#### DDR4-3200

**Memory Protection** 

Non-ECC

Notes:

[1] The max memory is based on the test results with current Lenovo<sup>®</sup> memory offerings.

## Storage

#### Storage Support<sup>[1][2]</sup>

Up to two drives, 1x 2.5" HDD + 1x M.2 SSD • 2.5" HDD up to 1TB • M.2 SSD up to 512GB

#### Storage Type\*\*\*

| Disk Type     | Interface                           | RPM  |
|---------------|-------------------------------------|------|
| 2.5" SATA HDD | SATA 6Gb/s                          | 5.4K |
| M.2 2242 SSD  | PCIe <sup>®</sup> NVMe <sup>®</sup> | -    |
| M.2 2280 SSD  | PCIe <sup>®</sup> NVMe <sup>®</sup> | -    |

#### RAID

No support

Notes:

[1] The max capacity of each disk type is based on the test results with current Lenovo<sup>®</sup> storage offerings.[2] 2.5" HDD bracket kit only comes with pre-configured HDD models.

## **Removable Storage**

#### Optical

• DVD burner (DVD±RW), SATA 1.5Gb/s, slim (9.0mm)

# None Card Reader

No card reader

## Multi-Media

#### Audio Chip

High Definition (HD) Audio, Realtek® ALC233 codec

#### Speakers

Stereo speakers, 3W x2, Audio by HARMAN

#### Microphone\*\*

- Single microphone
- Dual-microphone array

#### Camera\*\*

- HD 720p, fixed focus
- IR & 5.0-megapixel, fixed focus
- No camera

### **Power Supply**

#### Power Supply\*\*

Power Type Efficiency Key Features

| 90W | Adapter | 89% | 100V - 240V |  |  |
|-----|---------|-----|-------------|--|--|
| 90W | Adapter | 88% | 100V - 240V |  |  |

## DESIGN

## Display

#### Display\*\*[1]

| Size  | Resolution         | Touch           | Туре | Brightness | Surface        | Aspect<br>Ratio | Contrast<br>Ratio | Viewing Angle<br>(L/R/U/D)                | Key Features                     |
|-------|--------------------|-----------------|------|------------|----------------|-----------------|-------------------|---|----------------------------------|
| 23.8″ | FHD<br>(1920x1080) | None            | IPS  | 250nits    | Anti-<br>glare | 16:9            | 1000:1            | horizontal: +/- 89°,<br>vertical: +/- 89° | Borderless<br>design, anti-glare |
| 23.8″ | FHD<br>(1920x1080) | Multi-<br>touch | IPS  | 250nits    | Anti-<br>glare | 16:9            | 1000:1            | horizontal: +/- 89°,<br>vertical: +/- 89° | Borderless<br>design, anti-glare |

#### Touchscreen

- Advanced In-cell Touch (AIT), supports 10-point touch
- Non-touch

Notes:

[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

## Input Device

#### Keyboard\*\*

- Lenovo® Calliope Keyboard (USB connector), black
- Lenovo® Calliope Keyboard (USB connector), white
- Lenovo® Calliope Wireless Keyboard, black
- Lenovo® Calliope Wireless Keyboard, silver
- Lenovo® Calliope Wireless Keyboard, white
- Wireless EOS Keyboard, black
- Wireless EOS Keyboard, white

#### Mouse\*\*

- Lenovo<sup>®</sup> Calliope Mouse (USB connector), black
- Lenovo® Calliope Mouse (USB connector), white
- Lenovo® Calliope Wireless Mouse (2.4GHz via USB receiver), black
- Lenovo<sup>®</sup> Calliope Wireless Mouse (2.4GHz via USB receiver), white

## **Mechanical**

#### Buttons

- Optical drive eject button (ODD models only)
- Power button

#### Form Factor

AIO (24 inches)

#### Dimensions (WxDxH)<sup>[1]</sup>

541 x 185.34 x 433.56 (21.3 x 7.3 x 17.07 inches)

#### Packaging Dimensions (WxDxH)

235 x 666 x 561 mm (9.25 x 26.22 x 22.08 inches)

#### Weight<sup>[2]</sup>

6.81 kg (15.01 lbs)

#### **Packaging Weight**

All models: 9.57 kg (21.09 lbs)

#### Case Color\*\*

- Black
- White

#### Bays\*\*

- 1x 2.5" disk bay
- 1x slim ODD bay

#### **Expansion Slots**

Two M.2 slots (one for WLAN, one for SSD)

#### Stand

- Monitor stand, supports -5° to +25° tilt
- AIO stand

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo<sup>®</sup> lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

## CONNECTIVITY

### Network

#### **Onboard Ethernet**

Gigabit Ethernet, 1x RJ-45

#### WLAN + Bluetooth®\*\*

- Wi-Fi<sup>®</sup> 5, 802.11ac 2x2 Wi-Fi<sup>®</sup> + Bluetooth<sup>®</sup> 5.1, M.2 Card
- Wi-Fi<sup>®</sup> 6, 802.11ax 2x2 Wi-Fi<sup>®</sup> + Bluetooth<sup>®</sup> 5.2, M.2 card

### Ports<sup>III</sup>

#### **Rear Ports**

- 2x USB 2.0
- 2x USB 3.2 Gen 1
- 1x HDMI® 1.4
- 1x Ethernet (RJ-45)
- 1x power connector

#### **Bottom Ports**

1x headphone / microphone combo jack (3.5mm)

Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s; USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s; USB4<sup>®</sup> 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s; USB4<sup>®</sup> 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt<sup>™</sup> 3/4: 40 Gbit/s.

## **SECURITY & PRIVACY**

## Security

#### **BIOS Security**

- Administrator password
- Hard disk password
- Power-on password
- More BIOS security features, please visit <u>BIOS Simulator</u>[1]

Notes:

[1] The BIOS simulator is just for reference. Default settings and some options may vary depending on the hardware, operating system and BIOS version.

## SERVICE

### **Warranty**<sup>II</sup>

#### Base Warranty\*\*

- 1-year mail-in service
- 1-year courier or carry-in service
- 1-year limited onsite service
- 2-year courier or carry-in service
- 3-year courier or carry-in service

#### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <u>https://smartfind.lenovo.com/</u>. To learn more details of warranty policy, please access <u>https://support.lenovo.com/warrantylookup/warrantypolicy</u>.

## **OPERATING REQUIREMENTS**

## **Operating Environment**

#### Temperature

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage: -20°C (-4°F) to 60°C (140°F)

#### **Relative Humidity**

- Operating: 20% to 80%
- Storage: 10% to 90%

#### Altitude

- Operating: 0 m (0 ft) to 3048 m (10,000 ft)
- Storage: 0 m (0 ft) to 12192 m (40,000 ft)

## CERTIFICATIONS

### **Green Certifications**<sup>III</sup>

#### Green Certifications

- ENERGY STAR® 8.0
- ErP Lot 3/7
- RoHS compliant

#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <u>https://compliance.lenovo.com</u>.

- Feature with \*\* means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Feature with \*\*\* means that one or more options listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.











