OVERVIEW



1. Card reader	6. Power connector
2. USB 3.2 Gen 2 (Always On)	7. USB4 40Gbps
3. USB 3.2 Gen 1	8. USB-C 3.2 Gen 2
4. USB 3.2 Gen 1	9. Headphone / microphone combo jack (3.5mm)
5. HDMI	

PERFORMANCE

Processor

Processor Family

AMD Ryzen[™] 7 / 9 Processor

Processor

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics
AMD Ryzen™ 7 7840HS	8	16	3.8GHz	5.1GHz	8MB L2 / 16MB L3	AMD Radeon™ 780M

Operating System

Operating System**

- Windows® 11 Pro
- Windows[®] 11 Home
- Windows[®] 11 Home Single Language
- No preload operating system

Graphics

Graphics

Graphics	Туре	Memory	Boost Clock	TGP	Key Features
NVIDIA® GeForce RTX™ 4060 Laptop GPU	Discrete	8GB GDDR6	2370 MHz	115W	Advanced Optimus, DLSS 3.5, Dynamic Boost 2.0, VR ready, DirectX® 12 Ultimate

Monitor Support

Monitor Support

Supports up to 4 independent displays (native display and 3 external monitors via HDMI® and USB-C®)

• HDMI[®] supports up to 4K@60Hz

 \bullet USB-C* supports up to 4K@60Hz

Chipset

Chipset

AMD SoC (System on Chip) platform

Memory

Max Memory^[1]

Up to 32GB (16GB soldered + 16GB SO-DIMM) DDR5-5600 offering

Memory Slots

One memory soldered to systemboard, one DDR5 SO-DIMM slot, dual-channel capable

Memory Type

DDR5-5600

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

Storage

Storage Support^[1]

Up to two drives, 2x M.2 SSD • M.2 2280 SSD up to 1TB each

Storage Slot

Two M.2 2280 PCIe® 4.0 x4 slots

Storage Type

Disk Type	Interface	Offering	
M.2 2280 SSD	PCIe [®] NVMe [®] , PCIe [®] 4.0 x4	512GB / 1TB	

Legion Slim 7 16APH8

Lenovo

Notes:

[1] The storage capacity supported is based on the test results with current Lenovo® storage offerings.

Removable Storage

Card Reader

SD card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC3306 codec

Speakers

Stereo speakers, 2W x2, audio by HARMAN, optimized with Nahimic Audio, Smart Amplifier (AMP)

Microphone

Dual-microphone array

Camera

FHD 1080p, with E-shutter, fixed focus

Battery

Battery

99.9Wh Rechargeable Li-ion Battery, supports Super Rapid Charge (10min charge 0~30% capacity, 30min charge 0~70% capacity, 80min charge 0~100% capacity)

Max Battery Life^[1]

- Models with 300nits display: MobileMark[®] 2018@200nits: 7.9 hr Local video (1080p) playback@150nits: 9 hr
- Models with 430nits display: MobileMark[®] 2018@200nits: 8.6 hr Local video (1080p) playback@150nits: 9.2 hr
- Models with 500nits display: MobileMark[®] 2018@200nits: 6.9 hr Local video (1080p) playback@150nits: 7.6 hr

Notes:

[1] All battery life claims are approximate maximum and based on results using the MobileMark[®] 2014, MobileMark[®] 2018, MobileMark[®] 25, MobileMark[®] 30, JEITA 2.0, JEITA 3.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

Power Adapter

Power Adapter

230W slim tip (3-pin) AC adapter, 100-240V, 50-60Hz

Special Features

- Special Features***
- AI Chip: LA2-Q
- Legion Coldfront 5.0 cooling system

DESIGN

Display

Display**

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Refresh Rate	Viewing Angle (L/R/U/D)	Key Features
16″	WQXGA	None	IPS ^[1]	300nits	Anti-	16:10	1200:1	100%	165Hz	89° / 89° /	Dolby Vision®,

Legion Slim 7 16APH8

PSREF Product Specifications Reference

Lenovo

	(2560x1600)				glare			sRGB		89° / 89°	AMD FreeSync [™] , NVIDIA® G-SYNC®, Advanced Optimus support, TÜV Low Blue Light
16″	WQXGA (2560x1600)	None	IPS ^[2]	500nits	Anti- glare	16:10	1200:1	100% sRGB	240Hz	89° / 89° / 89° / 89°	DisplayHDR [™] 400, Dolby Vision®, AMD FreeSync [™] , NVIDIA® G-SYNC®, TÜV Low Blue Light
16″	3.2K (3200x2000)	None	IPS ^[3]	430nits	Anti- glare	16:10	1200:1	100% DCI-P3	165Hz	89° / 89° / 85° / 85°	Dolby Vision®, AMD FreeSync™, NVIDIA® G-SYNC®, Advanced Optimus support, TÜV Low Blue Light

Color Calibration

X-Rite® factory color calibration

Touchscreen

Non-touch

Notes:

[1], [2], [3] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

Input Device

Pen

No support

Keyboard

6-row, multimedia Fn keys, numeric keypad

Keyboard Backlight**

- White backlight
- Per-key RGB backlight

Touchpad

Buttonless glass surface multi-touch touchpad, supports Precision TouchPad (PTP), 75 x 120 mm (2.95 x 4.72 inches)

Mechanical

Dimensions (WxDxH)^[1]

357.7 x 259.3 x 17.6-19.9 mm (14.08 x 10.21 x 0.69- 0.78 inches)

Weight^[2]

Around 2 kg (4.4 lbs)

Case Color**

- Glacier white
- Storm grey

Surface Treatment

Anodizing

Case Material

Aluminium (top), aluminium (bottom)

System Lighting

RGB lighting on power button

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo[®] lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

CONNECTIVITY

Network

Ethernet

No onboard Ethernet

WLAN + Bluetooth®[1][2]

Wi-Fi[®] 6E, 802.11ax 2x2 Wi-Fi[®] + Bluetooth[®] 5.1, M.2 card

WWAN

No support

Notes:

[1] Bluetooth[®] may operate at a lower version than hardware design depending on the factors such as operating system, driver, etc.

[2] Wi-Fi[®] 6E full features might be limited by country-level restrictions.

6GHz Wi-Fi® 6E operation is dependent on the support of the operating system, routers/APs/Gateways that support Wi-Fi® 6E, and the regional regulatory certifications & spectrum allocation.

Ports^{III}

Standard Ports

- 2x USB 3.2 Gen 1
- 1x USB 3.2 Gen 2 (Always On)
- 1x USB-C[®] 3.2 Gen 2 (support data transfer, Lenovo[®] Power Delivery 140W and DisplayPort[™] 1.4)^[2]
- 1x USB4® 40Gbps (support data transfer, Lenovo® Power Delivery 140W and DisplayPort™ 1.4)^[3]
- 1x HDMI $^{\circ}$ 2.1, up to 8K/60Hz
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Card reader
- 1x Power connector

Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4[®] 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4® 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt[™] 3/4: 40 Gbit/s.

[2], [3] PD 140W is the input power and requires the use of Lenovo[®] unique adapter, otherwise it may support lower than 140W.

SECURITY & PRIVACY

Security

Security Chip

Firmware TPM 2.0 integrated in SoC

Fingerprint Reader

Touch style fingerprint reader integrated in power button

BIOS Security

- Administrator password
- Hard disk password
- Power-on password

Self-healing BIOS

Other Security

E-shutter

SERVICE

Warranty

Base Warranty**

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) courier or carry-in service
- No base warranty

ACCESSORIES

Bundled Accessories

Bundled Accessories^[1]

None

Notes:

[1] For more compatible accessory solutions, please visit Accessories for Legion Slim 7 16APH8

OPERATING REQUIREMENTS

Operating Environment

Temperature^[1]

- At altitudes up to 2438 m (8,000 ft)
 - Operating: 5°C to 35°C (41°F to 95°F)
- Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
- Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

Relative Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

CERTIFICATIONS

Green Certifications^{III}

Green Certifications

- FrPlot3
- RoHS compliant

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <u>https://compliance.lenovo.com</u>.

Other Certifications

Other Certifications

Legion Slim 7 16APH8

Lenovo

TÜV Rheinland[®] Low Blue Light (Hardware Solution)

- Feature with ** means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Feature with *** means that one or more options listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

