OVERVIEW



1. HDMI 1.4	2. VGA
-------------	--------

PERFORMANCE

Panel

Panel

3-side NearEdgeless, In-Plane Switching

Backlight

WLED

Display Size

23.8 inches

Max View Area

- Scree Dimension: 535.1 x 313.1 mm
- Active Area: 527.0 x 296.5 mm

Resolution

1920 x 1080

Aspect Ratio

16:9

Pixel Pitch

0.2745 x 0.2745 mm

Dot / Pixel Per Inch

92 dpi

Brightness

```
250 cd/m<sup>2</sup>
```

Contrast Ratio

- Contrast Ratio (Typical): 1300:1
- Dynamic Contrast Ratio (Typical): 300000:1

View Angle (H / V)

Horizontal: 178°, Vertical: 178°

Response Time

- Extreme Mode: 4 ms
- Normal Mode: 6 ms

Refresh Rate

100Hz

Color Gamut

- Coverage Ratio: 99% sRGB
- Color Area Ratio: 99% sRGB

Color Support

16.7 Million

Color Depth

8-bit (6-bit+FRC)

Screen Surface Treatment

Anti-glare

Curvature

Flat Panel

Operating System

Operating System

- Windows[®] 11 Support
- Windows® 10 Support

Multi-Media

Camera

No camera

No microphone

Speakers

No Sperakers

Power Supply

Power Consumption

- Typical / Max: 16W / 19W
- Sleep / Off mode: <0.5W
- Switch-off Mode: <0.3W
- Energy Star Power On: 14.3W
- Energy Star TEC: 45.7kWh
- Internal Power Supply

Voltage Required

AC 100 to 240 V (50-60Hz)

Special Features

Special Features

Natural Low Blue Light

DESIGN

Mechanical

ThinkCentre® M Series Support

To support Tiny devices, an additional ThinkCentre® Tiny VESA Mount II (PN: 4XF0N03161) is required (sold separately).

Bezel Width

- Thickness of Head: 16mm (Minimum)
- Side: 2.0mm
- Top: 2.0mm

• Bottom: 21.4mm

Cable Management

Support

Case Color

Raven black

Dimensions (WxDxH)^[1]

Models	Dimensions
Head Only	539.8 x 44.0 x 325.7 mm (21.25 x 1.73 x 12.82 inches)
Highest Position	539.8 x 180.0 x 402.9 mm (21.25 x 7.08 x 15.86 inches)
Lowest Position	539.8 x 180.0 x 402.9 mm (21.25 x 7.08 x 15.86 inches)

Packaging Dimensions (WxDxH)

610.0 x 112.0 x 420.0 mm (24.02 x 4.41 x 16.54 inches)

Weight^[2]

Models	Weight		
Monitor With Stand	3.0 kg (6.6 lbs)		
Monitor Head Only	2.7 kg (6.0 lbs)		

Packaging Weight

4.7 kg (10.4 lbs)

Mounting

Supports VESA mount 100 x 100 mm

Stand

Supports -5° to +22° tilt

In the Box

- Monitor with stand
- 1x HDMI[®] cable (1.8m)
- 1x Power cable (1.8m)
- Quick setup guide

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo[®] lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

CONNECTIVITY

Ports^[1]

Rear Ports

- 1x HDMI® 1.4
- 1x VGA

Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s; USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s; USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s; USB4[®] 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s; USB4[®] 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt[™] 3/4: 40 Gbit/s.

SECURITY & PRIVACY

Security

Physical Locks Kensington[®] Security Slot[™] (2.5 mm x 6 mm)

SERVICE

Warranty

Base Warranty 3-year limited warranty

CERTIFICATIONS

Green Certifications^{III}

Green Certifications

- ENERGY STAR[®] Certified
- EPEAT™ Gold Registered
- EU Energy Label (E-class)
- RoHS compliant

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <u>https://compliance.lenovo.com</u>.

Other Certifications

Other Certifications

- TÜV Rheinland[®] Flicker Free
- TÜV Rheinland[®] Low Blue Light (Hardware Solution)
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

	NRMA.	9, beech		0 0 0 0		
۹	II Have Ven Hep Mean	p inter 1	send test Options		El lamb alth long la Ximitra hart	
	9 × 0 × 9 Aprox	- v 11 - s	$\mathbf{b} = \mathbf{J} - \mathbf{d}' = 0 - \mathbf{d}_{\mathbf{d}} + \mathbf{d}_{\mathbf{d}} + \mathbf{d}_{\mathbf{d}}$	$\mathfrak{U} \circ \cdots = \mathfrak{U} \circ \cdots \mathfrak{U} \circ \mathfrak$		
	~ favoritor		focuned Other 🖸 🔻	2- Inst - Two lay-mithadisations -	A = 0	9
~	Dirbox +		Perel	To Deve freed 1		
	© Openeo		Drie Asine Surprise Einthey Reming			
	Direira 1		Inter	Re Apartment unit tour	Doft service 10	
a a	- Kalynidijeutioek.com Ei blos		Control Milling Your Flight operation is confirmed. July PM IN DOI: your Flight to Charlette is confirm.	Hilberne, Li soundy-source-arrive your apartment lading and an interested in registricythe space. Deald yough arrange information at your seriest conversion (1 sin and/od an information) and hidbas attention. A so	eparen Erecki yangelenen legen arten konstrukturen	e a - 1
	2º Duño	L. e.	Look from the second se	Residu and artilleg is adjust my substatus. During the text 1 mouthing to show the appricant text and any worksho common	of states in consultant	
	2º Settans			Additionally, in unalified table in allocate leases former, would pricing, and the application process.		
	D Deleted terms		Over Philos	Prose More have be and deputional watching has Tax use machines at this final admits	eral addres.	
	S Ark (ral		Toga Markahap 8.14 M Payliaini, Dense Bios Is Less minutes, but also.	Kapited		
	TO Arthur		Newly			
	a hit accord		Margin's Neurol Discourse Stational Stationae Stationae Stationae Stationae Stationae Stationae			
	· Carecto in The work NO		□ #1100000235PM 89#			
	 Largeosite for Non-search 242 antice preservices Challenth Trade-cent 		Anunda Brody			
			Think	isim		









