
ThinkPad Tablet 2



ThinkPad Tablet 2 Accessories Photography



Lenovo[®] ThinkPad Tablet 2 with ThinkPad Tablet 2 Bluetooth Keyboard with Stand 0B47270



Lenovo ThinkPad Tablet 2 with ThinkPad Tablet 2 VGA Adapter 0B47084



Lenovo ThinkPad Tablet 2 with ThinkPad Tablet 2 Fitted Sleeve 0A33902



Lenovo ThinkPad Tablet 2 with ThinkPad Tablet 2 Fitted Sleeve 0A33902



Lenovo ThinkPad Tablet 2 with ThinkPad Tablet 2 Bluetooth Keyboard with Stand 0B47270



ThinkPad Tablet 2 Dock 0B47109

ThinkPad Tablet 2 (3679) - TopSeller

Type-model	Processor	Memory	Widescreer display	n Storage	Tablet Pen	Camera Front/ Rear (MP)	Bluetooth Keyboard w/ Stand	WLAN 802.11	PCle Mini Card WWAN	Carrier	NFC	Blue- tooth	Preload	Ann Date (mm/yy)
3679-23U	Atom Z2760	2GB	10.1" HD	64G	No	2.0/8.0	None	11a/b/g/n ²⁸	None	None	None	BT	Win8 32	10/12
3679-26U	Atom Z2760	2GB	10.1" HD	64G	Pen	2.0/8.0	None	11a/b/g/n	None	None	None	BT	Win8 32	10/12
3679-27U	Atom Z2760	2GB	10.1" HD	64G	Pen	2.0/8.0	None	11a/b/g/n	None	None	None	BT	Win8 Pro32	10/12
3679-28U	Atom Z2760	2GB	10.1" HD	64G	No	2.0/8.0	None	11a/b/g/n	None	None	None	BT	Win8 Pro32	10/12
3679-4JU	Atom Z2760	2GB	10.1" HD	64G	No	2.0/8.0	None	11a/b/g/n	Gobi 4000	AT&T	None	BT	Win8 Pro32	12/12
3679-22U	Atom Z2760	2GB	10.1" HD	32G	No	2.0/8.0	None	11a/b/g/n	None	None	None	BT	Win8 32	01/13
3679-5HU	Atom Z2760	2GB	10.1" HD	64G	Pen	2.0/8.0	None	11a/b/g/n	Gobi 4000	AT&T	NFC	BT	Win8 Pro32	03/13

• Small and medium business (SMB) model(s), part of the US TopSeller™ Program

Positioning	Touchscreen tablet for on-the-go business	Preloaded operating system ²⁰
Processor	Intel [®] Atom [™] Processor Z2760 (2 cores, 1.80GHz, 1MB cache), LPDDR2 memory controller (800MHz), HT technology	- Some: Windows® 8 32-bit - Some: Windows 8 Pro 32-bit
Memory	2GB / 800MHz LPDDR2, mobile DDR / soldered to systemboard, no sockets	Preloaded applications ¹⁴ (only some
Storage Storage extension	32GB or 64GB / eMMC (embedded Multi Media Card) flash memory on board n One microSD Card slot, supports up to 32GB	 listed) Lenovo[®] Settings Lenovo Support
Graphics	PowerVR™ SGX545 graphics in Intel Atom SoC,	Lenovo Companion
Display	supports 1080p video out via mini-HDMI™ connector, HDCP-compliant 10.1" (256.5mm) HD (1366x768) TFT color, anti-reflective display with infinity AGC Dragontrail™ Glass, LED backlight, 400 nits, 16:9 aspect ratio, 500:1 contrast ratio, IPS, WideView (170° viewing), MultiTouch screen supports five-finger gesture	 Lenovo QuickSnip AT&T[®] All Access Lenovo Cloud Storage by SugarSync Password Manager
Tablet pen	Some: ThinkPad Tablet 2 Digitizer Pen (0A33899), supports hover, tip, and pressure modes / a button for selection / no batteries required *The models without Tablet Pen can not support pen input function via optional ThinkPad Tablet 2 Digitizer Pen (0A33899)	 Norton™ Internet Security 2012 (30 days of virus definitions) ThinkVantage System Update AccuWeather
Camera Video capture	<i>Front camera:</i> 2.0-megapixel, fixed focus <i>Rear camera:</i> 8.0-megapixel, auto focus, flash LED 720p video capture	 Evernote[®] Nitro PDF Skype[™]
Audio support	Realtek® ALC5642 codec / stereo speakers, 0.5 watt x 2 / dual array digital microphone, combo audio/microphone jack	Amazon Kindle
Media capable	Audio formats: MP3, AAC, AAC+, eAAC+, WAV, PCM, WMA Video formats: MPEG-4, H.263, H.264, VC-1, WMV9, Xvid	
Control buttons Bluetooth Keyboard with Stand	 Windows button, Power button, volume control button, rotation lock switch, reset switch Some: ThinkPad Tablet 2 Bluetooth Keyboard with Stand (0B47270), 6-row, TrackPoint[®] pointing device w/ three mouse buttons, landscape stand included, connects system via bluetooth, sealed battery with 30-day battery life, chargeable via micro-USB (one USB to micro-USB cable included) 	
Light sensor G-sensor/ eCompass Gyroscope	Ambient Light Sensor, Capella CM3218 3D accelerometer and 3D magnetometer module, STMicroelectronics LSM303DLHC 3-axis gyroscope, STMicroelectronics L3G4200D	
Platform Ports	Intel Atom Z2760 SoC (System on Chip) platform One USB 2.0, one micro-USB 2.0 (only for power supply / charging), one mini-HDMI, headphone/microphone combo jack, one ThinkPad Tablet 2 Dock connector	
WLAN ^₄ WWAN Carrier GNSS Bluetooth™ NFC	11a/b/g/n ²⁸ wireless, ThinkPad 11a/b/g/n, 1x1, WiFi + Bluetooth combo chip Some: Wireless WAN, Qualcomm [®] Gobi [™] 4000 chipset, LTE (4G), WCDMA/HSPA/HSPA+ Some: AT&T [®] LTE (4G), contract required with service provider Global Navigation Satellite System Bluetooth 4.0 wireless, integrated in WiFi + Bluetooth combo chip Some: Near Field Communication, easy for two devices to communicate with each other	
Dimensions ³ Weight ²	10.34" x 6.48" x 0.39"; 262.6mm x 164.6mm x 9.8mm <i>WiFi only:</i> from 1.26 lb (0.57kg); <i>WiFi + Digitizer Pen:</i> from 1.30 lb (0.59kg); <i>WiFi + Digitizer Pen + WWAN:</i> from 1.35 lb (0.61kg)	10-watt AC adapter (via micro-USB) GREENGUARD® certified RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support
Case color Case material	Black Magnesium frame, PolyCarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) cover	during the warranty period ¹²
Battery - type Battery - life ¹⁰	Lithium Polymer, 30Whr up to 25 days (standby); up to 150 hr (MP3 playback); up to 10 hr (web browsing with flash); up to 10 hr (local video playback)	For compatible accessories, please go to O-Tablet-2 sheet; For Lenovo service ²² upgrade options
Limited Warrantv	¹² 1-year - depot repair service / service upgrades ²² available	please go to S-Tablet sheet

See footnotes for more detailed information US model(s) announced October 23 or December 18, 2012, or January 15 or March 5, 2013

© Lenovo (CLT1-1) June 2013

ThinkPad Tablet 2 (3679) - TopSeller - II

Product Specifications Reference (PSREF)

Type-model	Processor	Memory	Widescreer display	n Storage	Tablet Pen	Camera Front/ Rear (MP)	Bluetooth Keyboard w/ Stand	WLAN 802.11	PCle Mini Card WWAN	Carrier	NFC	Blue- tooth	Preload	Ann Date (mm/yy)
3679-5YU	Atom Z2760	2GB	10.1" HD	64G	No	2.0/8.0	None	11a/b/g/n ²⁸	None	None	None	BT	Win8 32	04/13
3679-5XU	Atom Z2760	2GB	10.1" HD	64G	Pen	2.0/8.0	None	11a/b/g/n	Gobi 4000	AT&T	NFC	BT	Win8 32	04/13
3679-5VU	Atom Z2760	2GB	10.1" HD	64G	No	2.0/8.0	None	11a/b/g/n	Gobi 4000	AT&T	NFC	BT	Win8 32	04/13
3679-5QU	Atom Z2760	2GB	10.1" HD	64G	No	2.0/8.0	None	11a/b/g/n	None	None	NFC	BT	Win8 32	04/13
3679-5PU	Atom Z2760	2GB	10.1" HD	64G	Pen	2.0/8.0	None	11a/b/g/n	None	None	NFC	BT	Win8 32	04/13
3679-5MU	Atom Z2760	2GB	10.1" HD	64G	Pen	2.0/8.0	None	11a/b/g/n	None	None	None	BT	Win8 32	04/13

• Small and medium business (SMB) model(s), part of the US TopSeller™ Program

Positioning	Touchscreen tablet for on-the-go business	Preloaded operating system ²⁰
Processor	Intel [®] Atom™ Processor Z2760 (2 cores, 1.80GHz, 1MB cache), LPDDR2 memory controller (800MHz), HT technology	 Windows[®] 8 32-bit Preloaded applications¹⁴ (only some
Memory	2GB / 800MHz LPDDR2, mobile DDR / soldered to systemboard, no sockets	 listed) Microsoft Office Home and Student
Storage Storage extension	32GB or 64GB / eMMC (embedded Multi Media Card) flash memory on board n One microSD Card slot, supports up to 32GB	(included in Windows 8) • Lenovo® Settings
Graphics	PowerVR™ SGX545 graphics in Intel Atom SoC,	Lenovo Support
Display Tablet pen	supports 1080p video out via mini-HDMI [™] connector, HDCP-compliant 10.1 " (256.5mm) HD (1366x768) TFT color , anti-reflective display with infinity AGC Dragontrail [™] Glass, LED backlight, 400 nits, 16:9 aspect ratio, 500:1 contrast ratio, IPS, WideView (170° viewing), MultiTouch screen supports five-finger gesture <i>Some:</i> ThinkPad Tablet 2 Digitizer Pen (0A33899), supports hover, tip, and pressure modes / a button for selection / no batteries required	Lenovo Companion Lenovo QuickSnip AT&T [®] All Access Lenovo Cloud Storage by SugarSync Password Manager Norton [™] Internet Security 2012 (2012)
	*The models without Tablet Pen can not support pen input function via optional ThinkPad Tablet 2 Digitizer Pen (0A33899)	 (30 days of virus definitions) ThinkVantage System Update
Camera	Front camera: 2.0-megapixel, fixed focus Rear camera: 8.0-megapixel, auto focus, flash LED	AccuWeather Evernote® Nitro PDF
Video capture Audio support	720p video capture Realtek® ALC5642 codec / stereo speakers, 0.5 watt x 2 /	Skype™ American Kindle
	dual array digital microphone, combo audio/microphone jack	Amazon Kindle
Media capable	Audio formats: MP3, AAC, AAC+, eAAC+, WAV, PCM, WMA Video formats: MPEG-4, H.263, H.264, VC-1, WMV9, Xvid	
Control buttons Bluetooth Keyboard with Stand	Windows button, Power button, volume control button, rotation lock switch, reset switch Some: ThinkPad Tablet 2 Bluetooth Keyboard with Stand (0B47270), 6-row, TrackPoint® pointing device w/ three mouse buttons, landscape stand included, connects system via bluetooth, sealed battery with 30-day battery life, chargeable via micro-USB (one USB to micro-USB cable included)	
Light sensor G-sensor/ eCompass Gyroscope	Ambient Light Sensor, Capella CM3218 3D accelerometer and 3D magnetometer module, STMicroelectronics LSM303DLHC 3-axis gyroscope, STMicroelectronics L3G4200D	
Platform Ports	Intel Atom Z2760 SoC (System on Chip) platform One USB 2.0, one micro-USB 2.0 (only for power supply / charging), one mini-HDMI, headphone/microphone combo jack, one ThinkPad Tablet 2 Dock connector	
WLAN ⁴ WWAN Carrier GNSS Bluetooth™ NFC	11a/b/g/n ²⁸ wireless, ThinkPad 11a/b/g/n, 1x1, WiFi + Bluetooth combo chip Some: Wireless WAN, Qualcomm [®] Gobi [™] 4000 chipset, LTE (4G), WCDMA/HSPA/HSPA+ Some: AT&T [®] LTE (4G), contract required with service provider Global Navigation Satellite System Bluetooth 4.0 wireless, integrated in WiFi + Bluetooth combo chip Some: Near Field Communication, easy for two devices to communicate with each other	
Dimensions ³ Weight ²	10.34" x 6.48" x 0.39"; 262.6mm x 164.6mm x 9.8mm WiFi only: from 1.26 lb (0.57kg); WiFi + Digitizer Pen: from 1.30 lb (0.59kg); WiFi + Digitizer Pen + WWAN: from 1.35 lb (0.61kg) Black	10-watt AC adapter (via micro-USB) GREENGUARD® certified RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support
Case material	Magnesium frame, PolyCarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) cover	during the warranty period ¹²
Battery - type Battery - life ¹⁰	Lithium Polymer, 30Whr up to 25 days (standby); up to 150 hr (MP3 playback); up to 10 hr (web browsing with flash); up to 10 hr (local video playback)	For compatible accessories, please go to O-Tablet-2 sheet; For Lenovo service ²² upgrade options,
Limited Warrantv	¹² 1-year - depot repair service / service upgrades ²² available	please go to S-Tablet sheet

See footnotes for more detailed information US model(s) announced April 30, 2013

© Lenovo (CLT1-3) June 2013

ThinkPad Tablet 2 (3682)

Product Specifications Reference (PSREF)

		Widescreen			Tablet	Front/	Bluetooth Keyboard	WLAN	PCle Mini Card		Global (G) Blue- GMP				Ann Date
Type-model	Processor	Memory	display	Storage	Pen	Rear (MP)	w/ Stand	802.11	WWAN	Carrier	NFC	tooth	(P)	Preload	(mm/yy)
3682-28U	Atom Z2760	2GB	10.1" HD	64G	Pen	2.0/8.0	None	11a/b/g/n ²⁸	None	None	None	BT	G	Win8 Pro32	10/12
3682-29U	Atom Z2760	2GB	10.1" HD	64G	Pen	2.0/8.0	None	11a/b/g/n	None	None	NFC	BT	G	Win8 Pro32	10/12
3682-22U	Atom Z2760	2GB	10.1" HD	64G	Pen	2.0/8.0	None	11a/b/g/n	Gobi 4000	AT&T	NFC	BT		Win8 Pro32	12/12
3682-2AU	Atom Z2760	2GB	10.1" HD	64G	Pen	2.0/8.0	None	11a/b/g/n	Gobi 4000	AT&T	NFC	BT		Win8 Pro32	12/12

Positioning	Touchscreen tablet for on-the-go business	Preloaded operating system ²⁰
Processor	Intel [®] Atom [™] Processor Z2760 (2 cores, 1.80GHz, 1MB cache), LPDDR2 memory controller (800MHz), HT technology	 Windows[®] 8 Pro 32-bit Preloaded applications¹⁴ (only some
Memory	2GB / 800MHz LPDDR2, mobile DDR / soldered to systemboard, no sockets	listed)
Storage Storage extension	32GB or 64GB / eMMC (embedded Multi Media Card) flash memory on board One microSD Card slot, supports up to 32GB	 Lenovo[®] Settings Lenovo Support Lenovo Companion
Graphics	PowerVR™ SGX545 graphics in Intel Atom SoC,	 Lenovo QuickSnip
Display Tablet pen	supports 1080p video out via mini-HDMI™ connector, HDCP-compliant 10.1" (256.5mm) HD (1366x768) TFT color, anti-reflective display with infinity AGC Dragontrail™ Glass, LED backlight, 400 nits, 16:9 aspect ratio, 500:1 contrast ratio, IPS, WideView (170° viewing), MultiTouch screen supports five-finger gesture ThinkPad Tablet 2 Digitizer Pen (0A33899), supports hover, tip, and pressure modes / a button for selection / no batteries required *The models without Tablet Pen can not support pen input function via optional ThinkPad Tablet 2 Digitizer Pen (0A33899)	 AT&T[®] All Access Lenovo Cloud Storage by SugarSync Password Manager Norton[™] Internet Security 2012 (30 days of virus definitions) ThinkVantage System Update AccuWeather Evernote[®]
Camera Video capture	Front camera: 2.0-megapixel, fixed focus Rear camera: 8.0-megapixel, auto focus, flash LED 720p video capture	 Nitro PDF Skype[™] Amazon Kindle
Audio support	Realtek [®] ALC5642 codec / stereo speakers, 0.5 watt x 2 / dual array digital microphone, combo audio/microphone jack	
Media capable	Audio formats: MP3, AAC, AAC+, eAAC+, WAV, PCM, WMA Video formats: MPEG-4, H.263, H.264, VC-1, WMV9, Xvid	
Control buttons Bluetooth Keyboard with Stand	Windows button, Power button, volume control button, rotation lock switch, reset switch Some: ThinkPad Tablet 2 Bluetooth Keyboard with Stand (0B47270), 6-row, TrackPoint® pointing device w/ three mouse buttons, landscape stand included, connects system via bluetooth, sealed battery with 30-day battery life, chargeable via micro-USB (one USB to micro-USB cable included)	
Light sensor G-sensor/ eCompass Gyroscope	Ambient Light Sensor, Capella CM3218 3D accelerometer and 3D magnetometer module, STMicroelectronics LSM303DLHC 3-axis gyroscope, STMicroelectronics L3G4200D	
Platform Ports	Intel Atom Z2760 SoC (System on Chip) platform One USB 2.0, one micro-USB 2.0 (only for power supply / charging), one mini-HDMI, headphone/microphone combo jack, one ThinkPad Tablet 2 Dock connector	
WLAN ^₄ WWAN Carrier GNSS Bluetooth™ NFC	11a/b/g/n ²⁸ wireless, ThinkPad 11a/b/g/n, 1x1, WiFi + Bluetooth combo chip Some: Wireless WAN, Qualcomm [®] Gobi™ 4000 chipset, LTE (4G), WCDMA/HSPA/HSPA+ Some: AT&T [®] LTE (4G), contract required with service provider Global Navigation Satellite System Bluetooth 4.0 wireless, integrated in WiFi + Bluetooth combo chip Some: Near Field Communication, easy for two devices to communicate with each other	
Dimensions ³ Weight ² Case color	10.34" x 6.48" x 0.39"; 262.6mm x 164.6mm x 9.8mm <i>WiFi only:</i> from 1.26 lb (0.57kg); <i>WiFi + Digitizer Pen:</i> from 1.30 lb (0.59kg); <i>WiFi + Digitizer Pen + WWAN:</i> from 1.35 lb (0.61kg) Black Magneticum from a Dely Contenante (Appelonity) a Dely Contenante (DC (ABS)) aguer	10-watt AC adapter (via micro-USB) GREENGUARD® certified RoHS-compliant International Warranty Service ¹⁷ 24 hour x 7 day ¹⁸ toll-free support during the warranty period ¹²
Case material	Magnesium frame, PolyCarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) cover	
Battery - type Battery - life ¹⁰	Lithium Polymer, 30Whr up to 25 days (standby); up to 150 hr (MP3 playback); up to 10 hr (web browsing with flash); up to 10 hr (local video playback)	For compatible accessories, please go to O-Tablet-2 sheet; For Lenovo service ²² upgrade options.
Limited Warranty ¹²	² 1-year - depot repair service / service upgrades ²² available	please go to S-Tablet sheet

See footnotes for more detailed information US model(s) announced October 23 or December 18, 2012 US model(s) withdrawn effective February 2013

© Lenovo (CLT1-2) June 2013

ThinkPad Tablet 2 Accessories

ThinkPad Tablet Expansion ThinkPad Tablet 2 Dock	0B47109	ann	10/23/12
Keyboard ThinkPad Tablet 2 Bluetooth Keyboard with Stand	0B47270	ann	10/23/12
Multimedia ThinkPad In-Ear Headphones with microphone	57Y4488	ann	01/07/10
TabletThinkPad Tablet 2 Digitizer Pen73 The ThinkPad Tablet 2 models without Tablet Pen capen input function via ThinkPad Tablet 2 Digitizer Per	0A33899 n not supp n (0A3389	ort	10/23/12
Security 3M ThinkPad Tablet 2 Privacy Filter (landscape) 3M ThinkPad Tablet 2 Privacy Filter (portrait) 3M ThinkPad Tablet 2 Privacy Filter (4-way) 3M ThinkPad Tablet 2 Anti-glare Matte Removable Film	0C33167 0C33168 0C33170 0C33169	ann ann	10/23/12 10/23/12
Power Adapters ThinkPad Tablet 2 AC Charger ThinkPad Tablet DC Charger ThinkPad 65W AC Adapter ⁶⁶ ⁶⁶ Attachment via the <i>ThinkPad Tablet 2 Dock 0B4710</i>	0A36247 40Y7696 9		10/23/12 08/16/11 01/05/06
More info at www.lenovo.com/support/poweradapter	'S		
Carrying Cases ThinkPad Tablet 2 Fitted Sleeve ⁷¹ ⁷¹ ThinkPad Tablet 2 Fitted Sleeve perfectly fits the Thi ThinkPad Tablet 2 Bluetooth Keyboard with Stand 0 ThinkPad 11W Sling Case ThinkPad Tablet 2 Slim Case - Black ThinkPad Tablet 2 Slim Case - Red	nkPad Tabl	et 2 a ann ann	08/16/11 10/23/12
More information at www.lenovo.com/support/cases Lenovo luxury cases at www.lenovoluxurycases.com		c	
Monitor Accessories ⁴⁶ ThinkPad Tablet 2 VGA Adapter ⁴⁶ Compatible on selected Lenovo and ThinkVision mo		ann	10/23/12
More information at www.lenovo.com/support/monitorad	ccessories		
For more information on accessories: www.lenovo.com/accessories Purchase Lenovo accessories			
www.lenovo.com/support/accessories Product specifications on Lenovo Support			
www.lenovo.com/accessoriesguide Option Compatibility Matrix (OCM) and accessory bro	chures		
www.lenovoquickpick.com An Options Compatibility Configurator for Lenovo system	ems		

Product Specifications Reference (PSREF)