


OVERVIEW



1. Power button	8. HDMI 1.4b
2. Headphone / microphone combo jack (3.5mm)	9. VGA
3. USB-C 3.2 Gen 1	10. 2x USB 2.0
4. 2x USB 3.2 Gen 1	11. Ethernet (RJ-45)
5. Card reader	12. 2x USB 2.0
6. Optical drive *	13. Power connector
7. Line-out (3.5mm)	

Notes:

• Ports with * are only available on selected models



PERFORMANCE

Processor

Processor Family

Intel® Celeron®, Intel Pentium®, or 10th Generation Intel Core™ i3 / i5 / i7 Processor

Operating System

Operating System**

- Windows® 10 Pro 64
- · Windows 10 Home 64
- Windows 10 Home 64 Single Language
- No operating system

Monitor Support

Monitor Support

Supports up to 2 independent displays via onboard ports (VGA and HDMI®), more displays support via discrete graphics

Chipset

Chipset

Intel B460 chipset

Memory

Max Memory[1]

Up to 32GB DDR4-2933

Memory Slots

Two DDR4 UDIMM slots, dual-channel capable

Memory Type^[2]

DDR4-2933

Memory Protection

Non-ECC

Notes:

- 1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.
- 2. Installed memory is actually 2933MHz, but may run at 2666MHz or 2933MHz depending on the memory support capability of processor

Storage

Storage Support[1]

Up to two drives, 1x 3.5" HDD + 1x M.2 SSD

- 3.5" HDD up to 2TB
- M.2 SSD up to 1TB
- Optional Intel Optane™ Memory or Optane Memory Integrated with SSD, M.2

Storage Type***

Disk Type	Interface	RPM	Security
3.5" SATA HDD	SATA 6Gb/s	7.2K	-
M.2 2242 SSD	PCIe® NVMe®	-	-
M.2 2280 SSD	PCIe NVMe	-	-
Intel Optane Memory	PCIe NVMe	-	-
Intel Optane Memory with Solid State Storage, M.2 2280	PCIe NVMe, PCIe 3.0 x4	-	-

RAID

No support

Notes:



1. The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.

Removable Storage

Optical

- DVD burner (DVD±RW), SATA 1.5Gb/s, slim (9.0mm)
- None

Card Reader

- 3-in-1 card reader (SD, SDHC, SDXC)
- · No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC222-CG codec

Speakers

No speakers

Power Supply

Power Supply**

Power	Туре	Efficiency	Key Features
260W	Fixed	85%	100-240V, 50-60Hz
310W	Fixed	92%	100-240V, 50-60Hz
380W	Fixed	92%	100-240V, 50-60Hz

DESIGN

Input Device

Keyboard

- Lenovo Calliope Keyboard (USB connector), black
- No keyboard folio

Mouse

Lenovo Calliope Mouse (USB connector), black

Mechanical

Form Factor

Tower (13.6L)

Dimensions (WxDxH)

145 x 284.6 x 340 mm (5.71 x 11.2 x 13.39 inches)

Packaging Dimensions (WxDxH)

240 x 395 x 530 mm (9.45 x 15.55 x 20.87 inches)

Weight

5.4 kg (11.9 lbs)

Packaging Weight

All models: 14.7 kg (32.4 lbs)

Case Color**

- Mineral grey
- Raven black

Bays

- 1x 2.5" disk bay
- 1x 3.5" disk bay
- 1x slim ODD bay

Expansion Slots

IdeaCentre 5 14IMB05



- One PCIe 3.0 x1, full height
- One PCIe 3.0 x16, full height
- Two M.2 slots (one for WLAN, one for SSD)

Cooling System (Fan & Cooler)

(Optional) 1x front system fan, 1x rear system fan

CONNECTIVITY

Network

Onboard Ethernet

Gigabit Ethernet, 1x RJ-45

WLAN + Bluetooth®**[1]

- 802.11ac 2x2 Wi-Fi® + Bluetooth 5.0, M.2 card
- Wi-Fi 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.0, M.2 card
- No WLAN and Bluetooth

Notes:

1. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitation

Ports^[1]

Front Ports

- 2x USB 3.2 Gen 1
- 1x USB-C[®] 3.2 Gen 1 (support data transfer and 5V@3A charging)
- 1x headphone / microphone combo jack (3.5mm)

Optional Front Ports

1x card reader

Rear Ports[2]

- 4x USB 2.0
- 1x VGA
- 1x HDMI 1.4b
- 1x Ethernet (RJ-45)
- 1x line-out (3.5mm)

Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s

2. For video ports on discrete graphics, please see graphics section

SECURITY & PRIVACY

Security

BIOS Security

- Administrator password
- · Power-on password
- Hard disk password

SERVICE

Warranty

Base Warranty**[1]

- 1-year courier or carry-in service
- · 1-year mail-in service

IdeaCentre 5 14IMB05



- 1-year limited onsite service
- 2-year courier or carry-in service
- OB

Notes:

1. More information of warranty policy, please access https://pcsupport.lenovo.com/warranty.

ENVIRONMENTAL

Operating Environment

Temperature

Storage: -40°C (-40°F) to 60°C (140°F)

Humidity

Operating: 20% to 80%Storage: 10% to 90%

Altitude

Operating: 0 m (0 ft) to 3048 m (10,000 ft)
Storage: 0 m (0 ft) to 12192 m (40,000 ft)

CERTIFICATIONS

Green Certifications

Green Certifications

- (Optional) ENERGY STAR® 8.0
- ErP Lot 3
- · RoHS compliant
- Feature with ** means that only one offering listed under the feature is configured on selected models.
- Feature with *** means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
 responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
 WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
 OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
 disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
 you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.













