

# **OVERVIEW**



1. Power connector	5. 2x USB 2.0
2. HDMI 1.4	6. Power button
3. 2x USB 3.2 Gen 1	7. Headphone / microphone combo jack (3.5mm)
4. Ethernet (RJ-45)	8. Optical drive eject button



## **PERFORMANCE**

### **Processor**

## **Processor Family**

AMD Ryzen™ 3 / 5 / 7 Processor

### Processor\*\*

10000001								
Processor Name	Processor Name   Cores   Threads		Base Frequency	Max Frequency Cache		Memory Support	Processor Graphics	
AMD Ryzen™ 3 5300U	n <sup>™ 3</sup> 4 8 2.6GHz		2.6GHz	3.8GHz	2MB L2 / 4MB L3	DDR4-3200	AMD Radeon™ Graphics	
AMD Ryzen™ 3 5425U	4	8	2.7GHz	4.1GHz	2MB L2 / 8MB L3	DDR4-3200	AMD Radeon™ Graphics	
AMD Ryzen™ 3 7330U	4	8	2.3GHz	4.3GHz	2MB L2 / 8MB L3	DDR4-3200	AMD Radeon™ Graphics	
AMD Ryzen™ 5 5500U	6	12	2.1GHz	4.0GHz	3MB L2 / 8MB L3	DDR4-3200	AMD Radeon™ Graphics	
AMD Ryzen™ 5 5625U	6	12	2.3GHz	4.3GHz	3MB L2 / 16MB L3	DDR4-3200	AMD Radeon™ Graphics	
AMD Ryzen™ 5 7430U	6	12	/   1/2 S(3H2   1/1 S(3H2		3MB L2 / 16MB L3	DDR4-3200	AMD Radeon™ Graphics	
AMD Ryzen™ 5 7530U	6	12	2.0GHz	4.5GHz	3MB L2 / 16MB L3	DDR4-3200	AMD Radeon™ Graphics	
AMD Ryzen™ 7 5700U	8	16	1.8GHz	4.3GHz	4MB L2 / 8MB L3	DDR4-3200	AMD Radeon™ Graphics	
AMD Ryzen™ 7 5825U	8	16	2.0GHz	4.5GHz	4MB L2 / 16MB L3	DDR4-3200	AMD Radeon™ Graphics	
AMD Ryzen™ 7 7730U	8	16	2.0GHz	4.5GHz	4MB L2 / 16MB L3	DDR4-3200	AMD Radeon™ Graphics	

# **Operating System**

### Operating System\*\*

- Windows® 11 Home
- Windows® 11 Home Single Language
- Windows® 10 Home 64
- Windows® 10 Home 64 Single Language
- No preload operating system

## **Graphics**

# **Graphics**

Graphics	Туре	Memory	Max Resolution	Connector	Key Features
AMD Radeon™ Graphics	Integrated	Shared	1920x1080@60Hz(HDMI®)	1x HDMI® 1.4	DirectX® 12

## **Monitor Support**

## **Monitor Support**

Supports up to 2 independent displays via native display and 1 external monitor; supports external monitor via HDMI®

## Chipset

### Chipset

AMD SoC (System on Chip) platform

# **Memory**

## Max Memory[1]

Up to 16GB DDR4-3200

**Memory Slots** 

## IdeaCentre AIO 3 27ALC6



Two DDR4 SODIMM slots, dual-channel capable

### **Memory Type**

DDR4-3200

### **Memory Protection**

Non-ECC

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

## **Storage**

### Max Storage Support[1][2]

Up to two drives, 1x 2.5" HDD + 1x M.2 SSD

- 2.5" HDD up to 1TB
- M.2 SSD up to 512GB

### Storage Type\*\*\*

Disk Type	Interface	RPM
2.5" SATA HDD	SATA 6Gb/s	5.4K
M.2 2242 SSD	PCIe® NVMe®	-
M.2 2280 SSD	PCIe® NVMe®	-

### **RAID**

No support

Notes:

[1] The max capacity of each disk type is based on the test results with current Lenovo® storage offerings.

[2] 2.5" HDD bracket kit only comes with pre-configured HDD models.

## **Removable Storage**

## **Optical**

- DVD burner (DVD±RW), SATA 1.5Gb/s, slim (9.0mm)
- None

#### Card Reader

No card reader

## Multi-Media

## **Audio Chip**

High Definition (HD) Audio, Realtek® ALC233 codec

### **Speakers**

Stereo speakers, 3W x2, Audio by HARMAN

### Microphone

Dual-microphone array

### Camera\*\*

- IR & 5.0-megapixel, fixed focus
- 5.0-megapixel, fixed focus
- No camera

# **Power Supply**

## Power Supply\*\*

Power	Type	Efficiency	Key Features
90W	Adapter	89%	100V - 240V
90W	Adapter	88%	100V - 240V

## **DESIGN**



## **Display**

## Display\*\*[1]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle (L/R/U/D)	Key Features
27"	FHD (1920x1080)	Multi- touch	IPS	250nits	Anti- glare	16:9	1000:1	-	horizontal: +/- 89°, vertical: +/- 89°	Borderless
27"	FHD (1920x1080)	Multi- touch	IPS	300nits	Anti- glare	16:9	1000:1	99% sRGB	horizontal: +/- 89°, vertical: +/- 89°	Borderless
27"	FHD (1920x1080)	Non- touch	IPS	250nits	Anti- glare	16:9	1000:1	-	horizontal: +/- 89°, vertical: +/- 89°	Borderless

### **Touchscreen**

- Advanced In-cell Touch (AIT), supports 10-point touch
- · Non-touch

#### Notes:

[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

## **Input Device**

## Keyboard\*\*

- Lenovo® Calliope Keyboard (USB connector), black
- Lenovo® Calliope Keyboard (USB connector), white
- Lenovo® Calliope Wireless Keyboard, black
- Lenovo® Calliope Wireless Keyboard, silver
- Lenovo® Calliope Wireless Keyboard, white
- Wireless EOS Keyboard, black
- · Wireless EOS Keyboard, white

### Mouse\*\*

- Lenovo® Calliope Mouse (USB connector), black
- Lenovo® Calliope Mouse (USB connector), white
- Lenovo® Calliope Wireless Mouse (2.4GHz via USB receiver), black
- Lenovo® Calliope Wireless Mouse (2.4GHz via USB receiver), white

## Mechanical

## **Buttons**

- · Optical drive eject button (ODD models only)
- Power button

#### Form Factor

AIO (27 inches)

### Dimensions (WxDxH)[1]

613.1 x 200 x 472.91 mm (24.14 x 7.87 x 18.62 inches)

### Packaging Dimensions (WxDxH)

232 x 763 x 570 mm (9.13 x 30.03 x 22.44 inches)

### Weight<sup>[2]</sup>

8.77 kg (19.33 lbs)

### **Packaging Weight**

All models: 11.72 kg (25.83 lbs)

### Case Color\*\*

- Black
- White

## Bays\*\*

- 1x 2.5" disk bay
- · 1x slim ODD bay

### **Expansion Slots**



Two M.2 slots (one for WLAN, one for SSD)

#### **Stand**

- Monitor stand, supports -5° to +25° tilt
- AIO stand

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

## CONNECTIVITY

#### **Network**

### WLAN + Bluetooth®\*\*[1]

- Wi-Fi® 5, 802.11ac 2x2 Wi-Fi® + Bluetooth® 5.1, M.2 card
- Wi-Fi® 6, 802,11ax 2x2 Wi-Fi® + Bluetooth® 5,2, M,2 card[2]

#### **Onboard Ethernet**

Gigabit Ethernet, 1x RJ-45

### Notes:

[1] Wi-Fi® operation (including Wi-Fi® 6, Wi-Fi® 6E, Wi-Fi® 7, etc.) is subject to the regulatory requirements of each country. Bluetooth® may operate at a lower version than hardware design depending on the factors such as operating system, driver, etc.

[2] Bluetooth® 5.2 requires Windows® 11.

### Ports<sup>[1]</sup>

# Rear Ports

- 2x USB 2.0
- 2x USB 3.2 Gen 1
- 1x HDMI® 1.4
- 1x Ethernet (RJ-45)
- 1x power connector

### **Bottom Ports**

1x headphone / microphone combo jack (3.5mm)

#### Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4® 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

Thunderbolt<sup>™</sup> 5: 80 Gbit/s (bidirectional), up to 120 Gbit/s in bandwidth boost mode for video-intensive applications.

## **SECURITY & PRIVACY**

## **Security**

### **BIOS Security**

- · Administrator password
- Hard disk password
- · Power-on password
- More BIOS security features, please visit <u>BIOS Simulator</u>[1]



#### Notes:

[1] The BIOS simulator is just for reference. Default settings and some options may vary depending on the hardware, operating system and BIOS version.

## **SERVICE**

## Warranty<sup>[1]</sup>

## Base Warranty\*\*

- 1-year mail-in service
- 1-year courier or carry-in service
- 1-year limited onsite service
- 2-year courier or carry-in service
- 3-year courier or carry-in service

#### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://support.lenovo.com/warrantylookup/warrantypolicy">https://support.lenovo.com/warrantylookup/warrantypolicy</a>.

## OPERATING REQUIREMENTS

## Operating Environment

### **Temperature**

 Operating: 5°C (41°F) to 35°C (95°F) Storage: -20°C (-4°F) to 60°C (140°F)

### **Relative Humidity**

 Operating: 20% to 80% • Storage: 10% to 90%

#### **Altitude**

 Operating: 0 m (0 ft) to 3048 m (10,000 ft) Storage: 0 m (0 ft) to 12192 m (40,000 ft)

## **CERTIFICATIONS**

### 

### **Green Certifications**

- **ENERGY STAR® 8.0**
- ErP Lot 3/7
- RoHS compliant

### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or selfdeclaration. For ESG & regulatory compliance documents, please visit https://compliance.lenovo.com.

- Feature with \*\* means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Feature with \*\*\* means that one or more options listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- · Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without



notice.













