

# **OVERVIEW**



1. 2x USB 3.2 Gen 1	7. 2x USB 2.0
2. Headphone (3.5mm)	8. Ethernet (RJ-45)
3. Microphone (3.5mm)	9. 3x Audio line-out (3.5mm)
4. Power button	10. Optional ports on expansion cards
5. 2x USB 3.2 Gen 1	11. Power connector
6. USB-C 3.2 Gen 2	



## **PERFORMANCE**

### **Processor**

### **Processor Family**

10th Generation Intel® Core™ i5 / i7 or 11th Generation Intel® Core™ i5 / i7 / i9 Processor

### Processor\*\*[1]

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Core™ i5-10400	6	12	2.9GHz	4.3GHz	12MB	DDR4-2666	Intel® UHD Graphics 630
Core™ i5-10400F	6	12	2.9GHz	4.3GHz	12MB	DDR4-2666	-
Core™ i7-10700	8	16	2.9GHz	4.8GHz	16MB	DDR4-2933	Intel® UHD Graphics 630
Core™ i7-10700F	8	16	2.9GHz	4.8GHz	16MB	DDR4-2933	-
Core™ i5-11400	6	12	2.6GHz	4.4GHz	12MB	DDR4-3200	Intel® UHD Graphics 730
Core™ i5-11400F	6	12	2.6GHz	4.4GHz	12MB	DDR4-3200	-
Core™ i5-11500	6	12	2.7GHz	4.6GHz	12MB	DDR4-3200	Intel® UHD Graphics 750
Core™ i5-11600	6	12	2.8GHz	4.8GHz	12MB	DDR4-3200	Intel® UHD Graphics 750
Core™ i7-11700	8	16	2.5GHz	4.9GHz	16MB	DDR4-3200	Intel® UHD Graphics 750
Core™ i7-11700F	8	16	2.5GHz	4.9GHz	16MB	DDR4-3200	-
Core™ i9-11900	8	16	2.5GHz	5.2GHz	16MB	DDR4-3200	Intel® UHD Graphics 750
Core™ i9-11900F	8	16	2.5GHz	5.2GHz	16MB	DDR4-3200	-

#### Notes:

[1] Intel® UHD Graphics in processor is disabled.

Intel® Max Turbo frequency will vary depending on application workload and the hardware and software configurations, see http://www.intel.com/technology/turboboost/ for more information.

# **Operating System**

## Operating System\*\*

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- Windows® 10 Pro 64
- Windows® 10 Home 64
- Windows® 10 Home 64 Single Language
- No operating system

### **Graphics**

### Graphics\*\*[1]

Graphics	Туре	Memory	Connector	Max Resolution	Key Features
NVIDIA® GeForce GTX 1650 SUPER	Discrete	4GB GDDR6	1x HDMI® 2.0b, 2x DP 1.4	7680x4320 @60Hz(DP), 4096x2160@60Hz(HDMI®)	DirectX® 12
NVIDIA® GeForce GTX 1660 SUPER	Discrete	6GB GDDR6	1x DVI, 1x HDMI® 2.0b, 1x DP 1.4	4096x2160@60Hz(HDMI®), 5120x3200@60Hz(DP), 2560x1660@60Hz(DVI)	DirectX® 12
NVIDIA® GeForce RTX™ 3050	Discrete	8GB GDDR6	1x HDMI® 2.1 FRL, 3x DP 1.4a	7680x4320@60Hz(HDMI®), 7680x4320@120Hz(DP)	DirectX® 12, OpenGL 4.6
NVIDIA® GeForce RTX™ 3060	Discrete	12G GDDR6	3x DP 1.4a, 1x HDMI® 2.1 FRL	7680x4320@60Hz(HDMI®), 7680x4320@60Hz(DP)	DirectX® 12
NVIDIA® GeForce RTX™ 3060 Ti	Discrete	8G GDDR6	3x DP 1.4a, 1x HDMI® 2.1 FRL	7680x4320@60Hz(HDMI®), 7680x4320@60Hz(DP)	DirectX® 12
NVIDIA® GeForce RTX™ 3070	Discrete	8G GDDR6	3x DP 1.4a, 1x HDMI® 2.1	7680x4320@60Hz(HDMI®); 7680x4320@60Hz(DP)	DirectX® 12



Notes:

[1] The information of integrated graphics are not applicable for the models with processor which has no integrated graphics inside (for the details, please refer to processor section).

## **Monitor Support**

### **Monitor Support**

Supports up to 4 independent displays via discrete graphics

### **Chipset**

#### Chipset

Intel® B560 chipset

#### Memory

Max Memory[1]

Up to 128GB DDR4-3200

#### **Memory Slots**

Four DDR4 UDIMM slots, dual-channel capable

#### Memory Type\*\*

- DDR4-3200
- DDR4-3200, Armor

#### **Memory Protection**

Non-ECC

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

### **Storage**

### Storage Support[1][2]

Up to five drives, 2x 3.5" HDD + 2x M.2 SSD + 1x open 2.5 HDD Bay

- 3.5" HDD up to 2TB each
- M.2 SSD up to 1TB each

### Storage Type\*\*\*

Disk Type	Interface	RPM
3.5" SATA HDD	SATA 6Gb/s	7.2K
M.2 2280 SSD	PCle® NVMe®, PCle® 3.0 x4	-
M.2 2280 SSD	PCle® NVMe®, PCle® 4.0 x4	-

### **RAID**

No support

Notes:

- [1] The max capacity of each disk type is based on the test results with current Lenovo® storage offerings.
- [2] 2.5" HDD bay is for customer self upgrade purpose and the hard drive is sold separately.

### Removable Storage

**Optical** 

None

**Card Reader** 

No card reader

### Multi-Media

## **Audio Chip**

High Definition (HD) Audio, Realtek® ALC887 codec



#### **Speakers**

No speakers

## **Power Supply**

### Power Supply\*\*

Power	Туре	Efficiency	Key Features
350W	Fixed	85%	100-240V, 50-60Hz
400W	Fixed	90%	100-240V, 50-60Hz
550W	Fixed	88%	220V
650W	Fixed	90%	100V - 240V

## **DESIGN**

## **Input Device**

#### Keyboard

- Lenovo® Calliope Keyboard (USB connector), black
- · No keyboard

#### Mouse

- Lenovo® Calliope Mouse (USB connector), black
- No mouse

#### Mechanical

#### **Form Factor**

Tower (26L)

#### Dimensions (WxDxH)[1]

205 x 396 x 411 mm (8.1 x 15.6 x 16.2 inches)

## Packaging Dimensions (WxDxH)

370 x 485 x 550 mm (14.57 x 19.09 x 21.65 inches)

#### Weight<sup>[2]</sup>

14 kg (30.86 lbs)

#### **Packaging Weight**

All models: Around 16 kg (35.27 lbs)

### Case Color

Black

### Chassis\*\*

- · Normal side cover
- Transparent side cover
- · Transparent side cover and inner decorate cover

### Bays

- 1x 2.5" disk bay
- 2x 3.5" disk bay

## **Expansion Slots**

- One PCle® 4.0 x16
- One PCle® 3.0 x4
- Three M.2 slots (one for WLAN, two for SSD)

#### Cooling System (Fan & Cooler)\*\*\*

- (Optional) 1x front system fan, 1x rear system fan
- (Optional) 1x rear system fan with ARGB
- (Optional) 1x rear system fan
- (Optional) 2x top system fan for airflow with ARGB, 2x front system fan with ARGB, 1x rear system fan for airflow with ARGB
- (Optional) 2x front system fan with ARGB, 1x rear system fan for airflow with ARGB
- (Optional) 65W basic cooler, 95W advance cooler, 150W premium cooler

# Legion T5 26IOB6



- (Optional) M.2 SSD heatsink or M.2. SSD DECO MYLAR heatsink
- (Optional) CPU VRM heatsink
- (Optional) PCH heatsink

### System Lighting\*\*\*

- · (Optional) Internal ambient lighting
- · Legion OY iconic LED

#### Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

## CONNECTIVITY

#### **Network**

#### **Onboard Ethernet**

Gigabit Ethernet, Realtek® RTL8111H, 1x RJ-45

#### WLAN + Bluetooth®

Wi-Fi® 6, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.1, M.2 card[1]

#### Notes:

[1] Bluetooth® 5.2 is hardware ready but may run at a lower version due to OS limitations.

#### Ports<sup>[1]</sup>

#### Rear Ports[2]

- 1x USB-C<sup>®</sup> 3.2 Gen 2 (support data transfer and 5V@3A charging)
- 2x USB 2.0
- 2x USB 3.2 Gen 1
- 1x Ethernet (RJ-45)
- 1x power connector
- 3x audio out (5.1 channel)

### **Top Ports**

- 2x USB 3.2 Gen 1
- 1x headphone (3.5mm)
- 1x microphone (3.5mm)

#### Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4® 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

[2] For video ports on discrete graphics, please see graphics section.

### **SECURITY & PRIVACY**

### **Security**

### **BIOS Security**

- · Administrator password
- Power-on password

## **SERVICE**



## **Warranty**<sup>[1]</sup>

#### Base Warranty\*\*

- 1-year mail-in service
- 1-year courier or carry-in service
- 1-year limited onsite service
- 2-year courier or carry-in service
- 3-year courier or carry-in service
- OB

#### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://pcsupport.lenovo.com/warranty">https://pcsupport.lenovo.com/warranty</a>.

### **ENVIRONMENTAL**

## **Operating Environment**

#### **Temperature**

Storage: -40°C (-40°F) to 60°C (140°F)

#### Humidity

Operating: 20% to 80%Storage: 10% to 90%

#### Altitude

Operating: 0 m (0 ft) to 3048 m (10,000 ft)
Storage: 0 m (0 ft) to 12192 m (40,000 ft)

### **CERTIFICATIONS**

### 

#### **Green Certifications**

- ENERGY STAR® 8.0 (only available for MT 90RS)
- ErP Lot 3
- · RoHS compliant

#### Notes

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.









intel. intel.



intel



intel





intel. intel.

Legion T5 26IOB6 - April 06 2023