

OVERVIEW



| 1. Power button | 5. 2x USB 3.2 Gen 2 |
|---------------------------------|---------------------|
| 2. Combo audio jack (on bottom) | 6. Ethernet (RJ-45) |
| 3. Power connector | 7. 2x USB 2.0 |
| 4. HDMI-out | |

Notes:

• Items with * are only available on selected models



PERFORMANCE

Processor

Processor Family

11th Generation Intel® Core™ i3 / i5 / i7 Processor

Processor**[1]

| Processor Name | Cores | Threads | Base Frequency | Max Frequency | Cache | Memory Support | Processor Graphics |
|----------------|-------|---------|----------------|-----------------------|-------|----------------|-------------------------|
| Core i3-1115G4 | 2 | 4 | 3.0GHz | 4.1GHz ^[2] | 6MB | DDR4-3200 | Intel UHD Graphics |
| Core i5-1135G7 | 4 | 8 | 2.4GHz | 4.2GHz ^[3] | 8MB | DDR4-3200 | Intel Iris® Xe Graphics |
| Core i5-1155G7 | 4 | 8 | 2.5GHz | 4.5GHz ^[4] | 8MB | DDR4-3200 | Intel Iris Xe Graphics |
| Core i7-1165G7 | 4 | 8 | 2.8GHz | 4.7GHz ^[5] | 12MB | DDR4-3200 | Intel Iris Xe Graphics |

Notes:

[1] Intel Iris Xe Graphics capability requires system to be configured with dual-channel memory. On the system with single-channel memory, Intel Iris Xe Graphics will function as Intel UHD Graphics.

[2], [3], [4], [5] Intel Max Turbo frequency will vary depending on application workload and the hardware and software configurations, see

http://www.intel.com/technology/turboboost/ for more information.

Operating System

Operating System**

- Windows® 11 Home
- Windows 11 Pro
- · No operating system

Graphics

Graphics**

| Graphics | Туре | Memory | Connector | Max Resolution | Key Features |
|---------------------------|------------|--------|--------------|----------------------|--------------|
| Intel UHD Graphics | Integrated | Shared | 1x HDMI® 1.4 | 1920x1080@60Hz(HDMI) | DirectX® 12 |
| Intel Iris Xe Graphics[1] | Integrated | Shared | 1x HDMI 1.4 | 1920x1080@60Hz(HDMI) | DirectX 12 |

Notes:

[1] Intel Iris Xe Graphics capability requires system to be configured with dual-channel memory. On the system with single-channel memory, Intel Iris Xe Graphics will function as Intel UHD Graphics.

Monitor Support

Monitor Support

Supports up to 2 independent displays via native display and 1 external monitor; supports external monitor via HDMI

Chipset

Chipset

Intel SoC (System on Chip) platform

Memory

Max Memory[1]

Up to 16GB DDR4-3200

Memory Slots

Two DDR4 SO-DIMM slots, dual-channel capable

Memory Type

DDR4-3200

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.



Storage

Storage Support[1][2]

Up to two drives, 1x 2.5" HDD + 1x M.2 SSD

- 2.5" HDD up to 1TB
- M.2 2242 SSD up to 512GB
- M.2 2280 SSD up to 512GB

Storage Type***

| Disk Type | Interface | RPM |
|---------------|--------------------------|------|
| 2.5" SATA HDD | SATA 6Gb/s | 5.4K |
| M.2 2242 SSD | PCle® NVMe®, PCle 3.0 x4 | - |
| M.2 2280 SSD | PCIe NVMe, PCIe 3.0 x4 | - |

RAID

No support

Notes:

- [1] The max capacity of each disk type is based on the test results with current Lenovo storage offerings.
- [2] 2.5" HDD bracket kit only comes with pre-configured HDD models.

Removable Storage

Optical

- DVD burner (DVD±RW), SATA connector, slim (9.0mm)
- None

Card Reader

No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC233 codec

Speakers

Stereo speakers, 3W x2, Audio by HARMAN

Microphone**

- Single microphone
- Dual-microphone array

Camera**

- 5.0MP IR pull-up camera, with privacy shutter, LED indicator
- HD 720p pull up camera, with privacy shutter, LED indicator
- No camera

Power Supply

Power Supply

| Power | Type Efficiency | | Key Features | |
|-------|-----------------|-----|--------------|--|
| 90W | Adapter | 89% | Autosensing | |

DESIGN

Display

Display[1]

| | Size | Resolution | Touch | Туре | Brightness | Surface | Aspect Ratio | Contrast Ratio | Color Gamut | | Viewing Angle (L/R/U/D) | Key Features |
|---|-------|--------------------|-------|------|------------|----------------|-----------------|-------------------|----------------|------|----------------------------|------------------|
| 2 | 23.8" | FHD (1920x1080) | None | IPS | 250nits | Anti- glare | 16:9 | 1000:1 | 72% NTSC | 60Hz | 89°/89°/89°/89° | 14ms response |

Lenovo V30a-24ITL AIO



| | | | | Time, 16.7 million color depth, borderless design |
|--|--|--|--|---|
|--|--|--|--|---|

Touchscreen

Non-touch

Notes:

[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

Input Device

Keyboard**

- Lenovo Calliope Keyboard (USB connector), black
- Lenovo Calliope Wireless Keyboard, black

Mouse**

- Lenovo Calliope Mouse (USB connector), black
- Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black
- No mouse

Mechanical

Buttons

- · Optical drive eject button (ODD models only)
- Power button

Form Factor

AIO (24 inches)

Dimensions (WxDxH)[1]

| Models | Dimensions |
|---------------------------|---|
| Models with monitor stand | 541 x 214 x 433.5 mm (21.3 x 8.4 x 17.1 inches) |

Packaging Dimensions (WxDxH)

695 x 196 x 569 mm (27.36 x 7.72 x 22.40 inches)

Weight^[2]

Around 6.4 kg (14.1 lbs)

Packaging Weight

Around 10.13 kg (22.33 lbs)

Case Color

Raven black

Bays^[3]

- 1x 2.5" disk bay
- 1x slim ODD bay

Expansion Slots

Two M.2 slots (one for WLAN, one for SSD)

Stand

Monitor stand, supports -5° to +25° tilt, left & right 45° swivel

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

 \cite{Model} 2.5" HDD bracket kit only comes with pre-configured HDD models.

CONNECTIVITY



Network

Onboard Ethernet

Gigabit Ethernet, Realtek RTL8111H, 1x RJ-45

WLAN + Bluetooth®**

- Intel Wireless-AC 9560, 802.11ac Dual Band 2x2 Wi-Fi® + Bluetooth 5.0, M.2 card
- Intel Wi-Fi 6 AX201, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card[1]
- Realtek Wi-Fi 6 RTL8852AE, 802.11ax Dual Band 2x2 Wi-Fi + Bluetooth 5.1, M.2 card[2]

Notes:

[1], [2] Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitations.

Ports^[1]

Front Ports

None

Rear Ports

- 2x USB 2.0
- 2x USB 3.2 Gen 2
- 1x HDMI-out
- 1x Ethernet (RJ-45)
- 1x power connector

Top Ports

None

Bottom Ports

1x headphone / microphone combo jack (3.5mm)

Left Ports

None

Optional Left Ports

None

Right Ports

None

Optional Right Ports

None

Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

Monitor Cable

Monitor Cable

No monitor cable

SECURITY & PRIVACY

Security

Security Chip

Firmware TPM 2.0 integrated in SoC

Other Security

Lenovo V30a-24ITL AIO



- · Camera privacy shutter
- None

BIOS Security

- · Administrator password
- Power-on password
- · Hard disk password
- Cover presence switch
- · Intel BIOS guard

SERVICE

Warranty^[1]

Base Warranty**

- 1-year courier or carry-in service
- 1-year limited onsite service

Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to https://smartfind.lenovo.com/. To learn more details of warranty policy, please access https://pcsupport.lenovo.com/warranty.

ENVIRONMENTAL

Operating Environment

Temperature

Operating: 5°C (41°F) to 35°C (95°F)
Storage: -20°C (-4°F) to 60°C (140°F)

Humidity

Operating: 20% to 80%Storage: 10% to 90%

Altitude

Operating: 0 m (0 ft) to 3048 m (10,000 ft)
Storage: 0 m (0 ft) to 12192 m (40,000 ft)

CERTIFICATIONS

Green Certifications

- ErP Lot 3 and Lot 7
- RoHS / WEEE / REACH

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

Other Certifications

Other Certifications

- TÜV Rheinland® Flicker Free
- TÜV Rheinland Low Blue Light
- TÜV Rheinland Low Noise
- Feature with ** means that only one offering listed under the feature is configured on selected models.

Lenovo V30a-24ITL AIO



models.

- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
 responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
 WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
 OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
 disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
 you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.











intel





