

OVERVIEW



1. Power connector	3. DisplayPort 1.2
2. HDMI 1.4	4. Audio-out (3.5mm)

## PERFORMANCE

### Panel

#### Panel

3-side NearEdgeless, VA

#### Backlight

WLED

#### Display Size

31.5 inches

#### Max View Area

WxH: 698.4 x 392.9 mm

#### Resolution

1920 x 1080

#### Aspect Ratio

16:9

#### Pixel Pitch

0.364 x 0.364 mm

#### Dot / Pixel Per Inch

92.5 dpi

#### Brightness

250 cd/m<sup>2</sup>

#### Contrast Ratio

- Contrast Ratio: 3000:1
- Dynamic Contrast Ratio (Typical): 3000000:1

#### View Angle (H / V)

Horizontal: 178°, Vertical: 178°

#### Response Time

- Level 1: 8 ms
- Level 2: 6 ms
- Level 3: 5 ms
- Level 4: 4 ms

#### Refresh Rate

75Hz (HDMI® only)

#### Color Gamut

99% sRGB

#### Color Support

16.7 Million

#### Color Depth

8-bit

#### Screen Surface Treatment

Anti-glare

### Operating System

#### Operating System

- Windows® 11 Support
- Windows® 10 Support

### Power Supply

#### Power Consumption

- Typical / Max: 26.5W / 46W
- Sleep / Off mode: <0.5W
- Switch-off Mode: <0.3W
- Internal Power Supply

**Voltage Required**  
AC 100 to 240 V (50-60Hz)

DESIGN

Mechanical

- Bezel Width**
- Side: 2.0mm
  - Top / Bottom: 2mm / 24mm

**Cable Management**

Support

**Case Color**

Raven black

**Dimensions (WxDxH)<sup>[1]</sup>**

Models	Dimensions
Unpacked with Stand	714.1 x 225.2 x 502.8 mm (28.11 x 8.87 x 19.80 inches)
Unpacked Head Only	714.1 x 50.3 x 426.2 mm (28.11 x 1.98 x 16.78 inches)

**Packaging Dimensions (WxDxH)**

830 x 151 x 528 mm (32.68 x 5.94 x 20.79 inches)

**Weight<sup>[2]</sup>**

Models	Weight
Monitor With Stand	6.3 kg (13.9 lbs)
Monitor Head Only	5.4 kg (11.9 lbs)

**Packaging Weight**

8.9 kg (19.62 lbs)

**Mounting**

Supports VESA mount 100mm

**Stand**

Supports -5° to +22° tilt

**In the Box**

- Monitor with stand
- 1x HDMI® cable (1.8m)
- 1x Power cable (1.8m)
- 2x Screws
- 1x Screw driver
- Quick setup guide
- Warranty booklet

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

CONNECTIVITY

Ports<sup>[1]</sup>

**Rear Ports**

- 1x HDMI® 1.4
- 1x DisplayPort™ 1.2
- 1x Power Connector
- 1x audio-out (3.5mm)

Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4® 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

Thunderbolt™ 5: 80 Gbit/s (bidirectional), up to 120 Gbit/s in bandwidth boost mode for video-intensive applications.

SECURITY & PRIVACY

Security

Physical Locks

Kensington® Security Slot™

SERVICE

Warranty

Base Warranty

- 1-year courier or carry-in service
- 3-year limited warranty

OPERATING REQUIREMENTS

Operating Environment

Temperature

Operating: 0°C to 40°C (32°F to 104°F)

Storage: -20°C to 60°C (-4°F to 140°F)

Relative Humidity

Operating: 8% to 80%

Storage: 5% to 95%

CERTIFICATIONS

Green Certifications<sup>[1]</sup>

Green Certifications

RoHS compliant

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <https://compliance.lenovo.com>.

Other Certifications

Other Certifications

- TÜV Rheinland® Eye Comfort Certification
- TÜV Rheinland® Flicker Free
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to



- you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.

