



OVERVIEW





| 1. Power button | 8. HDMI 2.1 TMDS |
|--|------------------------------|
| 2. USB-C 3.2 Gen 2 (with DP 1.4) | 9. USB 3.2 Gen 1 |
| 3. 2x USB 3.2 Gen 2 | 10. 2x USB 3.2 Gen 1 |
| 4. Headphone / microphone combo jack (3.5mm) | 11. Ethernet (RJ-45) |
| 5. Power connector | 12. Kensington Security Slot |
| 6. DisplayPort 1.4 | 13. Flex IO * |
| 7. USB 3.2 Gen 1 | |

Notes:

• Items with * are only available on selected models



PERFORMANCE

Processor

Processor Family

Intel® Celeron® or 12th Generation Intel® U Series Core i3 / i5 Processor

Processor**[1]

| Processor Name | Cores | Threads | Base Frequency | Max Frequency | Cache | Memory Support | Processor Graphics |
|-------------------|-----------------------------|---------|-----------------------------------|--|----------------------------|-------------------|-----------------------------|
| Celeron® 7305 | 5 (1 P-core + 4 E-core) | 6 | P-core 1.1GHz / E- core 0.9GHz | - | 8MB Intel® Smart Cache | DDR4- 3200 | Intel® UHD Graphics |
| Core i3- 1215U | 6 (2 P-core + 4 E-core) | 8 | P-core 1.2GHz / E- core 0.9GHz | P-core 4.4GHz / E-core 3.3GHz ^[2] | 10MB Intel® Smart Cache | DDR4- 3200 | Intel® UHD Graphics |
| Core i5- 1235U | 10 (2 P-core + 8 E-core) | 12 | P-core 1.3GHz / E- core 0.9GHz | P-core 4.4GHz / E-core 3.3GHz ^[3] | 12MB Intel® Smart Cache | DDR4- 3200 | Intel® Iris® Xe Graphics |

Notes:

[1] Intel® Iris® Xe Graphics capability requires system to be configured with dual-channel memory. On the system with single-channel memory, Intel® Iris® Xe Graphics will function as Intel® UHD Graphics.

[2], [3], [4] Intel® Max Turbo frequency will vary depending on application workload and the hardware and software configurations, see

http://www.intel.com/technology/turboboost/ for more information.

Operating System

Operating System

ChromeOS

Graphics

Graphics**

| Graphics | Туре | Memory | Max Resolution Connector | | Key Features |
|-----------------------------------|------------|--------|--|---|-----------------|
| Intel® UHD Graphics | Integrated | Shared | 4096x2304@60Hz(DP), 4096x2304@60Hz(USB-C® with DP function), 4096x2304@60Hz(HDMI®) | 1x DP 1.4 HBR2, 1x USB-C® with DP 1.4 funcion, 1x HDMI® 2.1 TMDS, 1x optional punch out port (1x HDMI® 2.1 TMDS / 1x DP 1.4) | DirectX® 12 |
| Intel® Iris® Xe Graphics[1] | Integrated | Shared | 4096x2304@60Hz(DP), 4096x2304@60Hz(USB-C® with DP function), 4096x2304@60Hz(HDMI®) | 1x DP 1.4 HBR2, 1x USB-C® with DP 1.4 funcion, 1x HDMI® 2.1 TMDS, 1x optional punch out port (1x HDMI® 2.1 TMDS / 1x DP 1.4) | DirectX® |

Notes:

[1] Intel® Iris® Xe Graphics capability requires system to be configured with dual-channel memory. On the system with single-channel memory, Intel® Iris® Xe Graphics will function as Intel® UHD Graphics.

Monitor Support

Monitor Support

Supports up to 4 independent displays via (onbaord USB-C®, onboard DP, onboard HDMI®, and one optional port [2nd DP / 2nd HDMI®])

Chipset

Chipset

Intel® SoC (System on Chip) platform

Memory

Max Memory[1]

Up to 32GB DDR4-3200

ThinkCentre M60q Chromebox Enterprise



Memory Slots

Two DDR4 SODIMM slots, dual-channel capable

Memory Type

DDR4-3200

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

Storage

Max Storage Support[1]

One drive, up to 256GB M.2 2280 SSD or 64GB eMMC 5.1 on systemboard

Storage Type***

| Disk Type | Interface | |
|-----------------------------|---------------------------|--|
| Flash Memory ^[2] | eMMC 5.1 | |
| M.2 2242 SSD | PCle® NVMe®, PCle® 3.0 x4 | |
| M.2 2280 SSD | PCIe® NVMe®, PCIe® 4.0 x4 | |

RAID

No support

Notes:

- [1] The max capacity of each disk type is based on the test results with current Lenovo® storage offerings.
- [2] EMMC is pre-configured, not upgradable.

Removable Storage

Optical

None

Card Reader

No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC5682I codec

Speakers

No speakers

Microphone

No microphone

Camera

No camera

Power Supply

Power Supply**

| Power | Туре | Efficiency | Key Features |
|-------|---------|------------|--------------|
| 65W | Adapter | 89% | Autosensing |
| 90W | Adapter | 89% | Autosensing |

DESIGN

Input Device

Keyboard

- · Chrome USB Keyboard, black
- No keyboard



Mouse

- · No mouse
- USB Calliope Mouse, black

Mechanical

Form Factor

Tiny (1L)

Dimensions (WxDxH)[1]

178 x 182 x 34 mm (7 x 7.16 x 1.33 inches)

Packaging Dimensions (WxDxH)

140 x 485 x 270 mm (5.51 x 19.1x 10.6 inches)

Weight^[2]

Around 1.07 kg (2.35 lbs)

Packaging Weight

Around 2.95 kg (6.5 lbs)

Case Color

Raven black

Bays

No bays

Expansion Slots

- One M.2 slot (for WLAN, models with Celeron® processor)
- Two M.2 slots (one for WLAN, one for SSD)

FOU

(Optional) Toolless cover and stand assembly / removal

Stand

- · Vertical stand
- No stand

Mounting

- · Supports VESA mount 100mm
- None

Others

(Optional) Power adapter cage

Notes

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

CONNECTIVITY

Network

WLAN + Bluetooth®[1]

Intel® Wi-Fi® 6E AX211, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.3, M.2 card

Onboard Ethernet

Gigabit Ethernet, Realtek® RTL8111K-CG, 1x RJ-45

Notes:

[1] Wi-Fi® operation (including Wi-Fi® 6, Wi-Fi® 6E, Wi-Fi® 7, etc.) is subject to the regulatory requirements of each country. Bluetooth® may operate at a lower version than hardware design depending on the factors such as operating system, driver, etc.

Ports^[1]

ThinkCentre M60q Chromebox Enterprise



Front Ports

- 1x USB-C[®] 3.2 Gen 2 (with DP 1.4)
- 2x USB 3.2 Gen 2
- 1x headphone / microphone combo jack (3.5mm)

Rear Ports

- 4x USB 3.2 Gen 1
- 1x HDMI® 2.1 TMDS
- 1x DisplayPort[™] 1.4
- 1x Ethernet (GbE RJ-45)

Optional Rear Ports**

- 1x HDMI® 2.1 TMDS (Flex IO)
- 1x DP 1.4 (Flex IO)

Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4® 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

Thunderbolt™ 5: 80 Gbit/s (bidirectional), up to 120 Gbit/s in bandwidth boost mode for video-intensive applications.

SECURITY & PRIVACY

Security

Security Chip

Google Security Chip H1

Physical Locks

Kensington® Security Slot™

BIOS Security

No support

MANAGEABILITY

System Management

System Management

Non-vPro®

SERVICE

Warranty^[1]

Base Warranty

- 1-year courier or carry-in service
- 1-year limited onsite service
- No base warranty

Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to https://smartfind.lenovo.com/. To learn more details of warranty policy, please access https://support.lenovo.com/warrantylookup/warrantypolicy.

ACCESSORIES



Bundled Accessories

Bundled Accessories

- DP to DVI dongle
- DP to HDMI® dongle
- None

OPERATING REQUIREMENTS

Operating Environment

Temperature

Operating: 5°C (41°F) to 35°C (95°F)
 Storage: -40°C (-40°F) to 60°C (140°F)

Relative Humidity

Operating: 20% to 80%Storage: 10% to 90%

Altitude

Operating: -15.2 m (-50 ft) to 3048 m (10,000 ft)
Storage: -15.2 m (-50 ft) to 10668 m (35,000 ft)

CERTIFICATIONS

Green Certifications

- (Optional) ENERGY STAR® 8.0
- (Optional) EPEAT™ Gold Registered[2]

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit https://compliance.lenovo.com. [2] EPEAT™ is registered where applicable, please visit epeat.net for registration status by country.

Other Certifications

Mil-Spec Test

MIL-STD-810H military test passed (Low Pressure [Altitude], High Temperature, Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus, Solar Radiation, Contamination by Fluids, Salt Fog)

- Feature with ** means that only one option listed under the feature can be configured on selected models.

 Please refer to the model configuration for specific information.
- Feature with *** means that one or more options listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
 responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
 WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
 OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
 disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
 you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.













