


# **OVERVIEW**



1. Optical drive eject button *	8. USB 2.0
2. USB 3.2 Gen 1	9. USB 3.2 Gen 2
3. Power connector	10. 2x USB-C 3.2 Gen 2
4. Headphone / microphone combo jack (3.5mm)	11. USB-C 2.0 (support data transfer, PD 3.0)
5. HDMI-in 1.4	12. Kensington Security Slot
6. Ethernet (RJ-45)	13. HDMI Switch Key
7. HDMI-out 2.1 TMDS	14. Power button

### Notes:

• Items with \* are only available on selected models



## **PERFORMANCE**

### **Processor**

#### **Processor Family**

13th Generation Intel® Core™ i5 / i7 Processor

#### Processor\*\*[1]

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Processor Graphics
Core i5- 13500H	12 (4 P-core + 8 E-core)	16	P-core 2.6GHz / E- core 1.9GHz	P-core 4.7GHz / E- core 3.5GHz <sup>[2]</sup>		Intel® Iris® Xe Graphics
Core i7- 13700H	14 (6 P-core + 8 E-core)	20	P-core 2.4GHz / E- core 1.8GHz	P-core 5.0GHz / E- core 3.7GHz <sup>[3]</sup>	24MB Intel® Smart Cache	Intel® Iris® Xe Graphics

#### Notes:

[1] Intel® Iris® Xe Graphics capability requires system to be configured with dual-channel memory. On the system with single-channel memory, Intel® Iris® Xe Graphics will function as Intel® UHD Graphics.

[2], [3] Intel® Max Turbo frequency will vary depending on application workload and the hardware and software configurations, see

http://www.intel.com/technology/turboboost/ for more information.

## **Operating System**

### **Operating System**

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- Ubuntu Linux[1]
- · No preload operating system

#### notes.

[1] Some features may not be supported on the system with Linux preload, including but not limited to Intel® RST RAID, Human Presence Detection, etc.

## **Graphics**

### Graphics\*\*

Graphics	Туре	Memory	Max Resolution	Connector	Key Features
Intel® Iris® Xe Graphics[1]	Integrated	Shared	4096x2306@60Hz(HDMI®)	1x HDMI® 2.1 TMDS	DirectX® 12.1
Intel® Arc™ A370M Graphics	Discrete	4GB GDDR6	3840x2160@60Hz(HDMI®)	1x HDMI® 2.1 TMDS	DirectX® 12 Ultimate

#### Notes:

[1] Intel® Iris® Xe Graphics capability requires system to be configured with dual-channel memory. On the system with single-channel memory, Intel® Iris® Xe Graphics will function as Intel® UHD Graphics.

## **Monitor Support**

#### **Monitor Support**

Supports up to 2 independent displays via native display and 1 external monitor; supports external monitor via HDMI®

## Chipset

### Chipset

Intel® SoC (System on Chip) platform

### Memory

### Max Memory[1]

Up to 16GB DDR5-5200

# **Memory Slots**

Two DDR5 SODIMM slots, dual-channel capable



#### **Memory Type**

DDR5-5200

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

## **Storage**

### Max Storage Support\*\*[1]

- Up to two drives, 1x 2.5" HDD + 1x M.2 SSD
  - 2.5" HDD up to 2TB
  - M.2 SSD up to 1TB
- To install a HDD storage, assembly kits are needed. The kits only come with HDD models.

#### Storage Type

Disk Type	Interface	Security
M.2 2280 SSD	PCle® NVMe®, PCle® 4.0 x4	Opal 2.0

#### **RAID**

No support

Notes:

[1] The max capacity of each disk type is based on the test results with current Lenovo® storage offerings.

## Removable Storage

#### **Optical**

- DVD burner (DVD±RW), SATA connector, slim (9.0mm)
- None

### **Card Reader**

No card reader

## Multi-Media

## **Audio Chip**

High Definition (HD) Audio

#### **Speakers**

Stereo speakers, 3W x2, Audio by HARMAN

#### Microphone

Dual-microphone array

### Camera\*\*

- 5.0-megapixel IR camera, fixed focus
- 5.0-megapixel IR camera, fixed focus, with AI chip
- 5.0-megapixel, fixed focus
- No camera

## **Power Supply**

### **Power Supply**

Power	Туре	Efficiency	Key Features
180W	Fixed	90%	100V - 240V, 50-60Hz

# **DESIGN**

## **Display**

### Display\*\*[1]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut		Viewing Angle (L/R/U/D)	Key Features	
------	------------	-------	------	------------	---------	-----------------	-------------------	----------------	--	-------------------------------	--------------	--



23.8"	FHD (1920x1080)	Multi- touch	IPS	250nits	Anti- glare	16:9	1000:1	72% NTSC	60Hz	89° / 89° /	14ms response time, borderless design, low blue light, flicker free
23.8"	FHD (1920x1080)	Non- touch	IPS	250nits	Anti- glare	16:9	1000:1	72% NTSC	60Hz	89° / 89° /	14ms response time, borderless design, low blue light, flicker free

#### **Touchscreen**

- · Advanced In-cell Touch (AIT), supports 10-point touch
- Non-touch

## Notes:

[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

## **Input Device**

### Keyboard\*\*

- Lenovo® Calliope Keyboard (USB connector), black
- Lenovo® Calliope Wireless Keyboard, black
- · No keyboard

#### Mouse\*\*

- Lenovo® Calliope Mouse (USB connector), black
- Lenovo® Calliope Wireless Mouse (2.4GHz via USB receiver), black
- No mouse

### Mechanical

### **Form Factor**

AIO (23.8 inches)

### Dimensions (WxDxH)[1]

Models	Dimensions
Models with liftable monitor stand	541 x 220 x 482 mm (21.3 x 8.7 x 19 inches)
Models with monitor stand	541 x 209.9 x 433.7 mm (21.3 x 8.3 x 17.1 inches)

### Packaging Dimensions (WxDxH)

- Models with liftable monitor stand:  $658 \times 264 \times 570 \text{ mm}$  (25.9 x 10.4 x 22.44 inches )
- Models with monitor stand: 695 x 196 x 554 mm (27.4 x 7.7 x 21.81 inches)

## Weight<sup>[2]</sup>

Models	Weight
Models with monitor stand	Around 7.42 kg (16.36 lbs)
Models with liftable monitor stand	Around 7.64 kg (16.84 lbs)

#### **Packaging Weight**

- Models with liftable monitor stand: 11.88 kg (26.19 lbs)
- Models with monitor stand: 11.04 kg (24.34 lbs)

### **Case Color**

Raven black

### Bays

- 1x 2.5" disk bay
- 1x slim ODD bay
- For installing HDD storage, assembly kits are needed. The kits only come with HDD models.

#### **Expansion Slots**

Two M.2 slots (one for WLAN, one for SSD)

## Stand\*\*

- Monitor stand, supports -5° to +25° tilt, left & right 45° swivel
- Liftable monitor stand, supports -5° to +18° tilt, left & right 45° swivel, up to 100mm lift



#### Mounting

Supports VESA mount 100mm

#### **Others**

Supports Smart Power On

#### Notes:

- [1] The system dimensions may vary depending on configurations.
- [2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

## CONNECTIVITY

#### **Network**

#### WLAN + Bluetooth®\*\*

- Realtek® Wi-Fi® 6 RTL8852BE, 802.11ax Dual Band 2x2 Wi-Fi® + Bluetooth® 5.3, M.2 card[1]
- Intel® Wi-Fi® 6 AX201, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.2, M.2 card[2]

#### **Onboard Ethernet**

Gigabit Ethernet, Realtek® RTL8111K-CG, 1x RJ-45

#### Notes:

- [1] Bluetooth® 5.3 requires Windows® 11.
- [2] Bluetooth® 5.2 requires Windows® 11.

### Ports<sup>[1]</sup>

#### **Rear Ports**

- 1x USB-C<sup>®</sup> 2.0 (Supports data transfer, Power Delivery 3.0)
- 2x USB-C® 3.2 Gen 2
- 1x USB 2.0
- 1x USB 3.2 Gen 2 (Supports smart power-on)
- 1x HDMI®-in 1.4
- 1x HDMI®-out 2.1 TMDS
- 1x Ethernet (RJ-45)
- 1x headphone / microphone combo jack (3.5mm)

### Left Ports

1x USB 3.2 Gen 1

### Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4® 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

Thunderbolt™ 5: 80 Gbit/s (bidirectional), up to 120 Gbit/s in bandwidth boost mode for video-intensive applications.

## **SECURITY & PRIVACY**

### Security

### **Security Chip**

Firmware TPM 2.0 integrated in SoC

### **Physical Locks**

Kensington® Security Slot™, 3 x 7 mm



#### **BIOS Security**

- Administrator password
- · Hard disk password
- Power-on password
- Cover presence switch
- Intel® BIOS guard
- Never crash Self-healing
- More BIOS security features, please visit <u>BIOS Simulator</u>[1]

#### Notes:

[1] The BIOS simulator is just for reference. Default settings and some options may vary depending on the hardware, operating system and BIOS version.

### SERVICE

### **Warranty**<sup>[1]</sup>

#### **Base Warranty**

- 1-year courier or carry-in service
- 1-year limited onsite service

#### Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://support.lenovo.com/warrantylookup/warrantypolicy">https://support.lenovo.com/warrantylookup/warrantypolicy</a>.

## **ACCESSORIES**

#### **Bundled Accessories**

#### **Bundled Accessories**

- USB-C® to USB-A dongle
- None

# **OPERATING REQUIREMENTS**

## **Operating Environment**

### **Temperature**

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage: -20°C (-4°F) to 60°C (140°F)

## **Relative Humidity**

- Operating: 20% to 80%
- Storage: 10% to 90%

## **Altitude**

- Operating: 0 m (0 ft) to 3048 m (10,000 ft)
- Storage: 0 m (0 ft) to 12192 m (40,000 ft)

# **CERTIFICATIONS**

### 

#### **Green Certifications**

- (Optional) ENERGY STAR® 8.0
- (Optional) EPEAT™ Silver Registered<sup>[2]</sup>

#### Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <a href="https://compliance.lenovo.com">https://compliance.lenovo.com</a>.



[2] EPEAT™ is registered where applicable, please visit epeat.net for registration status by country.

#### Other Certifications

#### Other Certifications

- TÜV Rheinland® Flicker Free
- TÜV Rheinland® Low Blue Light
- TÜV Rheinland® Ultra Low Noise

#### Mil-Spec Test

None

- Feature with \*\* means that only one option listed under the feature can be configured on selected models.

  Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.













